WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | 100 | | | | | | | | |
|--|-------------------------------------|-----------------------------|------------------|------------------|---------------------------|--|-----------------------------------|---|--|
| Location of well: | County Thomas | SW 1/4 StW 1/4 | SE _{/4} | Section number 6 | | Township number | Range number | × • • • • • • • • • • • • • • • • • • • | |
| Distance and direction from nearest town or city: | | | | | er of well: Lessman-Weger | | | | |
| 735 F College Dr Colby City, sto | | | | | code: | 6. Bore hole dia. 8 in. Well depth 280 ft. | Completion date | 7 | |
| NE NE NE NE | | | | | | 7Cable toolXRotary Driven DugHollow rod Jetted Bored Reverse rotary 8. Use:X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other | | | |
| | | | | | | | | | |
| SW SE X | | | | | | 9. Casing: Material DJST Height: Above or below Threaded Welded BL Surface 15 in. | | | |
| S 1 1 M | | | | | | RMP_X PVC Dia5in. to 280 dep | Weight th Wall Thickness: incl | lbs./ft. | |
| 5. Type and color of material | | | | | То | Diain. to ft. depth lagge Not | | | |
| Top Soil | | | | | 45 | TypeRMP | | | |
| Sond | | | | 45 53 | 53 | Set between 260 ft. and 280 ft. — ft. and — ft. Gravel pack? YES Size range of material 1/8" | | | |
| Sand and Caly Strips Sand and Samd Rock Strips | | | | 107 | 107 224 | 11. Static water level: mo./day/yr. 11. 6 ft. below land surface Date | | | |
| Sand Clay | | | | 224 | | | | | |
| Sand and Sand Rock Strips | | | | 236 | | ft.afterhrs.pumpingg.p.m. Estimated maximum yieldg.p.m. | | | |
| Oker and Shale | | | | 276 | 280 | 13. Water sample submitted: mo./day/yr. Yes X No Date | | | |
| | 17,00 | - C/le | | | | 14. Well head completion: | 20 Inches above g | rade | |
| | | | | | | 15. Well grouted?XES With: Neat cement _X Depth: From ft. to | | oncrete | |
| | | | | | | 16. Nearest source of possible ft Direction N | А Туре | No | |
| 70010 | | | | | | Well disinfected upon comple Pump: Manufacturer's name | Not installed | | |
| | | | | | | Model number | HP Volt | | |
| | | | | | | Type: Submersible Jet | Turbine | cating | |
| (Use a second sheet if needed) 18. Elevation: 19. Remarks: We did not install | | | | | L | Centrifugal 20. Water well contractor's of This well was drilled under m | | report | |
| Topography:HIII Pamp. | | | | | | is true to the best of my knowledge and belief. Bartell Drilling 139 Business name License No. | | | |
| | | | | | | Address Winona Signed Authorized rep | Baster Date | 7 6 4 | |
| | ue and nink copies to the Departmen | t of Health and Environment | | | | <i>y</i> | Form WW0 | | |