

LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Thomas</u>	<u>SW 1/4 SW 1/4 SE 1/4</u>	<u>7</u>	<u>T 8 S</u>	<u>R 33 E</u>

Distance and direction from nearest town or city street address of well if located within city?

2085 South FranklinWATER WELL OWNER: Secrest Inc.RR#, St. Address, Box #: P.O. Box 427

Board of Agriculture, Division of Water Resources

City, State, ZIP Code: Colby, KS 67701

Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 175 ft. ELEVATION:Depth(s) Groundwater Encountered 1. 166 ft. 2. 5-28-91 ft. 3. 91 ft.WELL'S STATIC WATER LEVEL 166 ft. below land surface measured on mo/day/yr 5-28-91Pump test data: Well water was 166 ft. after 5-28-91 hours pumping 91 gpmEst. Yield 91 gpm: Well water was 166 ft. after 5-28-91 hours pumping 91 gpmBore Hole Diameter 166 in. to 5-28-91 ft., and 91 in. to 91 ft.WELL WATER TO BE USED AS: 6 Public community 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes 5-28-91 No 91; If yes, mo/day/yr sample was submittedWater Well Disinfected? Yes 5-28-91 No 91

5 TYPE OF BLANK CASING USED:

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued 5-28-91 Clamped 91

1 Steel

3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

Welded 5-28-912 PVC

4 ABS

7 Fiberglass

Threaded 5-28-91Blank casing diameter 5 in. to 5-28-91 ft., Dia 91 in. to 91 ft., Dia 91 in. to 91 ft.Casing height above land surface 6 Below 5-28-91 in., weight 91 lbs./ft. Wall thickness or gauge No. 91

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

7 PVC

10 Asbestos-cement

2 Brass

4 Galvanized steel

6 Concrete tile

8 RMP (SR)

11 Other (specify)

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

9 Drilled holes

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 5-28-91 ft. to 91 ft., From 91 ft. to 91 ft., From 91 ft. to 91 ft.GRAVEL PACK INTERVALS: From 5-28-91 ft. to 91 ft., From 91 ft. to 91 ft., From 91 ft. to 91 ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout3 Bentonite

4 Other

Grout Intervals: From 5-28-91 ft. to 91 ft., From 91 ft. to 91 ft., From 91 ft. to 91 ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

Direction from well? SEHow many feet? 110

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>175</u>	<u>155</u>	<u>Chlorinated, washed Sand</u>
			<u>155</u>	<u>148</u>	<u>Bentonite</u>
			<u>148</u>	<u>116</u>	<u>Clay</u>
			<u>116</u>	<u>9</u>	<u>Bentonite</u>
			<u>9</u>	<u>6</u>	<u>Cement Grout</u>
			<u>6</u>	<u>0</u>	<u>Compacted Clay + Topsoil</u>

RECEIVED

JUN 12 1991

DIVISION OF ENVIRONMENT

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-28-91 and this record is true to the best of my knowledge and belief. KansasWater Well Contractor's License No. 5-28-91This Water Well Record was completed on (mo/day/yr) 5-28-91

under the business name of

by (signature) 5-28-91