USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

TWP: Morgan

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

County	Fraction	Fraction		number	Township number	Range number		
1. Location of well: Thomas	NW 1/4 SW 1/4 X	NE/4	#28	3	₇ 8 _s	_R 33	X _{E/W}	
2. Distance and direction from nearest town or city: From Colby, Ks. 3. Own 5 miles south - 22 miles east - 2 mile				l:	Harold Hills			
Street address of well location if in city: north					RFD #2			
City, std 4. Locate with "X" in section below: Sketch map:			tate, zip code:		Colby, Kansas 67701 6. Bore hole dia 30 in. Completion date			
N Skerch map:					Well depth 201 ft.	3-2-76		
					7 Cable tool Rotary Driven Dug			
NW NE					Hollow rod Jetted Bored X Reverse rotary			
W X 1 E					8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock			
11 ' '				Lawn Oil field water Other				
SW SE					9. Casing: Materia Lee 1 Height: Above or below			
t					Threaded Welded X Surface 1 2 in. RMP PVC Weight 188 lbs./ft.			
ı ← 1 Mile —					Dia. 16in. to 131 ft. depth Wall Thickness: inches or			
5. Type and color of material			From	То	Diain. toft. depth gage No188			
					10 Screen: Manufacturer's name Brown			
Clay & sand & gravel			0	100	Type Regular Dia. 16"			
lay & layers of sand			100	129	Set between			
Sandstone hard			129	131	Gravel pack? X Size range of material 4X5/850 % #1			
Clay			131	137	11. Static water level: 100 ft. below land sur		./day/yr. .7.6	
Coarse sand & gravel			137	145				
			Τ		12 Pumping level below land surfaces: 180			
Clay & sand streaks			145	162	Estimated maximum yield 400 g.p.m.			
Coarse sand & gravel			162	174				
Modium to coargo gand & clay strocks			174	182	Yes X No Date			
Medium to coarse sand & clay streaks					Pitless adapter 12 Inches above grade			
Medium to coarse sand			182	187	15. Well grouted?X Clay With: Neat cement _X Bentonite _X Concrete Depth: FromO ft. to 10ft.			
Coarse sand & gravel			187	198				
			100	0.0	16. Nearest source of possible	— ≪		
BRUCK 198'			1198	210	fr.3000 Direction South Type Feedlot			
15 NOCK 170			ļ		Well disinfected upon comple 17. Pump:	Not installed	^ No to	
						oway		
					Model number 7041	– HP <u>-50 </u>	!"s —	
			ļ		Length of drop pipe 190	_ ft. capacity 100	g.p.m. (€) ^m	
					Submersible	X Turbine		
(Use a second sheet if needed)					Jet Centrifugal	Recipro	cating S	
18. Elevation: 19. Remarks: 20. Water well contractor's certification:								
					This well was drilled under my	•	report	
Topography:					is true to the best of my knowledge and belief. Western Well & Pump 245			
— HIII				Business name License No.				
Upland					Address PO Box 852 Colby, KS 2 E			