KOLAR Document ID: 1566229

	WELL R	ECORD Correction		WWC-5 ge in Well Use		ivision of W sources App			Well ID		
		ATER WEL		Fraction		ection Num		Township Numb		ge Number	
County:				1/4 1/4 1/	/4 ¹ /4	¹ ⁄ ₄ T S R □ F				□ E □ W	
Business: d Address:						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
Address: City: State:				ZIP:							
3 LOCAT		4 DEPTH	OF COM	IPLETED WELL:		ft. 5 Latitude :(decimal degrees)					
			th(s) Groundwater Encountered: 1)			Longitude:					
) SECTION		2) ft. 3) ft., or 4) Dry WELL'S STATIC WATER LEVEL:				Dat	Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27				
			n. /-yr)		Source for Latitude/Longitude:						
NW	NE X	above la	/-yr)		(WAAS enabled? ☐ Yes ☐ No)						
w		Pump test data: Well water was ft. after hours pumping gpm					□ Land Survey □ Topographic Map □ Online Mapper:				
		untertiti	ft.								
5W	SW SE after hour Estimated Yield:			s pumping	6 Ele	6 Elevation:ft. Ground Level TOC					
	S	Bore Hole I	ft. and		Source: 🗌 Land Survey 🔲 GPS 🔲 Topographic Map						
1 r	1		in. to f				Other				
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
	☐ Household							le: well ID			
	Lawn & Garden 7.			7. Aquifer Recharge: well ID			Cased Uncased Geotechnical			1	
	□ Livestock 8. □ Monitoring: we 2. □ Irrigation 9. Environmental Rer						12. Geothermal: how many bores? a) Closed Loop ☐ Horizontal ☐ Vertical				
3. Feedlot Air Sparge									$pop \square$ Surface Discharge \square Inj. of Water		
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest sou	rce of possibl	e contaminati	on: No	potential source of co	ntamination v	vithin 200 ft.					
Septic Sewer			Lateral Line Cess Pool	es		Livestock			ide Storage		
	ight Sewer Li			☐ Sewage L ☐ Feedyard		Fertilizer S			ll/Gas Well	wen	
Direction from well? ft.											
10 FROM	TO TO		ITHOLO		FROM	ТО		ft. ГНО. LOG (cont.) or	PLUGGIN	GINTERVALS	
					Notes:						
11 CONT	RACTOR'S	OR LAND	WNER'S	S CERTIFICATIO	N: This wa	er well was		onstructed, \Box reco	nstructed,	or plugged	
Kansas Wa	iter Well Cor	nu was compl ntractor's Lice	ense No	no-day-year) 	ater Well R	ecord was c	u is tr omple	eted on (mo-day-ve	y knowledgear)	ze and bener.	
	usiness name	e of									
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
		ks.gov/waterwel					1			SA 82a-1212	