WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

Job #65-77-C-15-8-34

	County Fraction			Section number		Township number	Range number		
1. Location of well:	Thomas	SW 1/4 NE 1/4 SW 1/4				T 8 s	R 34	₽\$∕W	
1 South; 2 3/4 W; 1/4 North to Well Street address of well location if in city:			street:		Paul Steele Colby, KS 67701				
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 30 in. Completion date 2-8-77 Well depth 234 ft.			
N						7Cable toolRotaryDriven DugHollow rodJettedBored X_Reverse rotary 8. Use:DomesticPublic supplyIndustryX_Irrigation Air conditioningStockLawnOil field waterOther			
S 1 Mile						9. Casing: Material Steel Height: Above or HANKAX Threaded Welded X Surface 12 in. RMP PVC Weight 188 lbs./ft. Dia. 16 in. to 164 ft. depth Wall Thickness: inches or			
5. Type and color of	material			From	То	Dia in. to ft. depth gage No			
Clay				0	57	Brown Type Regular Dia. 16"			
Sand, Gra	vel			57	93	Slot/gauze 10% Length 60'			
Clay				93	97	10 Cook 224 ft. and 234 ft.			
Clay, Sandstone				97	112	11. Static water level: mo./day/yr. 158 ft. below land surface Date 2-14-77			
Med. Coarse Sand				112	136	12. Pumping level below land surfaces:			
Clay, Cemented				136	138	ft. after hrs. pumping g.p.m.			
Coarse Sand, Gravel, Sandstone Streaks				138	149	13. Water sample submitted: mo./day/yr.			
Coarse Sa	nd, Med.Gravel			149	162	Yes X No Date 14. Well head completion:			
Sandstone Streaks				162	164				
Coarse Sand, Med. Gravel				164	172	I will be a V court V court			
Sandy Clay				172	192	16. Nearest source of possible contamination: 17. 16. Nearest source of possible contamination: 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19			
Coarse Sand, MXXX Gravel				192	198	Well disinfected upon completion? Yes X No			
Cemente d Sand, Gravel				198	201	771			
Coarse Sand, Gravel				201	208	Length of drop pipe 220 ft. capacityg.p.m.			
Sandstone Coarse Sand, Gravel				208	209 232	Submersible	X Turbine	1 1	
Shale	(Use a second s	heet if needed)		232	234	Jet Centrifugal	Reciprod	e laring	
18. Elevation:	19. Remarks:				:	20. Water well contractor's a This well was drilled under m		report	
Topography: — Hill Slope X Upland Valley						is true to the best of my know Western Well & Business name Address BOX 852 Co Signed Authorised rep	Pump 2	245 701 3 301 1	
Forward the white, blu	e and pink copies to the Department	of Health and Environment				-	Form WW(C-5	

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

JULIEX É

WATER WELL RECORD KSA 82a-1201-1215 Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

		· ·
Job	#65-77-C-15-8-34	-/:-/

1 1 2 - 1	County	Fraction		Section number		Township number	Township number Range number		
! Location of well:	Thomas SW 1/4 NE 1/4 SW 1/4 15		5	т 8 s	≨ √w				
				/4 15 T 8 S R 34 1/2 M N N N N N N N N N					
Street address of well location if in city:				or street:					
4 L A JAL HVII to			City, st	ate, zip	code:	Colby, KS 67701 6. Bore hole dia. 30 in. Completion date 2-8-77			
4. Locate with "X" in N	n section below:	Sketch map:				Well depth 234 ft.	. Completion date =		
	l l					7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored X_ Reverse rotary			
	!				Ì	8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock			
Σ W	E								
sw ^X	SE				ŀ	LawnOil field waterOther 9. Casing: Material: Steel Height: Above XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			
	 					Threaded Welded X Surface 12 in.			
\$						RMPPVCWeight188_lbs./ft. Dia. 16in. to 164 ft. depth!Wall Thickness: inches or			
5. Type and color of a				From	То	Dia in. to ft. dep			
- Type and color of						10. Screen: Manufacturer's r			
Clay				0	57	Type Regular Dia. 16"			
Sand Cross	1			6.7	0.2	Slot/gauze			
Sand, Grav	/e1			57	93				
C1ay C1ay				93	97				
Clay, Sandstone				97	112	11. Static water level: mo./day/yr. 158 ft. below land surface Date 2-14-77			
Med. Coars	e Sand			112	136	12. Pumping level below land surfaces: 171 ft. after 2 hrs. pumping 599 g.p.m.			
Clay, Cemented				136	138				
Coarse Sand, Gravel, Sandstone Streaks				138	149	13. Water sample submitted: mo./day/yr.			
Coarse San	d, Med. Gravel			149	162	Yes X No Date			
Sandstone Streaks				162	164	Pitless adapter			
Coarse Sand, Med. Gravel				164	172				
SAndy Clay				172	192				
Coarse Sand Crayol				192	198				
Coarse Sand, Gravel					17. Pump:	Nat installed			
Cemented S	and, Gravel			198	201	Manufacturer's name F10 Model number 85126	way HP 75 Vo	,,,480 1	
Coarse San	d, Gravel			201	208	Length of drop pipe 220	ft. capacity		
Sandstone Coarse Sand, Gravel			208	209	Type: 10 Stage Submersible	10" GH X Turbin			
	d, Glaver			209	232	Jet		ocating	
Shale	(Use a second sh		- 4 -	232	234	Centrifugal	Other	—— § i(,	
18. Elevation:	19. Remarks:					20. Water well contractor's of This well was drilled under m	y jurisdiction and thi	s report	
Topography:				ļ,	is true to the best of my know Western Well &	245 ₹			
—HIII 3729					Business name			cense No.	
Slope Upland						Addres Box 852 Colby, KS 67701			
Valley						Signed Authorized rep	resentat e Date	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	