USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY. COUBYSW

WATER WELL RECORD KSA 82a-1201-1215

KSA 820-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

l l	County	Fraction	•	Section number		Township number	Range number	
1. Location of well:	Thomas SE 1/4 SE 1/4 SW		SW 1/4	1/4 #32		т 8 s	R 34 E	Ø
2. Distance and direction from nearest town or city: From Colby, Ks., 3					ll:	Ronald Frahm		
In the standards of the						985 South Range		
City, st					code:	Colby, Kansas		
4. Locate with "X" in se	ection below:	Sketch map:				6. Bore hole dia. 28 in Well depth 271 ft.	. Completion date 9-10-75	-
						7 Cable tool Rotary		=
NW	NE	•					BoredXReverse ro	otary
E SW SE						8. Use: Domestic Public supply Industry X		
x	<u>i</u>					Threaded Welded _X	iSurface12	_in.
S						RMP PVC Dia. 16in. to 181 ft. deg	Weight • 188 lbs	./ft.
5. Type and color of material					То	Dia. Light, to Light, dep Dia. Lin. to Light, dep		<u>~</u>
J. Type and color of mai				From	 	10. Screen: Manufacturer's		wn
Clay & sand streaks					160	Type perforated Dia. 16"		
Sandy clay					167	Slot gauze 1/8	Length	_
						Set petween 181		
Medium to coarse sand & clay streaks				167	178	Grovel pack? YES Size ro	ange of material $\frac{1}{4} \times 5$	78
Medium to coarse sand & gravel				178	194	11. Static water level: mo./day/yr. 163 ft. below land surface Date 10-8-75		
Clay				194	196	12. Pumping level below land surfaces:		
Medium to coarse sand & clay streaks				196	206	175 ft. after 2 hrs. pumping 2300g.p.m.		
Include to course band a cray streams				+	1200	Estimated maximum yield	2500 g.p	- 1
Coarse sand & gravel				206	221	13. Water sample submitted:	mo./day	/ут.
Clay				221	226	Yes X No 14. Well head completion:	Date	-
Medium to coarse sand					239	Pitless adapter12 Inches above grade		
neulum to coarse sanu					 	15. Well grouted? <u>yes</u>		
Clay					243	With: Neat cement Depth: From Depth: ft. to		ere -
Medium to coarse sand					249	16. Necrest source of possible	e contamination:	
Clay				249	250	ft. 2600 Direction East Type Farm Well disinfected upon completion? Yes X No		
						17. Pump:	Not installed	7
Medium to coarse sand & gravel				250	271	Manufacturer's name	yron Jackson _ HP_150_ Volm_4	60
Ochre & Shale				271		Length of drop pipe 271	ft. capacity 1100g.p	
		ISROCK Z/1'				Type: Submersible	<u>X</u> Turbine	
(Use a second sheet if needed)				Ī		Jet Centrifugal	Reciprocatin	ng ,
18. Elevation: 19.	. Remarks:				I	20. Water well contractor's		՝
		10 (TUPO)				This well was drilled under m		r+
Topography:	761	0 (1010)				is true to the best of my know		
Hill						Western Well & Business name		
Slope						Address P.O. Box	,852, Colby, K	<u>(s.</u>
X Upland						Signed Authorized rec	nead Date he	

Forward the white, blue and pink capies to the Department of Health and Environment

Form WWC-5