County: Thomas		ty of Levant	Section Number	T 8 S	Range Number R 35 E
Distance and direction from no			Street address of well		
WATER WELL OWNER:	Jeff Finley				
RR#, St. Address, Box # : City, State, ZIP Code :	Levant Kansas		*****	Board of Agriculte Application Numb	ure, Division of Water Resource per:
		Bore Hole Diameter	. 8 . 9 in. to 1.95	ft., and	in. to f
Vell Water to be used as:	5 Public water	supply	8 Air conditioning	11 Injection	well
1 Domestic 3 Feedlot	6 Oil field water	er supply	9 Dewatering	12 Other (S	pecify below)
2 Irrigation 4 Industrial			10 Observation well		**************************************
Well's static water level					day 7.7 year
Pump Test Data Est. Yield	: Well water was. gpm: Well water was			hours pumping hours pumping	gpm
TYPE OF BLANK CASING	3 USED:	5 Wrought iron	8 Concrete tile		gpm Glued Clamped
1 Steel 3	RMP (SR)	6 Asbestos-Cement	9 Other (specify bel	ow)	Welded
2 PVC 4	4 ABS	7 Fiberglass		• • • • • • • • • • • • • • • • • • •	Threaded
3lank casing dia5	in. to	8 5 ft., Dia	in. to	ft., Dia	in. to f
Casing height above land surf	face12	in., weight		os./ft. Wall thickness or gau	ıge No · · · ₄. / 🎢 🗸 · · · · · · · · .
TYPE OF SCREEN OR PERF	FORATION MATERIAL:		7 PVC	10 Asbestos-	cement
1 Steel 3	3 Stainless steel	5 Fiberglass .	8 RMP (SR)	11 Other (spe	ecify)
2 Brass 4	Galvanized steel	6 Concrete tile	9 ABS	12 None used	d (open hole)
Screen or Perforation Opening	gs Are:	5 Gauzeo	d wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w	rapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch o			
Screen-Perforation Dia 5					in to
Screen-Perforated Intervals:	From 1 85	ft. to 1.95	ft., From .		tof
	From	,	ft., From .		to
Gravel Pack Intervals:	From		ft., From .		to
	From	ft. to			to fi
T			ft., From		
	1 Neat cement	2 Cement grout	3 Bentonite	4 Other	
Grouted intervals: From0	1 Neat cement ft. to 20.	2 Cement grout	3 Bentonite	4 Other	ft. to
Grouted intervals: From 0 What is the nearest source of	Neat cement ft. to 20. f possible contamination:	2 Cement grout	3 <u>Bentonite</u> ft. to 10 Fue	4 Other	ft. tof. ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank	Neat cement f. to 20. f possible contamination: Cess pool	Cement grout ft., From Sewage lagor	3 <u>Bentonite</u> ft. to 10 Fue on 11 Fer	4 Other	ft. toft 14 Abandoned water well 15 Oil well/Gas well
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines	Neat cement Neat cement Neat cement Neat cement Seepage pit	Cement grout ft., From Sewage lagoo Feed yard	3 <u>Bentonite</u>	4 Otherft., Fromel storage tilizer storage ecticide storage	ft. tof 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines	1 Neat cement 20	2 Cement groutft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen	3 <u>Bentonite</u>	4 Other	ft. to
What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen	3 Bentonite	4 Other ft., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout ft., From 7 Sewage lagox 8 Feed yard 9 Livestock pen w many feet	3 Bentonite 10 Fue on 11 Fer 12 Insi 13 Wate ? Wate	4 Other ft., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes.	ft. to
Grouted Intervals: From. 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 20	2 Cement grout ft., From 7 Sewage lagoo 8 Feed yard 9 Livestock pen w many feet epartment? Yes day	3 Bentonite 10 Fue on 11 Fer 12 Ins ns 13 Wa	4 Other ft., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement groutft., From7 Sewage lagox 8 Feed yard 9 Livestock pen w many feet	3 Bentonite 10 Fue on 11 Fer 12 Ins ns 13 Wa Wate year: Pump Insta	4 Other ft., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement groutft., From7 Sewage lagox 8 Feed yard 9 Livestock pen w many feet	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa ? Wate	4 Other ft., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes. No	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement groutft., From7 Sewage lagor 8 Feed yard 9 Livestock pen w many feet	3 Bentonite 10 Fue on 11 Fer 12 Insens 13 Wate	4 Other ft., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement groutft., From7 Sewage lagor 8 Feed yard 9 Livestock pen w many feet	3 Bentonite 10 Fue on 11 Fer 12 Insens 13 Wate 2 Wate 2 Year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed, (2) re	4 Other ft., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No. X Illed? Yes HP at intrifugal 5 Reciproseconstructed, or (3) plugge	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen w many feet epartment? Yes day ft. 2 Turbine TION: This water well wa month 8	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa	ft., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No HP at intrifugal 5 Recipro	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement groutft., From7 Sewage lagor 8 Feed yard 9 Livestock pen w many feet	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa ? Wate year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed. (2) re day //ell Contractor's License	tt., From tt., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa ? Wate	tt., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No. X Illed? Yes HP at intrifugal 5 Recipro econstructed, or (3) plugger 77 No. 214 day 80	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement groutft., From7 Sewage lagor 8 Feed yard 9 Livestock pen w many feet	3 Bentonite ft. to 10 Fue on 11 Fer 12 Insi is 13 Wat ? Wate	tt., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No. X Illed? Yes HP at intrifugal 5 Recipro econstructed, or (3) plugger 77 No. 214 day 80	ft. to
Grouted Intervals: From	1 Neat cement 1	2 Cement grout	3 Bentonite ft. to 10 Fue on 11 Fer 12 Insi is 13 Wat ? Wate	tilizer storage ecticide storage etertight sewer lines er Well Disinfected? Yes No. X Illed? Yes HP at econstructed, or (3) plugger 77 No. 214 day 80	ft. to
Arouted Intervals: From	1 Neat cement 1	2 Cement groutft., From7 Sewage lagor 8 Feed yard 9 Livestock pen w many feet	3 Bentonite 10 Fue 11 Fer 12 Insens 13 Wate 14 Cepas (1) constructed (2) re 18 Insens (1) constructed (2) re 19 Insens (2) re 19 Insens (3 Jet 4 Cepas (1) constructed (2) re 19 Insens (1) constructed (2) re 19 Insens (2) re 19 Insens (3 Jet 4 Cepas (1) constructed (2) re 19 Insens (2) re 19 Insens (3 Jet 4 Cepas (1) constructed (2) re 19 Insens (1) constructed (2) re 19 Insens (3 Jet 4 Cepas (1) constructed (2) re 19 Insens (1) constructed (2) re 10 Insens (2) constructed (2) re 10 Insens (2) constructed (2) constructed (tilizer storage ecticide storage etertight sewer lines er Well Disinfected? Yes No. X Illed? Yes HP at econstructed, or (3) plugger 77 No. 214 day 80	ft. to
Arouted Intervals: From	1 Neat cement 1	2 Cement grout	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa Year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed. (2) re day dell Contractor's License onth. 23 by (signature) IC LOG FRI	tt., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa	tt., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? Yes No	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen w many feet partment? Yes day ft. 2 Turbine TION: This water well wa month blid belief. Kansas Water W LITHOLOGI for soil f. sand m. g m. gravel sa m. gravel sa	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed (2) re day yell Contractor's License onth. 23 yell Contractor's License onth. 23 yell Contractor's FRi actions and services and se	tilizer storage ecticide storage etertight sewer lines er Well Disinfected? Yes. No. X. Illed? Yes. HP at econstructed, or (3) plugger 77 No. 214 day 80 OM TO	ft. to
Arouted Intervals: From	1 Neat cement 1	2 Cement grout	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed (2) re day yell Contractor's License onth. 23 yell Contractor's License onth. 23 yell Contractor's FRi actions and services and se	tilizer storage ecticide storage etertight sewer lines er Well Disinfected? Yes. No. X. Illed? Yes. HP at econstructed, or (3) plugger 77 No. 214 day 80 OM TO	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen w many feet partment? Yes day ft. 2 Turbine TION: This water well wa month blid belief. Kansas Water W LITHOLOGI for soil f. sand m. g m. gravel sa m. gravel sa	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed (2) re day yell Contractor's License onth. 23 yell Contractor's License onth. 23 yell Contractor's FRi actions and services and se	tilizer storage ecticide storage etertight sewer lines er Well Disinfected? Yes. No. X. Illed? Yes. HP at econstructed, or (3) plugger 77 No. 214 day 80 OM TO	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed (2) re day yell Contractor's License onth. 23 yell Contractor's License onth. 23 yell Contractor's FRi actions and services and se	tilizer storage ecticide storage etertight sewer lines er Well Disinfected? Yes. No. X. Illed? Yes. HP at econstructed, or (3) plugger 77 No. 214 day 80 OM TO	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed (2) re day yell Contractor's License onth. 23 yell Contractor's License onth. 23 yell Contractor's FRi actions and services and se	tilizer storage ecticide storage etertight sewer lines er Well Disinfected? Yes. No. X. Illed? Yes. HP at econstructed, or (3) plugger 77 No. 214 day 80 OM TO	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed (2) re day yell Contractor's License onth. 23 yell Contractor's License onth. 23 yell Contractor's FRi actions and services and se	tilizer storage ecticide storage etertight sewer lines er Well Disinfected? Yes. No. X. Illed? Yes. HP at econstructed, or (3) plugger 77 No. 214 day 80 OM TO	ft. to
Grouted Intervals: From 0 What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement 1	2 Cement grout	3 Bentonite ft. to 10 Fue on 11 Fer 12 Ins is 13 Wa year: Pump Insta Model No. Pumps Capacity rated 3 Jet 4 Ce as (1) constructed (2) re day yell Contractor's License onth. 23 yell Contractor's License onth. 23 yell Contractor's FRi actions and services and se	tilizer storage ecticide storage etertight sewer lines er Well Disinfected? Yes. No. X. Illed? Yes. HP at econstructed, or (3) plugger 77 No. 214 day 80 OM TO	ft. to