	WATER	WELL RECORD	Form WWC-5	KSA 82a	-1212			
LOCATION OF WATER WELL:	Fraction		Sec	tion Number		Number	Range Number	er
ounty: Thomas	SF 1/4	NF 1/4 SU		<u>گـــــــــ</u>	L T X	S	R 35	E(W)
istance and direction from nearest	town or city street add	fress of well if located	within city?	**************************************	***			
	evant.	,						
WATER WELL OWNER: Ger	ald + Ila Si	hepard						
R#, St. Address, Box # : <i>仮</i> ⊘っ	$\langle \lambda 3 \rangle$	4				•	ivision of Water Re	sources
ity, State, ZIP Code : Le	vant Ks	67743			Application	on Number:	Mong	
LOCATE WELL'S LOCATION WI AN "X" IN SECTION BOX:		MPLETED WELL ater Encountered 1.						
	WELL'S STATIC V	VATER LEVEL	ft. b	elow land sur	face measured of	on mo/day/yr		
1 1 1 1	Pump	test data: Well wate	rwas	ft. a	fter	. hours pur	mping	. gpm
com on NY com com on NE com com	Est. Yield	gpm: Well wate	rwas	ft. a	fter	hours pur	mping	. gpm
	Bore Hole Diamete	erin. to			and	in.	to	ft.
	WELL WATER TO	BE USED AS:	5 Public wate	r supply	8 Air conditionir	ng 11 l	njection well	
SW SE	(f) Domestic	3 Feedlot	6 Oil field wat	ter supply	9 Dewatering	12 (Other (Specify below	w)
244 mm 27 mm 27 mm	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Observation v	vell		
i	Was a chemical/ba	icteriological sample s	submitted to De	epartment? Ye	esNo	If yes,	mo/day/yr sample v	vas sub-
	mitted		·····		ter Well Disinfec		No	
TYPE OF BLANK CASING USE	= :	5 Wrought iron	8 Concre	ete tile	CASING J	OINTS: Glued	I Clamped .	
(1/Steel 3 RMP		6 Asbestos-Cement	9 Other	(specify below	v)	Welde	ed	
2 PVC4 ABS	1/2						ded	1
lank casing diameter								
asing height above land surface		n., weight		Ibs./	ft. Wall thickness	s or gauge No)	.,
YPE OF SCREEN OR PERFORA	TION MATERIAL:		7 PV	С	10 A	sbestos-ceme	nt	
Steel 3 Stain	iless steel	5 Fiberglass	8 RM	IP (SR)	11 0	ther (specify)		
2 Brass 4 Galv	anized steel	6 Concrete tile	9 AB	S		one used (op	*	
CREEN OR PERFORATION OPE		5 Gauze	ed wrapped				11 None (open ho	ole)
1 Continuous slot	3 Mill slot		wrapped		9 Drilled holes			
	4 Key punched	7 Torch				• •		
CREEN-PERFORATED INTERVAL		ft. to						
		ft. to						
GRAVEL PACK INTERVA	From	ft. to ft. to			m			tt.
GROUT MATERIAL: 1 No		Cement grout						
	ft. to	9						
/hat is the nearest source of possi					tock pens		pandoned water we	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage			15 Oil well/Gas well	
2 Sewer lines (5)Cess pool		8 Sewage lagoon		12 Fertilizer storage			16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage				
irection from well?	oopago pa	o ii oouyunu		How ma	-	100L+		
FROM TO	, LITHOLOGIC 1:	ØG`	FROM	ТО		LITHOLOG	IC LOG	
(2)	vacina Cri	tensa						
	77 "9	/						
60 3 c/eq	n Sand							
3 0 0	Engy +							
				·				
						emanant		
						,		
								· · · · · · · · · · · · · · · · · · ·
		74.000.000 MANUAL TO THE TOTAL THE TOTAL TO THE TOTAL TOT						
· · · · · · · · · · · · · · · · · · ·		MANAGEMENT AND ADMINISTRATION OF THE PARTY O						
	A CAPACITY OF A							
·					***************************************			

						-		
CONTRACTOR'S OR LANDOW	NER'S CERTIFICATION	N: This water well w	as (1) constru	icted, (2) reco	onstructed, or 🕄	plugged und	der my jurisdiction a	and was
CONTRACTOR'S OR LANDOW	3-23 - 8	8		and this reco	ord is true to the	best of my kn	owledge and belief.	Kansas
/ater Well Contractor's License No)	This Water W	/ell Record wa	as completed	on (mo/day/yr)	4-2	58	
nder the business name of				by (signa	ature) \ Lla	D. S.	Report .	
INSTRUCTIONS: Use typewriter or ball Department of Health and Environment				blanks, underlir	ne or circle the corre			
	i ioureau di vvaier Projecti	JII. TUDUNA, NAMSAS 0002	v-7320. Telebno	116.213-002-93	oo. Genu one lo WA	TILLI VVELL OV	riveri anu retatti utte 10	a your

records.