

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Thomas		SE ¼ NE ¼ NE ¼	18	T 8 S	R 36 EW
Distance and direction from nearest town or city street address of well if located within city? ~100' W of Hastings Rd on S side of 3rd St, Brewster					
2 WATER WELL OWNER: Kansas Dept. of Health & Environment					
RR#, St. Address, Box # : 1000 SW Jackson St., Suite 410			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Topeka, Kansas 66612-1367			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 150.6 ft ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft 2. ft 3. ft			
		WELL'S STATIC WATER LEVEL: 127.22 ft below land surface measured on mo/day/yr 4/12/2016			
		Pump test data: Well water was NA ft after hours pumping gpm			
		Est. Yield NA gpm: Well water was ft after hours pumping gpm			
		Bore Hole Diameter 8.5 in. to 152 ft, and in. to ft			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes.....No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes No <input checked="" type="checkbox"/>			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued Clamped	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded	
		7 Fiberglass		Threaded <input checked="" type="checkbox"/>	
Blank casing diameter: 4 in. to 120.2 ft, Dia. in. to ft, Dia. in. to ft					
Casing height above land surface: in., weight: lbs./ft. Wall thickness or gauge No. Sch. 80					
TYPE OF SCREEN OR PERFORATION MATERIAL					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
		9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
		7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 120.2 ft to 150.2 ft, From ft to ft					
From ft to ft, From ft to ft					
GRAVEL PACK INTERVALS: From 117 ft to 152 ft, From ft to ft					
From ft to ft, From ft to ft					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout intervals: From 0 ft to 117 ft, From ft to ft, From ft to ft					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
		13 Insecticide storage			
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Clay, silty to sandy, Gray Brown			
3	8	Clay, v silty, Yellow Brown			
8	33	Silt, sl clayey, Yellow Brown			
33	53	Clay, sandy (vf-m), Pale Brown			
53	63	Sand, vf-c, Pale Brown			
63	68	Sand, pred AA w/clay, Pale Brown			
68	84	Sand, vf-c, Pale Brown			
84	95	Sand, vf-c, clayey, Pale Brown			
95	110	Sand, vf-m w/tr c, Pale Brown			
110	123	Sand, vf-c, Pale Brown			
123	133	Sand, pred AA w/clay strngs, Lt Brown Gray			
133	145	Sand, vf-m w/tr c, Pale Brown			
145	152	Sand, vf-c, clayey, Lt. Brown			MWB-1
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/7/2016 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 4/20/2016					
under the business name of GeoCore, Inc. by (signature) <i>Dan Kelly</i>					

OFFICE USE ONLY

T

R

EW

SEC.

¼

¼

¼