				KSA 82		
CATION OF WATER				tion Number	'	· · · · · · · · · · · · · · · · · · ·
nty: [homas		W 1/4 SW 1/4 Setreet address of well if located	ا الا كل d within city?	1 1	т 8	S R 34 E0
	•					
ATER WELL OWNE	0 1 777	en				
, St. Address, Box #	•	110 17400				ulture, Division of Water Resour
State, ZIP Code		KS 67732	170		Application Nu	
I "X" IN SECTION B	~~. 					
		STATIC WATER LEVEL	75 fi. b	elow land su	rface measured on mo	/day/yr91.490
NW	- NE					ours pumping
1 ! [• 1 1	•				ours pumping
v 					8 Air conditioning	in. to
			5 Public wate 6 Oil field wat		•	11 Injection well 12 Other (Specify below)
SW	- SE O	antina di Industrial	7 1		10 Monitoring well	
1, ! 1	Was a che	emical/bacteriological sample s	ubmitted to De	partment? Y	es No	; If yes, mo/day/yr sample was s
<u> </u>	mitted	orriban basis rioregiour carripro e			ater Well Disinfected?	
PE OF BLANK CAS	ING USED:	5 Wrought iron	8 Concre			: Glued Clamped
DSteel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify belo	w)	Welded
PVC	4 ABS	7 Fiberglass				Threaded
	.Cin. to . , .		in. to		ft., Dia	in. to
height above land	surface T Be lo	in., weight	<i></i>	Ibs.	ft. Wall thickness or ga	auge No
OF SCREEN OR P	ERFORATION MATERI	AL:	7 PV		10 Asbesto	s-cement
Steel	3 Stainless steel	5 Fiberglass	8 RM	P (SR)	11 Other (s	specify)
Prass	4 Galvanized steel	6 Concrete tile	9 ABS	3	12 None us	sed (open hole)
EN OR PERFORAT	TON OPENINGS ARE:		ed wrapped		8 Saw cut	11 None (open hole)
Continuous slot	3 Mill slot	6 Wire	wrapped		9 Drilled holes	
Louvered shutter	4 Key punched				` , , , , , , , , , , , , , , , , , , ,	
EN-PERFORATED				ft., Fro	m	. , ft. to
	Erom					
				ft., Fro		ft. to
GRAVEL PACK	INTERVALS: From.	ft. to		ft., Fro	m	ft. to
	INTERVALS: From. From	ft. to		ft., Fro ft., Fro ft., Fro	m	ft. to
OUT MATERIAL:	INTERVALS: From. From 1 Neat cement		3 Bento	ft., Fro ft., Fro ft., Fro	m	ft. to
OUT MATERIAL:	INTERVALS: From. From 1 Neat cement 7.5 Off. to 1.2	2 Cement grout	3 Benton	ft., Fro ft., Fro ft., Fro nite 4	mOther	ft. to
OUT MATERIAL: Intervals: From s the nearest source	INTERVALS: From. From 1 Neat cement 7.5	2 Cement grout O ft. From i.i.	3 Bento	tt., Fro ft., Fro ft., Fro nite 4	m Otherft., From stock pens	ft. to ft. to Character well 1-
OUT MATERIAL: Intervals: From s the nearest sourc Septic tank	1 Neat cement 7.5	2 Cement grout O ft. to 1 Trom 1 Trom 7 Pit privy	Benton	tt., Fro ft., Fro ft., Fro hite 4 o	m	ft. to ft. ft. to ft.
OUT MATERIAL: Intervals: From s the nearest source Septic tank Sewer lines	1 Neat cement 1 Neat cement 1 ft. to 7 1 Lateral lines 5 Cess pool	2 Cement grout O ft. to 2 Cement grout O ft., From i.i. 7 Pit privy 8 Sewage lago	Benton	ft., Fro ft., Fro ft., Fro hite 4 o	m	ft. to ft. to Character well 1-
OUT MATERIAL: intervals: From s the nearest source Septic tank Sewer lines Watertight sewer I	1 Neat cement 1 Neat cement 1 St. of to 7 1 of possible contaminat 4 Lateral lines 5 Cess pool 1 cess fool	2 Cement grout O ft. to 1 Trom 1 Trom 7 Pit privy	Benton	ft., Fro ft., Fro ft. Fro ite 4 05 10 Lives 11 Fuel 12 Fertii 13 Insection	m	ft. to ft. ft. to ft.
OUT MATERIAL: Intervals: From s the nearest source Septic tank Sewer lines Watertight sewer I	1 Neat cement 1 Neat cement 1 St. to 7 1 te of possible contaminat 4 Lateral lines 5 Cess pool 1 Seepage pit	ft. to ft. to ft. to Cement grout Cition: 7 Pit privy 8 Sewage lago 9 Feedyard	Benton	ft., Fro ft., Fro ft. Fro ite 4 05 10 Lives 11 Fuel 12 Fertii 13 Insection	m	ft. to ft. ft. to ft.
OUT MATERIAL: Intervals: From s the nearest source Septic tank Sewer lines Watertight sewer line on from well?	1 Neat cement 1 Neat cement 1 St. to 7 1 te of possible contaminat 4 Lateral lines 5 Cess pool 1 Seepage pit	2 Cement grout O ft. to 2 Cement grout O ft., From i.i. 7 Pit privy 8 Sewage lago	Benton Bernlenn	ft., Fro ft., Fro ft., Fro ite 4 0\$ 10 Lives 11 Fuel 12 Fertii 13 Insec How ma	other	ft. to ft. ft. to ft.
OUT MATERIAL: Intervals: From. Intervals	1 Neat cement 1 Neat cement 1 St. to 7 1 te of possible contaminat 4 Lateral lines 5 Cess pool 1 Seepage pit	ft. to ft. to ft. to Cement grout Cition: 7 Pit privy 8 Sewage lago 9 Feedyard	Benton Bern lend	ft., Fro ft., Fro ft. Fro ite 4 05 10 Lives 11 Fuel 12 Fertii 13 Insec How ma	m Other Othe	ft. to ft. ft. to ft.
OUT MATERIAL: Intervals: From s the nearest source Septic tank Sewer lines Watertight sewer I	1 Neat cement 1 Neat cement 1 St. to 7 1 te of possible contaminat 4 Lateral lines 5 Cess pool 1 Seepage pit	ft. to ft. to ft. to Cement grout Cition: 7 Pit privy 8 Sewage lago 9 Feedyard	Benton Bernlenn	ft., Fronte 4 10 Lives 11 Fuel 12 Ferti 13 Insected How ma	other	ft. to ft. ft. to ft.
OUT MATERIAL: Intervals: From is the nearest source Septic tank Sewer lines Watertight sewer line from well?	1 Neat cement 1 Neat cement 1 St. to 7 1 te of possible contaminat 4 Lateral lines 5 Cess pool 1 Seepage pit	ft. to ft. to ft. to Cement grout Cition: 7 Pit privy 8 Sewage lago 9 Feedyard	Benton Bern bent Bon FROM	10 Lives 11 Fuel 12 Ferti 13 Insect How ma	m Other	ft. to ft. ft. to ft.
OUT MATERIAL: Intervals: From is the nearest source Septic tank Septic tank Septic tank Watertight sewer I	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to ft. to Coment grout ft., From	Benton Benton Benton Benton Benton Benton	10 Lives 11 Fuel 12 Ferti 13 Insect How ma	other	ft. to ft. ft. to ft.
OUT MATERIAL: Intervals: From. is the nearest source I Septic tank 2 Sewer lines 3 Watertight sewer I	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to ft. to Coment grout ft., From	Benton Benton Benton Benton Benton FROM 120 SD 75 70	10 Lives 11 Fuel 12 Ferti 13 Insect How ma TO TO	other	ft. to ft. to ft. to
OUT MATERIAL: Intervals: From. is the nearest source I Septic tank 2 Sewer lines 3 Watertight sewer I	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to ft. to Coment grout ft., From	Benton Benton Benton St. 120	10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO 80 10	m Other Other	ft. to ft. ft. to ft.
OUT MATERIAL: Intervals: From s the nearest source Septic tank Sewer lines Watertight sewer I on from well?	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to Cement grout Cition: 7 Pit privy 8 Sewage lago 9 Feedyard	Benton Benton Benton Benton Benton FROM 120 SD 75 70	10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO 80 75 70 10 5	m Other Other	ft. to ft
OUT MATERIAL: Intervals: From s the nearest source Septic tank Sewer lines Watertight sewer I on from well?	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to ft. to Coment grout ft., From	Benton Benton Benton Benton Benton FROM 120 SD 75 70	10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO 80 75 70 10 5	m Other Other	ft. to ft
OUT MATERIAL: Intervals: From s the nearest source Septic tank Sewer lines Watertight sewer line on from well?	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to ft. to Coment grout ft., From	Benton Benton Benton Benton Benton FROM 120 SD 75 70	10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO 80 75 70 10 5	m Other Other	ft. to ft
OUT MATERIAL: Intervals: From s the nearest source Septic tank Sewer lines Watertight sewer I	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to 2 Cement grout 7 Fit privy 8 Sewage lage 9 Feedyard OGIC LOG	Benton Benton Benton Benton 120 SD 75 70 10 53	10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO 80 75 70 10 5	m Other Other	ft. to ft
OUT MATERIAL: Intervals: From is the nearest source Septic tank Sewer lines Watertight sewer line from well?	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to ft. to Coment grout ft., From	Benton Benton Benton Benton 120 SD 75 70 10 53	10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO 80 75 70 10 5	m Other Other	ft. to ft
OUT MATERIAL: Intervals: From is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer lines ion from well?	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to Coment grout ft., From . / 7 Pit privy 8 Sewage lago 9 Feedyard OGIC LOG	Benton Benton Benton Benton 120 80 75 70 10 53	10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO 80 75 70 10 5	m Other Other	ft. to ft
OUT MATERIAL: Intervals: From. is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer lines ion from well?	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to 2 Cement grout 7 Fit privy 8 Sewage lage 9 Feedyard OGIC LOG	Benton Benton Benton Benton 120 80 75 70 10 53	10 Lives 11 Fuel 12 Fertii 13 Insector How ma TO 80 75 70 10 11 55 3	m Other	ft. to ft
OUT MATERIAL: Intervals: From. is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer lines ion from well?	INTERVALS: From. From 1 Neat cement 7.5 ft. to 1 to 1 to 2 of possible contaminal 4 Lateral lines 5 Cess pool 1 Seepage pit 5 E LITHOL	ft. to ft. to ft. to 2 Cement grout C. ft., From i.i. 7 Pit privy 8 Sewage lago 9 Feedyard COGIC LOG SEP 2 7 1990	FROM 120 SD 75 TO 10 53	10 Lives 11 Fuel 12 Fertii 13 Insector How ma TO 80 75 70 10 11 55 3	m Other	ft. to ft
IOUT MATERIAL: Intervals: From is the nearest source I Septic tank 2 Sewer lines 3 Watertight sewer I ion from well? IM TO	INTERVALS: From. From 1 Neat cement 7.5	Cement grout Continue 7 Pit privy 8 Sewage lago 9 Feedyard OGIC LOG SEP 2 7 1990 DIVISION CENVIRONME	FROM 120 SO 75 TO 10 5 3	10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO 10 I)	m Other	ft. to ft. to ft. to ft. to
OUT MATERIAL: Intervals: From. is the nearest source is Septic tank 2 Sewer lines 3 Watertight sewer I ion from well? M TO	INTERVALS: From. From 1 Neat cement 7.5	Cement grout Continue 7 Pit privy 8 Sewage lago 9 Feedyard OGIC LOG SEP 2 7 1990 DIVISION CENVIRONME	FROM 120 SO 75 TO 10 5 3	10 Lives 11 Fuel 12 Fertii 13 Insec How ma TO 10 I)	m Other	ft. to ft. to ft. to ft. to
OUT MATERIAL: Intervals: From is the nearest source I Septic tank 2 Sewer lines 3 Watertight sewer I ion from well? M TO ONTRACTOR'S OR eted on (mo/day/yea	INTERVALS: From. From 1 Neat cement 5 ft. to .? 1 to .? 1 to .? 1 Lateral lines 2 Cess pool 2 Seepage pit 3 FT LITHOL 1 LANDOWNER'S CERTIL 1 TO	ft. to ft	Benton Be	ted, (2) reca	onstructed, or (3) plugg	ft. to ft. to
OUT MATERIAL: Intervals: From is the nearest source is Septic tank 2 Sewer lines 3 Watertight sewer I ion from well? M TO ONTRACTOR'S OR eted on (mo/day/yea	INTERVALS: From. From 1 Neat cement 5 ft. to 7 1 e of possible contaminal 4 Lateral lines 5 Cess pool 1 ines 6 Seepage pit 5 E LITHOL LANDOWNER'S CERTIL 1 ir) 1 Neat cement 7 To 7 T	Cement grout Continue 7 Pit privy 8 Sewage lago 9 Feedyard OGIC LOG SEP 2 7 1990 DIVISION CENVIRONME	Benton Be	ted, (2) reca	onstructed, or (3) plugg and is true to the best of on (mo/day/yr).	ft. to ft. to