

1	LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County:	Thomas	SW 1/4 SE 1/4 NE 1/4	18	T 08 S	R 36 E

Distance and direction from nearest town or city street address of well if located within city?
near corner of Kansas Ave. and Railroad St., Brewster

2 WATER WELL OWNER: ~~Barrett~~ KDHE - BER KGS drilled well

RR#, St. Address, Box # : _____

City, State, ZIP Code : _____

Board of Agriculture, Division of Water Resources
 Application Number: _____

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile

W E

N S

SW NE NW SE

4 DEPTH OF COMPLETED WELL: 150 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 119.7 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 8 in. to 150 ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		9 Dewatering
		12 Other (Specify below)
		10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes. No. X

If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED: 1 Steel ② PVC Blank casing diameter . . . 5 . . . in. to . . . 110 . . . ft., Dia Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.		3 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) ⑦ PVC 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)		CASING JOINTS: Glued Clamped Welded Threaded screws	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 8 RMP (SR) 9 ABS		SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter ③ Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)			
SCREEN-PERFORATED INTERVALS: From . . . 110 . . . ft. to . . . 150 . . . ft., From ft. to ft. From ft. to ft., From ft. to ft.		GRAVEL PACK INTERVALS: From . . . 20 . . . ft. to . . . 150 . . . ft., From ft. to ft. From ft. to ft., From ft. to ft.			

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? West How many feet? 150

Direction from well:			View from top:		
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	16	Top soil & clay			
16	28	medium brown silty clay			
28	57	light brown clay w/ silt & sand			
57	69	sand & gravel			
69	88	coarse sand w/ minor clay			
88	97	redish brown sandy clay			
97	117	sand & gravel			
117	120	cemented layer			
120	130	medium brown sandy clay			
130	133	sand & gravel			
133	136	cemented sand			
136	150	sandy clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-12-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. _____ This Water Well Record was completed on (mo/day/yr) 5/10/89 under the business name of KDHE by (signature) Mary Jane Stoll