


USE TYPEWRITER OR BALL  
POINT PEN-PRESS FIRMLY,  
PRINT CLEARLY.

**WATER WELL RECORD**  
**KSA 82a-1201-1215**

Kansas Department of Health and  
Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

County <u>Sherman</u> Location of well: <u>of Brewster, 1 1/2 west</u>		Fraction <u>NW 1/4 SE 1/4 NW 1/4</u>		Section number <u>13</u>		Township number <u>T 8 S</u>		Range number <u>R 37 W</u>	
2. Distance and direction from nearest town or city: <u>From the N.W. edge</u>				3. Owner of well: <u>Gigot Valley Sales</u> R.R. or street: <u>Colby, KS 67701</u> City, state, zip code:					
4. Locate with "X" in section below: <div style="text-align: center;">  <p>1 Mile</p> </div>				Sketch map:		6. Bore hole dia. <u>26</u> in. Completion date <u>4-30-76</u> Well depth <u>250</u> ft.			
5. Type and color of material				From To		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary			
						8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
						9. Casing: Material <u>steel</u> Height: <u>12</u> ft. or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <input type="checkbox"/> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>36.87</u> lbs./ft. Dia. <u>16</u> in. to <u>251</u> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gage No.			
						10. Screen: Manufacturer's name <u>Johnson Division</u> Type <u>Salv.</u> Dia. <u>16"</u> Slot/gauge <u>100</u> Length <u>20'</u> Set between <u>200-210</u> ft. and <u>235-245</u> ft. Perf. <u>123-300</u> ft. and <u>210-235 245 250</u> Gravel pack? <u>Yes</u> Size range of material <u>1/2" Down</u>			
						11. Static water level: <u>125</u> ft. below land surface Date <u>3-18-76</u> mo./day/yr.			
						12. Pumping level below land surfaces: <u>195</u> ft. after <u>3</u> hrs. pumping <u>950</u> g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield <u>950</u> g.p.m.			
						13. Water sample submitted: _____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date			
						14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> inches above grade			
						15. Well grouted <u>yes</u> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.			
						16. Nearest source of possible contamination: <u>N/A</u> ft. _____ Direction _____ Type _____ Well disinfected upon completion? _____ Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <u>Goolds US Pumps</u> Model number <u>12JHO</u> HP <u>75</u> Volts _____ Length of drop pipe <u>240</u> ft. capacity <u>900</u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other									
18. Elevation:		19. Remarks:  <div style="text-align: center; font-weight: bold;">Note: Used Casing</div>		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  <u>Minter Wilson Drilling 208</u> Business name License No. <u>P.O. Box A Garden City, KS</u> Address <u>_____</u> Signed _____ Date <u>4-1-77</u> Authorized representative					

*The Professionals*

# MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation  
and Domestic  
Water Systems  
Complete Installation  
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

BREWSTER LAND CO.

GIGOT - COLBY

2-12-76

LOCATION:

STATIC WATER LEVEL: 123'

## TEST #7

0	31	Soil & Clay
31	61	Clay, Sand & Rock, (Tight)
61	91	Clay, Sand & Rock (Tight)
91	106	Clay & Sand
106	116	Sand, Fine To Coarse
116	123	Clay & Rock (Tight)
123	132	Sand, Fine To Coarse, Clay & Rock Streak
132	136	Clay & Rock
136	144	Sand, Fine To Coarse
144	147	Rock & Clay
147	151	Sand, Fine To Coarse
151	155	Rock & Clay
155	160	Sand, Fine To Coarse, Rock Streak
160	169	Rock & Clay Streak (Tight)
169	178	Sand, Fine To Med. With Little Rock & Clay
178	198	Rock & Sand Streak & Clay (Tight & Hard)
198	213	Sand, Fine To Coarse
213	226	Rock (Hard)
226	228	Sand, Fine To Coarse
228	232	Rock (Hard)
232	239	Sand, Fine To Med.
239	241	Rock (Hard)
241	245	Sand, Fine To Med.
245	251	Yellow & Blue Shale

TOTAL SAND 67'

TOTAL DEPTH 251' 250'