

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Sherman	Fraction SE 1/4 NW 1/4 SW 1/4	Section number 17	Township number T 8 S	Range number R 38W E 10
2. Distance and direction from nearest town or city: 6 1/2 miles east of Goodland, Kansas			3. Owner of well: Martin Spomer		
Street address of well location if in city:			R.R. or street:		
			City, state, zip code: Edson, Kansas 67733		
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile			Sketch map: SE 1/4, NW 1/4, SW 1/4, Sec. 17, TWP. 8, RGE. 38		
5. Type and color of material			From	To	6. Bore hole dia. 30 in. Completion date 3-22-76 Well depth 280 ft.
clay rock and sand			0	201	7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary
good to coarse loose clean			201	205	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
clay			205	213	9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36 lbs./ft. Dia. 16 in. to 280 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 219
medium to good loose clean			213	221	10. Screen: Manufacturer's name W. A. Brown Type steel Dia. 16 Slot/gauze 2" Length 120 Set between 160 ft. and 280 ft. ft. and ft. Gravel pack? yes Size range of material 3/8
medium sand loose clean			221	243	11. Static water level: mo./day/yr. 142 ft. below land surface Date 3-23-76
clay			243	245	12. Pumping level below land surfaces: 230 ft. after 5 hrs. pumping 1200 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.
rock			245	247	13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date
clay and rock			247	254	14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade
fine medium to good & floater clay streaks			254	267	15. Well grouted? <input type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
medium sand			267	271	16. Nearest source of possible contamination: none ft. Direction Type Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No
soapstone			271	274	17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Byron Jackson Model number Turbine HP 100 Volts Length of drop pipe 270 ft. capacity 1200 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
blue			274	280	
(Use a second sheet if needed)					
18. Elevation:	19. Remarks: 35589 (TOTO)		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Northwest Drilling Co., Inc 248 Business name License No. Address Goodland, Kansas Signed Ben Hays Date 5-25-76 Authorized representative		
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley					