CORRECTED Correction: - Lad Wrong St.
Form WWC-5 Division of Water Resources App. No.

t		WATER WELL:			Section 1		Township Nu						
Sherman						24 T 8 S R 39 D Global Positioning System (GPS) information:					ΔW		
from nearest town or intersection: If at owner's address, check here \square .						Latitude: (in decimal degrees)							
,						Longitude: (in decimal degrees)							
3 miles east of Goodland						Elevation:							
	- Willed Willer Gell Beeus						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27						
RR#, St. Address, Box # 1416 Arcade					Collection Method:								
City, State, ZIP Code Goodland, Ks						☐ GPS unit (Make/Model:							
						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey							
				<u> </u>	est. Accur	acy: □ <3	m, 🗆 3-5 m, 🗖 🤅	5-15 m,	□ >15 m				
3 LOCA	TE WELI												
WITH	AN "X" I	N 4 DEPTH OF	COMPLETED WELL		280)	ft.						
SECTI	ON BOX:				fı	(2)	f	t (3)			ft		
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. (4) WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr													
Pump test data: Well water was ft. after hours pumping gpm													
NW NE EST. YIELD gpm: Well water was ft. after hours pumping										фm			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well													
SW SE Irrigation Industrial Domestic-lawn & garden Monitoring well													
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No													
S If yes, mo/day/yr sample was submitted													
1 mile Water Well Disinfected? 🗵 Yes 🗆 No													
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded													
Casing diameter 4.5 in. to 240 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 18 in., Weight 2.38 lbs./ft. Wall thickness or gauge No248													
Casing he	ght above	land surface	in., Weight	2.38	l	bs./ft. Wa	ll thickness or g	auge N	0.	.248			
TYPE OF SCREEN OR PERFORATION MATERIAL:													
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)													
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)													
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ SCREEN-PERFORATED INTERVALS: From 240 ft. to 280 ft., From ft. to ft.													
From ft. to ft., From ft. to ft.										it.			
GRAVEL PACK INTERVALS: From 20 ft, to 280)m)		. II.		
GRAVEL PACK INTERVALS: From 20 ft. to						II., Fro	om	II. I)		.II.		
From ft. to ft., From ft. to)		ıII.		
6 GROUT MATERIAL: □ Neat cement Cement grout □ Bentonite □ Other Grout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.													
Grout Interv	als Fi	0 ft. to	20 ft. From	ft. t	0	ft.	From		ft. to	f	ft.		
What is the	nearest sour	ce of possible contami	ination:										
☐ Sept	tic tank		ies 🔲 Pit privy 🗆	Livestock	pens	☐ Insecti	cide storage		ther (spec	cify below	w)		
1	er lines	☐ Cesspool	☐ Sewage lagoon ☐				oned water well	l					
1	-	er lines 🔲 Seepage p	it 🗆 Feedyard 🗆] Fertilizer			ll/gas well	Non	е				
Direction	from well			Distance fi	rom well								
FROM	ТО	LITHO	LOGIC LOG	FROM	TO	LITHO	LOG (cont.) or	PLUG	GING IN	ITERVA	$\overline{1S}$		
0	2	Surface				Strks	(40.00)		0111011				
2	25	Loess		280	300		ochre/black s	hale			\neg		
25	56	Clay w/caliche strl	KS .				,						
56	65		mall gravel w/clay &										
		Caliche lenses				1							
65	84	Clay & caliche w/s	and strks								\neg		
84	93		lay & caliche lenses										
93	107	Clay & caliche w/s				1							
107	180		lay & caliche strks										
180	280		sand w/clay & caliche										
				N: This wa	ater well	was const	ructed, reconst	ructed	or 🔲 nlu	gged			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>constructed</u> , reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 7/27/11 and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No. 554 . This Water Well Record was completed on (mo/day/year) 8/17/11													
under the business name of Woofter Pump & Well Inc. by (signature)													
			correct answers. Send three cop							P: -:			
Water, Geolog	gv Section, 1	000 SW Jackson St., Sui	te 420. Topeka. Kansas 66612-	-1367. Teler	hone 785	-296-5522.	Send one to WA	MIN AND TER WE	ENVIRONM LLOWN	ent, Burea ER and re	u of		
Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.											, ca 111		

WATER WELL RECORD