	WWC-5P KSA 824-1212 ID NO.
1 LOCATION OF WATER WELL: Fraction County: Sherman	SW 1/4 20 T 8 S 39 TE 1/5 W
Street/Rural Address of Well Location; if unknown, distance &	Global Positioning Systems (GPS) information:
direction from nearest town or intersection: If at owner's address,	Latitude: (in decimal degrees)
check here	Longitude:(in decimal degrees)
	Elevation: Horizontal Datum: WGS84, NAD83, NAD27
	Collection Method:
2 WATER WELL OWNER: City of Goodland	GPS unit (Make/Model:
RR#, St. Address, Box #:	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
City, State ZIP Code: Goodland, KS	Est. Accumecy: □ <3 m, □ 3-5 m, □ 5-15 m, □ > 15 m
3 MARK WELL'S LOCATION 4 DEPTH OF WE	LL <u>209.75</u> ft.
WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 206.62	
l N }	
WELL WAS USI	ED AS:
NW NE Domestic	Public Water Supply Dewatering
Irrigation	Oil Field Water Supply Monitoring MW-2
W Feedlot	Domestic (Lawn & Garden) Injection Well
X sw sr Industrial	☐ Air Conditioning ☐ Other
Was a chemical/bacteriological sample submitted to Department? Yes No	
S TOTAL CARRIES STORM	
5 TYPE OF BLANK CASING USED:	
Steel RMP (SR) Wrought Fiberglass Other (Specify below)	
PVC ABS Asbestos-Cement Concrete Tile	
MILLO DVDQ CINONIC CI CONTINO III	
Blank casing diameter 4 in. Was casing pulled? Yes No V If yes, how much	
Casing height above or below land surface12 in.	
6 GROUT PLUG MATERIAL: Nest cement Cement grout Bentonite Other	
6 GROUT PLUG MATERIAL: Nest cement Cement grout Bentonite Cother	
Grout Plug Intervals: From 3 ft. to 209.75 ft., From ft. to ft., From ft. to ft.	
Grounding functions. From in to account in, From in to in, From in to in.	
What is the nearest source of possible contamination:	
Sceptic tank Seepage pit Fuel storage Other (specify below)	
Sewer lines Pit privy Fertilizer storage	
Sewer lines Pit privy Fertilizer storage Watertight sewer lines Sewage lagoon Insecticide storage	
Lateral lines Feedyard Abandoned water well Direction from well?	
Cess pool Livestock pens Oil well/Gas well How many feet?	
TOTAL	Thou has a second
FROM TO PLUGGING MATERIALS	FROM TO PLUGGING MATERIALS
0 1 Concrete	Notes:
1 3 Native Soil	Well installed in one-way street,
3 209.75 Bentonite Grout	casing, vault & pad were left in place
	per City's request. Well located NE of
	power plant, in street west of pool.
	Goodland Power Plant site,
	KDHE/BER project code:U6-091-00682
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICA	TION: This water well was plugged under my jurisdiction and was
completed on (mo/day/year) 7/13/17 and th	is record is true to the best of my knowledge and belief. Kensas Water
Well Contractor's License No. 881 This Water Well Record was completed on (me/day/year) 1/24/17 under the	
business name of Woofter Pump and Well by (signature) have been by (signature)	
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS 66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.	
Visit us at http://www.kdheks.gov/waterwell/index.html Telephone 785-296-5524.	
Tible 45 at http://www.halioth.gov/waterweit/indox.html	
1	KSA82a-1212 Revised 1/20/2015

MW-2