WATER WELL RECORD

OCL (A) B

KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

		600						Vater well Contractors) opeka, Kansas 66620	
1. Location of well:	County Fraction				Section number		Township number	Range number	
	SHERMAN	SE 1/45E	1/4561		16		T 8	s R 39	* W
2. Distance and direction from nearest town or city: 3. Own R.R. or					wner of well: DEAN CASSITY				
					y, state, zip code: Junction City Khush & 66 441				
4. Locate with "X" i	in section heleuw	Sketch map:		City, s	rate, zip	code: Ja	6. Bore hole dia.		
N		skeren map:					Well depth 27% ft.		
Ī	!						7 Cable tool Rote		
NW	NE							ed Bored X Reverse	
M N I	E						8. Use: Domestic X Irrigation	Public supply Indust Air conditioning Stock	. 1
-							Lawn Oil field water Other		
							9. Casing: Material S	Height: Above er bela	*
S							RMPPVC	1	- 'n . os ./ft .
1 M		· · · · · · · · · · · · · · · · · · ·			1			depth Wall Thickness: inche	s or
5. Type and color of	material				From	То	Dia in. to ft. o		
Top Soi	· /				0	4	_ L.J. A BRO	WW II	
Si	_	-			\ <u>\</u>		Type LOUVER Slot/gauze 18 219	Dia	
CLAY 1	TRACE GRAVEL				4	75	Set between	ft. andft.	ft.
SANDY CL	Ay HARd SAN	dstove			75	100	Gravel pack? 465 Size	t. and erange of material	z ^{ft.}
M GRAVEL, SANDSTONE					100	153	11. Static water level:	mo./do	
SANDY CLAY, SANDSTONE					153	161	12. Pumping level below		
MGRAVEL SANDE CLAN					161	172	ft. after	_ hrs. pumping g	.p.m.
M GRAVEL					172	189	Estimated maximum yield . 13. Water sample submitte	· ·	.p.m. gy/yr.
M GRAVEL SANDY Clay					189	223	Yes X No 14. Well head completion	Date	
40					20 -	4 7	Pitless adapter	Inches above gra	de
M (RAVEL					225	230	15. Well grouted?		. 1
M GRAVEL, SANDY CLAY					230	235	With: Neat cement . Depth: From ft.		crere ⊣ ¦
M GARVEL SANDSTONE					235	242	16. Nearest source of poss	ible contamination:	
Fire Soud, Soudy Clay					242	252	Well disinfected upon con	npletion?Yes 🗶	_ No
SANDY CLAY				252	254	17. Pump: Manufacturer's name	Step Land Rolled		
M GRAVEL				254	270	Model number <u>6 M</u> Length of drop pipe 2 4	HP <u>50</u> Volts t. capacity 550	-0-9	
Ochon					270	שרנ	Type: Submersible		
- CONKC	(Lise a seco	and sheet if needed)			70	-17	Jet Centrifugal	Reciproca	ring S
18. Elevation:	19. Remarks:	in needed)	· · · · · · · · · · · · · · · · · · ·			<u> </u>	20. Water well contractor	· · · · · · · · · · · · · · · · · · ·	─ *
	2/16/1	(CPA)					This well was drilled unde	r my jurisdiction and this re	oort
Topography:	ルドン (*						is true to the best of my k	7 1	<u>.</u> ≤
Hill							Business name	Licens	e No.
Slope Upland							Address Dodle	Mal	4
Valley							Signed Authorized	representative 19-28-	72 ≨