KOLAR Document ID: 1604211

WATER Y		ECORD Correction		WWC-5			ivision of W sources App] Well ID	
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					FF.			nge Number			
County:							T S R \square E \square W				
2 WELL C	st Name:	First:	Street or F	et or Rural Address where well is located (if unknown, distance and							
Business:						direction from	n nearest town	or inte	ersection): If at owner	r's address.	, check here:
Address: Address:											
City:			State:	ZIP:							
3 LOCATE	WELL										
WITH "X				IPLETED WI					:		
SECTION	N BOX:			Encountered: 1)					le:		
N				3) ft., TER LEVEL:					WGS 84 □ NAI	_	NAD 27
				, measured on (r					<u>r Latitude/Longitude</u> (unit make/model:		,
NW	NE			measured on (r					WAAS enabled?		
	ï	_		ater was					Survey Topogr		,
w	E	after		s pumping				Onlin	e Mapper:		
SW	SE	ofton		vater was s pumping							
	1	Estimated Y				gpiii	6 Ele	vatio	n :ft	. Groun	d Level 🔲 TOC
S				sp in. to		ft. and	Sou	rce:	Land Survey	GPS 🔲 T	Opographic Map
1 mi	ile			in. to					Other		
7 WELL W	VATER TO	BE USED A	AS:								
1. Domestic:				ter Supply: wel					eld Water Supply: 16		
Househo				g: how many w							
Lawn &					harge: well ID well ID			☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?			
☐ Livestoc 2. ☐ Irrigatio				g: wen 1D al Remediation:					d Loop		
3. ☐ Feedlot			Air Sparge			Extraction			Loop Surface Di		
4. Industria	al		Recovery	☐ Injec	_				(specify):		
Was a chem	nical/bacteri	iological san	nple subm	itted to KDH	E ? □	Yes □ No	If yes, d	ate sa	mple was submitte	d:	
Water well d					_	_	,		1		
8 TYPE OF	F CASING	USED: □ S	teel PV	C 🗌 Other		CAS	ING JOIN	ΓS: [Glued Clamped	d □ Weld	ed Threaded
									r in. to		
	Casing height above land surface										
TYPE OF SO			TION MA		DITC			S.1 /	·a · · · · ·		
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continu		☐ Mill Slot		auze Wrapped	Пто	orch Cut	Drilled Hole	es \square	Other (Specify)		
_	☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage											
Sewer Lines											
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
☐ Other (Specify)											
					from w						
10 FROM	TO		ITHOLOG	FIC LOG		FROM	TO	LI.	THO. LOG (cont.) or	PLUGGI	IG INTERVALS
						Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Wate	er Well Con	tractor's Lice	ense No	T	his Wa	ater Well R	ecord was c	ompl	eted on (mo-day-y	ear)	
under the bu	siness name	of	****					- фг	for each constructed we	11	
KS Departme	S ent of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWNER and Vater, Geology Se	a retain of	one for your r 000 SW Jacks	ecords. Fee of on St., Suite 42	\$5.00 20. Ton	tor each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	и. 57. Telephor	ne 785-296-3565
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5
Contractor	Williams Drilling Co., Inc. #480
Well Owner	DAVID FORSHEE
Doc ID	1604211

Lithology

From	То	LithologicLog
0	5	TOP SOIL
5	9	DARK BROWN CLAY
9	17	MED BROWN CLAY
17	19	SANDROCK AND CLAY MIX
19	22	MED BROWN CLAY
22	24	CLAY AND SANDROCK MIX
24	39	MIXED FIRE CLAY
39	40	GRAY GRITTY CLAY
40	44	HARD GRAY CLAY
44	84	GRAY/WHITE FIRE CLAY
84	91	PYRITE AND SHALE
91	105	MIXED FIRE CLAY
105	129	GRAY CLAY
129	134	SANDSTONE AND PYRITE
134	145	GRAY CLAY
145	147	SANDSTONE AND PYRITE
147	153	GRAY CLAY
153	154	SANDSTONE PYRITE
154	162	GRAY CLAY
162	165	CEMENTED SANDSTONE
165	278	SANDSTONE WITH IRON PYRITE LAYERS
278	279	IRON PYRITE