USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Konsas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansos 66620

	County Fraction			Section number		Township number		Range number											
1. Location of well:	CLOUD	SW1/4 NE 1/4 SE	SW1/4 NE 1/4 SE 1/4		19		8 s	R 4	E E										
2. Distance and direc	ner of well: VAMES HURLEY																		
Street address of well location if in city: 4450 R.R. or street:  City, state, zip code:						COUTS	KANK	674	45										
4. Locate with "X" in section below: Sketch map:						6. Bore hole	dia. Z in.	Completion dat	-										
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	·····						th 76 ft.												
						7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary													
E SW SEX -						8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other  9. Casing: Material Public supply Industry Trigation Air conditioning Stock Other													
										<del>                                   </del>						Threaded Welded Surface 12 in.  RMP PVC Weight 3 lbs./ft.			
																Dia 5 in. to 4 ft. depth Wall Thickness: inches or Diain. toft. depth gage No25			
5. Type and color of material					То	Diain. to ft. depth gage No258  10. Screen: Manufacturer's name													
TOPSOIL					3	PUMPCO													
					امرز	Slot/gauze_		Dia	0'										
BROWN CLAY				3	13	Set between													
SANDROLK				15	72	Gravel pack? Size range of material													
RED CLAY				12	76	11. Static w	ater level: t. below land suri	face Date 7-	mo./day/yr.										
STOP				77			level below land	surfaces:											
				1		ft.	after	rs pumping	g.p.m.										
							ximum yield	25	g.p.m.										
				-		13. Water so Yes	imple submitted: No [	Date	mo./day/yr.										
			••••••			1	od completion:	/>											
							adapter	inches ab	ove grade										
						With: X	Neat cement	Bentonite	_ Concrete   ¬ , o										
							ft. to .		e corie										
						ft. 100	L Direction	Type	MUK										
						17. Pump:	cted upon comple	Not install	ed										
						Manufacture Model numb		7	Volts										
						1	op pipe ———		1 ()										
						Type: Subm	ersible	Tur	bine										
	n I	-d -b+ 16d1\				Jet		Red	ciprocating										
18. Elevation:	(Use a seco	nd sheet if needed)		l	l		rifugal rell contractor's c	Otl	, K										
1342						This well wa	s drilled under my	jurisdiction and	this report										
Topography:						is true to the	best of my know	ledge and belief.	3 2 82c										
Hill Slope						Business nam	e	KANS	License No.										
Upland						Signed	arull	D	م م										
Valley							Authorized repr	sentative 7-	18-77 × 1										