

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

CBA

Kansas Department of Health and Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well: County <b>SHERMAN</b> Fraction <b>N 1/4 T 8 N 1/4 S 1/4</b> Section number <b>4</b> Township number <b>T 8</b> Range number <b>S R 40</b> <span style="float:right">(NW)</span>	
2. Distance and direction from nearest town or city: <b>4 W 2 1/2 N 1/4 E</b> 3. Owner of well: <b>PYM LAND CO INC</b> Street address of well location if in city: <b>OF GOODLAND, KANS.</b> R.R. or street: <b>Box 44</b> City, state, zip code: <b>MINDEN, NEBRASKA 68957</b>	
4. Locate with "X" in section below: Sketch map: <div style="display: flex; align-items: center;"> <div style="margin-right: 20px;"> <p>1 Mile</p> </div> <div> </div> </div>	
5. Type and color of material	
	From To
Clay Sandstone & Gravel	0 135
Gravel	135 170
Sandstone	170 173
Gravel	173 194
Sandstone & Clay	194 205
Gravel	205 211
Sandstone	211 225
Sand	225 248
Sandstone	248 249
Fine Sand & Gravel	249 270
Sandstone	270 271
Gravel	271 279
Soapstone	279 283
Shale	283 285
<b>BROCK 279'</b>	
(Use a second sheet if needed)	
18. Elevation:	19. Remarks:
Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	<b>Concrete WAS RUN BY Foust Supply Co Inc.</b>
20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Foust Supply Co Inc 144</b> Business name License No. Address <b>Goodland, KANS 67133</b> Signed <b>Ralph [Signature]</b> Date <b>4-21-78</b> Authorized representative	

6. Bore hole dia. <b>3 1/4</b> in. Completion date <b>4-7-78</b> Well depth <b>283</b> ft.	
7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
9. Casing: Material <b>Steel</b> Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <b>12</b> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <b>32</b> lbs./ft. Dia <b>1 1/2</b> in. to <b>2 1/2</b> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gage No. <b>188</b>	
10. Screen: Manufacturer's name <b>W.A. BROWN</b> Type <b>MILL SOFT</b> Dia. <b>1 1/2</b> Slot/gauze <b>48</b> Length <b>120</b> Set between <b>163</b> ft. and <b>283</b> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material <b>3/16 to 1/4</b>	
11. Static water level: <b>143</b> ft. below land surface Date <b>2-2-78</b> mo./day/yr.	
12. Pumping level below land surfaces: <b>295</b> ft. after <b>8</b> hrs. pumping <b>500</b> g.p.m. <b>240</b> ft. after <b>16</b> hrs. pumping <b>750</b> g.p.m. Estimated maximum yield <b>850</b> g.p.m.	
13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date	
14. Well head completion: <b>None</b> inches above grade <input type="checkbox"/> Pitless adapter	
15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <b>12"</b> to <b>10</b> ft.	
16. Nearest source of possible contamination: ft. <b>None</b> Direction <b>None</b> Type <b>None</b> Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No	
17. Pump: Not installed Manufacturer's name <b>NATIONAL PUMP</b> Model number <b>M1200A</b> HP <b>1</b> Volts <b>115</b> Length of drop pipe <b>270</b> ft. capacity <b>850</b> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	

1  
2  
4  
6  
8  
10  
12  
14  
16  
18  
20  
22  
24  
26  
28  
30  
32  
34  
36  
38  
40  
42  
44  
46  
48  
50  
52  
54  
56  
58  
60  
62  
64  
66  
68  
70  
72  
74  
76  
78  
80  
82  
84  
86  
88  
90  
92  
94  
96  
98  
100  
102  
104  
106  
108  
110  
112  
114  
116  
118  
120  
122  
124  
126  
128  
130  
132  
134  
136  
138  
140  
142  
144  
146  
148  
150  
152  
154  
156  
158  
160  
162  
164  
166  
168  
170  
172  
174  
176  
178  
180  
182  
184  
186  
188  
190  
192  
194  
196  
198  
200  
202  
204  
206  
208  
210  
212  
214  
216  
218  
220  
222  
224  
226  
228  
230  
232  
234  
236  
238  
240  
242  
244  
246  
248  
250  
252  
254  
256  
258  
260  
262  
264  
266  
268  
270  
272  
274  
276  
278  
280  
282  
284  
286  
288  
290  
292  
294  
296  
298  
300  
302  
304  
306  
308  
310  
312  
314  
316  
318  
320  
322  
324  
326  
328  
330  
332  
334  
336  
338  
340  
342  
344  
346  
348  
350  
352  
354  
356  
358  
360  
362  
364  
366  
368  
370  
372  
374  
376  
378  
380  
382  
384  
386  
388  
390  
392  
394  
396  
398  
400  
402  
404  
406  
408  
410  
412  
414  
416  
418  
420  
422  
424  
426  
428  
430  
432  
434  
436  
438  
440  
442  
444  
446  
448  
450  
452  
454  
456  
458  
460  
462  
464  
466  
468  
470  
472  
474  
476  
478  
480  
482  
484  
486  
488  
490  
492  
494  
496  
498  
500