		_												
GSI Job I	No. 05746	9	v	/ATED \A/E	II PECOPO	. Form	WWC.5	KSA 82a-1	212 ID	No.			M	W-2
1 LOCATIO	N OF WATER	R WELL:	WATER WELL RECORD Form WWC					C-5 KSA 82a-1212 ID No				Range Number		
	Clo		NE	14 S	E 1/2	NE		14	Т		s	,		w
Distance and	d direction from	m nearest	town or city stree	t address	of well if loc	ated with	in city?							
	WELL OWNE		KDHE-B											
_	dress, Box #		1000 SW	/ Jacks		te 410			Boar	d of Agricu	ulture, Div	ision of Wa	ater Reso	urces
City, State, Z	ZIP Code	:	Topeka,	KS 66	612				Appl	ication Nu	mber:			
3 LOCATE	WELL'S LOC	ATON WI	TH 4 DEPTH	OF COMP	ETED WE		2!	5 ft. ELEV	/ATION:		1318	8.75 (TC	C)	
<b>ᠯ^`` ᡝᢇ</b>	i	1	Depth(s) Gr	oundwater	Encountere	ed 1	no	ne fi	2		ft.	3		ft.
	NW	,	WELL'S ST	ATIC WAT	ER LEVEL	16.	47 ft	. below land s	urface m	easured o	n mo/dav	/vr	3-10-06	š
	; ;	×	I											
를 W		-	E Est. Yield		apm: Wel	water w	as	1	ft. after		hours	pumping		gpm
ī			Bore Hole D	iameter	8.5 i	n. to	2	5 supply supply	ft. and		اا	n. to		ft.
<b> -</b> -	sw	- SE	WELL WAT	ER TO BE	USED AS:	5 Pubi	ic water s	supply	8 A	ir conditior	ning 1	11 Injectio	n well Specify by	elow)
t L								rden (domesti				12 00101 (	opeony b	5.011,
	S		1 *				•	Department?				s mo/day/v	vr sample	was
		,	submitted	·	nological sa	inpic suc	initioa to					5, morday/,		"""
5 TYPE OF	BLANK CAS	ING USE		5	Wrought Iro	on	8 Conc					ed		d
1 Ste	el	3 RN	MP (SR)	6	Asbestos-C	ement	9 Othe	r (specify belo				ded		
2 PV	C	4 AB	s	7	Fiberglass	_					Thr	eaded	Flus	h
Blank casing	diameter _	2	In. to	20	ft., Dia		in.	to	ft., Di	a		in. to		ft.
Casing heigl	ht above land	surface	Flushmou	nt_in., w	eight	0.	703	lbs./ft.	Wall thi	ckness or	gauge No	).	Sch 40	!
		ERFORA	TION MATERIAL	:						-				
1 Ste			inless steel Ivanized steel		Fiberglass Concrete til	l=	8	RMP (SR) ABS		11 Othe		) pen hole)	·	
			NINGS ARE:	. 0		e Gauzed	wrapped	MDS	8 Sa			11 Non		nole)
	ntinuous siot		3 Mill slot			Wire wr				illed holes			• •	,
2 Lou	vered shutter		4. Key punche	1	7				10 Ot	her (spec	ify)		<b></b>	
SCREEN-PI	ERFORATED	INTERVA						ft.	From		ft.	. to		ft.
			From		ft. to	·		ft.	From _		ft.	. to		ft.
GRA	AVEL PACK II	NTERVAL						ft.						-
						)						. to		
			eat cement											
Grout Interv	als From	1	ft. to	15 f	t. From	15	ft.	to 13				ft. to		ft.
1	nearest sourc ptic tank	e or possi	ble contaminatio 4 Lateral		7 P	it privy		10 Live	stock per Lstorage	ns		bandoned il well/ Ga		Al
i - ·	wer lines		5 Cess po			Sewage la	goon		ilizer stor	age		Other (spec		)
l .	tertight sewer	lines	6 Seepag			eedyard			cticide st					
Direction fro								How man	y feet?					
FROM	то	CODE		THOLOGIC			FROM	1 TO		PL	UGGING	INTERVA	LS	
0	2	CL	Clay, dark be plasticity	own, 501	i, moderat									
			Clay, med br											
2	7	CL	plasticity, silt											
7	11	CL	Clay, med br	own, firm	to stiff, m	nod								
<u> </u>	<u> </u>		Clav. med or	av/brown	. siltv. ver	v fine			1					-

11 20 grained, sandy, mod to high plasticity Clay, med brown, very silty, very fine 20 25 CL grain sand, saturated, trace coarse sand

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) and this record is true to the best of my knowledge and belief. Kansas 4-22-06 531 Water Well Contractor's License No. This Water Well Regord was completed on (moldaylyr) Geotechnical Services, Inc. by (signature) under the business name of

of Health and Environment, Bureau of Water, 1000 S W INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

Form provided by Forms-On-A-Disk, Inc. · Dallas, Texas · (214) 340-9429