KOLAR Document ID: 1568838

	WELL R			WWC-5		vision of Wat						
		Correction		ge in Well Use		ources App.			Well ID			
			Fraction	4 ¹ / ₄ Section Number			Township Numb		ige Number			
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						mal Addmaga	$\begin{array}{c c c c c c c c c c c c c c c c c c c $					
2 WELL Business:		ast Name:		First:		rection from nearest town or intersection): If at owner's address, check here:						
Address:					uncetion nom							
Address:				770								
City:			State:	ZIP:								
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						t. 5 Latit	tude:			(decimal degrees)		
	SECTION BOX. Depth(s) Groundwater Encounter							Longitude:(decimal degrees)				
1	Ν		ft. 3) ft., or 4) 🗆 D S STATIC WATER LEVEL:					WGS 84 INAI		IAD 27		
	X	below land surface, measured on (mo-day-yr)					Source for Latitude/Longitude:					
NW	NE			-yr)		$(WAAS enabled? \square Yes \square No)$						
		Pump test d				□ Land Survey □ Topographic Map						
w	E	after	hours			□ Online Mapper:						
SW	SE	after	Well water was ft. after bours pumping prime									
			Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC						
	S	Bore Hole Diameter: in. to			ft. and	Source	Source: Land Survey GPS Topographic Ma					
1 r				in. to	ft.			Other				
7 WELL WATER TO BE USED AS:												
	I. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells											
			7. ☐ Aquifer Recharge: well ID				\Box Cased \Box Uncased \Box Geotechnical					
	□ Livestock 8. □ Monitoring: well ID						Geothermal: how many bores?					
2. 🗌 Irrigati				al Remediation: well II				Loop Horizont				
	4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Nearest source of possible contamination: No potential source of contamination within 200 ft. Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage												
			Cess Pool	Sewage La		Fuel Storage			oned Water			
□ Watert	ight Sewer Lir	nes 🗆 S	Seepage Pit	Feedyard		Fertilizer St	orage	🗌 Oil We	ll/Gas Well			
Direction from well? ft.												
Direction fro 10 FROM	TO TO		ITHOLOG		FROM	ТО		ft. HO. LOG (cont.) or		CINTEDVALS		
IU FROM	10	I	IIHOLOG	GIC LUG	FKOM	10	LII	HO. LOG (colit.) of	PLUGGIN	GINTERVALS		
					1							
	Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my i	urisdiction a	nd was compl	eted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	ted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>		ELL OWNED and rate		vondo E- CA	5 00 0			<u></u>		
KS Departr	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
-	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											