	11333 WEI	DW-1-11 L RECORD	Form W	WC-5	Division o	f Water Resources App. Y	No.	
		DF WATER WELL:	Fraction		Section Num			
	y:		1/4 NE 1/4 NW	/ <sub>1/4</sub> SE <sub>1/4</sub>	25	T 9 S		
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here					Latitude:39.241798 (in decimal degrees)			
Approximately 9 miles north and 2 miles east of Luray.					1 angitude: -98.718367 (in decimal degrees)			
representations of miles florar and 2 miles sales of 2 array.					Elevation: unknown			
					1 Datum: 1 1 WGS 84. <b>IXI</b> NAD 83. 1 1 NAD 27			
2 WATER WELL OWNER: Chad Brummer					Collection Method:			
RR#, Street Address, Box #: 1531 S. 1st Ave.					GPS unit (Make/Model: WAAS			
City, State, ZIP Code : Tipton, KS 67485					Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: < 3 m, 3-5 m, 5-15 m, >15 m			
3 LOCATE WELL								
WITH AN "X" IN SECTION POY.  4 DEPTH OF COMPLETED WELL								
SECTION BOX: Denth(s) Groundwater Encountered (1) ft. (2) ft. (3)								
SECTION BOX:    Depth(s) Groundwater Encountered (1)   ft. (2)   ft. (3)   ft. WELL'S STATIC WATER LEVEL   21   ft. below land surface measured on mo/day/yr   11/15/11   ft.								
Pump test data: Well water was Not checked ft. after hours pumping gpm								
FST YIELD gpm Well water was ft. after hours pumping gpm								
W I F Bore Hole Diameter 9 in. to 47 ft., and in. to ft.								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation Industrial Domestic-lawn & garden Monitoring well Stock Well								
S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel PVC Other								
CASING IOINTS: X Glued Clamped Welded Threaded								
CASING JOINTS: Glued Clamped Welded Threaded  Casing diameter 5 in. to 20 ft., Diameter 5 in. to 44 ft., Diameter in. to ft.  Casing height above land surface 36 in., Weight 2.36 lbs./ft., Wall thickness or gauge No214								
Casing height above land surface 36 in Weight 2.36 lbs./ft. Wall thickness or gauge No214								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft., From ft. to ft.								
SCREE	N-FEKF	OKATED INTERVALS.	From	n. 10		rom f	t. to ft	
	CDAVI	EL PACK INTERVALS	From 20	ft to	14 ft F	rom f	t to ft	
	GKA V	EL FACK INTERVALS	From	ft to	ft F	rom f	t to	
From ft. to ft., From ft. to ft. to ft.  6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From ft. to ft., From 0 ft. to 20 ft., From ft. to ft.								
		est source of nossible cont	amination.					
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer lines Seepage pit Feedvard Fertilizer storage Oil well/gas well Old Hand Dug Well								
Direction from well West Distance from well 15								
FROM	ТО	LITHOLOG	GIC LOG	FROM	TO LIT	HO. LOG (cont.) or PI	LUGGING INTERVALS	
0	2	Topsoil		1				
2	5	Clay, brown						
5	10	Clay, brown, broken						
10	28	Broken limestone, some sand						
28	36	Clay, gray, broken lir	nestone					
36	46	Shale, black						
		· ·						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 11/15/11 and this record is true to the best of my knowledge and belief.								
Transfer in the state of the st								
under the business name of Clarke Well & Equipment, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephor	ie 785-296	-5522. Send one copy to WA	TER WELL OWNER and re	etain one for v	our records. Inc	lude fee of \$5.00 for each	constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								