WATE	R WEL	L RECORD	Form W	WC-5	Di	vision of Water	r Resources App. N	0	
1 LOCATION OF WATER WELL:			Fraction 1/4 SW 1/4 SW	' ¼ SW ¼		on Number 27	Township No. T 9 S	Range Number R 17 □E ☑W	
Street/Rural Address of Well Location;						l Positioning	System (GPS) in	nformation:	
from nearest town or intersection: If at owner's address, check here .						Global Positioning System (GPS) information: Latitude:			
1						Longitude: (in decimal degrees)			
4 MILES EAST OF PLAINVILLE						Elevation: (in desimal degrees)			
						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: TED SWAFFORD						Collection Method:			
RR#, Street Address, Box #: 1845 HWY 18					GPS unit (Make/Model:)				
City.	State, Z	·	ILLE KS 67663		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
	,	1 EAH44	ILLE NO 07000		Est. Accuracy:				
3 LOCATE WELL 26									
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 36 ft.								
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1).26								
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr05-11-10								
	Pump test data: Well water wasft. after hours pumping gpm								
NIV	V N			gpm. Well water wasft. after hours pumping gpm					
w	, 'i'	E Bore Hole Diam	eter 10 in. to .36 ft., andin. toft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SW SE Other (Specify below)									
3		│							
Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued ☐ Clamped ☐ Welded ☐ Threaded									
Casing diameter .5 in. to .36 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface18									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From36									
From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Dente Other									
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft., From ft.									
1		st source of possible conta				,			
i	Septic tar	• —		Livestock	ens	☐ Insecticide	storage	ner (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
Watertight sewer lines									
		well		Distance	from we	ell			
FROM	ТО	LITHOLOG	IC LOG	FROM	TO			JGGING INTERVALS	
0	10	SURFACE CLAY							
10	20	HARD YELLOW CLAY	,						
20	25	FINE SAND							
25	34	MED SAND							
34	36	BLUE SHALE		1					
34		DEOL OFFICE		 					
	 								
						11-01			
				<u> </u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .051110 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 444. This Water Well Record was completed on (mo/day/year) 05-11-10.									
under the business name of .ANDY ANDERSON DRILLING by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									
Check. White Copy, Blue Copy, Plink Copy									