		WATER WELL RECO	ORD Form	WWC-5	KSA 82a			Range Num	bor
LOCATION OF WAT	ER WELL: Fran	ction		4	on Number	1 ()		R /	EW
	_ "   "	VW 1/4 WW 1/4	NE	1/4	35_	<u> </u>	S	<u>n</u> , 0	
istance and direction	from nearest town or city	street address of well	if located with	nin city?					
102	N Washing	ton, Plain	ville 1	<u>دما</u>					
WATER WELL OW	NEA: ROHORUM MI	anayement				Doord of A	aricultura Di	vision of Water F	Resources
R#, St. Address, Box	# : 14201 E C	entral						VISION OF TRACE.	1.0000
			-,-			Application	LI C	· · · · · · · · · · · · · · · · · · ·	
LOCATE WELL'S LO	CATION WITH 4 DEP	TH OF COMPLETED V	/ELL. I.Y ?!	(a.t.)	. ft. ELEVA	ATION:		1	ft
AN "X" IN SECTION									
*	X   WELL'S	) Groundwater Encount S STATIC WATER LEVI	EL . 1. 14.13	ft. be	low land su	rface measured on	moraayryi	ning	apm
NW	NE	Pump test data: V	Vell water was	S	tt. a	after	hours pur	iping	opm
NW	Est. Yie	eld gpm: V	Vell water wa	s	π. a	after	nours pun	to	ft.
<b>a</b>		ole Diameter. 5.4		- d.v.	₽π.,	8 Air conditioning	11 1	njection well	
ž W	WELL \	WATER TO BE USED	4S: 5 Pi	ıblic water	supply	9 Dewatering			elow)
SW	CS	Domestic 3 Feed	lot 6 Oi	I field wate	er supply	10 Monitoring well		(epeen) ==	
317	2 1	rrigation 4 Indus chemical/bacteriological	itrial / La	wn and ga	arden only	os No	· If yes.	mo/day/yr sample	e was sub-
,	Was a	chemical/bacteriological	sample subm	ittea to De	r viententententententententententententente	ater Well Disinfecte	d? Yes	No >	~
	THE PERSON NAMED OF THE PE			C Conorol		CASING JO	INTS: Glued	Clamped	d
TYPE OF BLANK	CASING USED:	5 Wrought in		8 Concret	specify belo			.d	1
1 Steel	3 RMP (SR)	6 Asbestos-					Threa	ded : ><-	<b>-</b>
(2 PVC	4 ABSin. to .	O 7 Fiberglass	i	in to		ft Dia	i	n. to	ft.
Blank casing diameter	and surface	π., Dia			lhs	./ft. Wall thickness	or gauge No	. Sch. !	Ø.t
Casing height above i	and surface.	in., weight		7PVC		10 Ast	estos-ceme	nt	
	R PERFORATION MATE	:HIAL: 5 Fiberglass			P (SR)	11 Oth	er (specify)		
1 Steel	3 Stainless steel			9 ABS			ne used (op		
2 Brass	4 Galvanized stee	•	5 Gauzed w			8 Saw cut		11 None (open	hole)
	RATION OPENINGS ARI	Ξ.	6 Wire wrap			9 Drilled holes			1
1 Continuous sl		.hed				10 Other (specif	y)		
2 Louvered shu		9.2	ft to	19,2	ft., Fro	om	ft. to	o <i></i>	ft.
SCREEN-PERFORAT	ED INTERVALS. Fro	m	ft to		ft., Fro	om	ft. te	) <i></i>	
CRAVEL PA		m. 8.0	. ft. to	20.5	ft., Fro	om		J	
GIAVEL I	Fro		ft. to		ft., Fro	om		0	
6 GROUT MATERIA	L: 1 Neat cement	© Cement gr	out	(3 Bento	nite4	4 Other			
Grout Intervals: Fro	L: 1 Neat cement om O S ft. to .	<b>6</b> ft., Fro	om 6	ft. i	to 🛸	ft., From		ft. to	
	ource of possible contam				10 Live	estock pens	14 A	Daridoned water	weii
1 Septic tank	4 Lateral lines		privy			I storage Ferne	- 15 C	II well/Gas well	0,41)
2 Sewer lines	8 Se	o comago lagoon			Pertilizer storage 16 Other (specify below)				
	wer lines 6 Seepage pit	9 Fe	edyard			ecticide storage			
Direction from well?	N			EDO! (		any feet?	LUGGING I	NTERVALS	
FROM TO		HOLOGIC LOG	+	FROM	TO	<u> </u>			
0 0.5	Grovel			<u>.</u>					
0.5 8	Brown Ch	Exex Silt							
8 15	Gray staine	19 30m							
15 20.5	Mer Bu	ex stering O sa	~						
						And the second s			
ļ									
<u> </u>									
					T				
					T				
<del> </del>	OR LANDOWNER'S CE		tor well was	Donetri	icted (2) re	econstructed, or (3)	plugged un	der my jurisdiction	on and was
7 CONTRACTOR'S	OR LANDOWNER'S CE	HIFICATION: This wa	ter well was	U) CONSTRU	and this re	cord is true to the b	ייי עווו וט ופטנ	101110agg anig ar	lief. Kansas
completed on (mo/da	ay/year)	) (1)	e Water Well	Record wa	as complete	d on (mo/day/vr)	ハーカ	0,96 (	
			A MACICI AACI				· / / /		
		socia a Adem	1 20 6		hv (sia	nature)	Dolle	lum	
under the business	name of GCの	rechnology	INC	fill in blooks	by (sigi	role the correct answers.	Send top three	e copies to Kansas De	epartment
under the business		rechnology	INC	fill in blooks	by (sigi	role the correct answers.	Send top three for your record	e copies to Kansas De	epartment