WATE	R WE	LL RECORD	Form W	WC-5	Γ	Division of Wate	r Resources App. No	, L		
		OF WATER WELL:	Fraction	<u> </u>	Sect	ion Number	Township No.	Range N	lumber	
	ity: Roc		1/4 Se 1/4 Se	½ se ½		35	T 9 S	R 18	□E Ø W	
from	nearest	Address of Well Location; it town or intersection: If at o	unknown, distance e wner's address, check		Global Positioning System (GPS) information: Latitude:					
the contract of the contract o						Longitude: (in decimal degrees)				
						Elevation:				
2 WATER WELL OWNER: USD 270						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
RR#, Street Address, Box #: 111 W Mill						GPS unit (Make/Model:)				
City, State, ZIP Code : Plainville, KS 67663						Digital Map/Photo, Topographic Map, Land Survey				
3 LOCATE WELL Est, Accuracy:									>15 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.										
SECTION BOX: N Depth(s) Groundwater Encountered (1).14 ft. (2)									ft.	
Pump test data: Well water was 40									49U.Q σnm	
NW NE EST. YIELD, 30gpm. Well water was ft after hours numping gpm									gpm	
W E Bore Hole Diameter 10										
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
Ingalion Industrial Domestic-lawn & garden Monitoring well										
L	Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted Water well disinfected? Yes No										
5 TYPE OF CASING USED: Steel V PVC Cother										
CASING JOINTS: ♥ Glued □ Clamped □ Welded □ Threaded										
Casing diameter in to										
Casing height above land surface. 24 in., Weight 2.91 lbs./ft., Wall thickness or gauge No21 TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Stainless Steel PVC Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Z Saw cut Coher (open for										
SCREEN-PERFORATED INTERVALS: From										
	GRAV	EL PACK INTERVALS	From 60	********	ft Evan					
GRAVEL PACK INTERVALS: From 60 ft. to 20 ft., From ft. to From ft. to ft., From ft. to ft., From ft. to								ا م		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 20 ft. to ft., From ft. to ft., From ft. to ft.										
What is	itervals:	From .49 ft. to est source of possible conta	ft., From		. ft. to	ft.,	From	ft. to	ft.	
	Septic ta		The state of the s	Livestock	neng	☐ Invecticide	storage D Othe	m (annaify	halami	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							i (specify	below)		
ليا Dired	Watertig	ht sewer lines	t Feedyard [Fertilizer		Oil well/ga				
FROM	ТО	LITHOLOGI	CLOG	FROM	TO		OG (cont.) <u>or</u> PLUC			
0	2	Top Soil					od (cont.) of The	301110 1	NILK VALS.	
2 13	13 43	Gumbo clav								
43	47	Fine Sand Fine Sand, sand rock								
47	50	Limestone rock								
50	60	Shale								
			,		***************************************					
		-								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) 9/40/13 and this record is true to the best of my knowledge and foliof										
Kansas Water Well Contractor's License No. 0199 This Water Well Record was completed on tanoday/year) 10/11/13 under the business name ofKarst Water Well Drilling & Service, Inc by (signature)										
INSTRUCTIONS Use typewriter or ball point pen PLEASE PRESS FIRMLY and PRINT clearly Places fill in blants and at all the										
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html										