1 LOCATION OF WAT	TED MELL.					
		" SE " SE	Section Numbe		į	Range Number
County: KOK	from nearest town or city street		1/4 d	<u> </u>	S	R / & E(W)
	5 4 Cochmin		и спу <i>?</i>			
	B & COUNCIL	TICHIVITIC				
Z] WATER WELL OW	NER: Galloway Dr	illing			_	
RR#, St. Address, Bo		way				ivision of Water Resources
City, State, ZIP Code	wichita K	161202 76		Application		
AN "X" IN SECTION	OCATION WITH 4 DEPTH OF					
	Depth(s) Groui	ndwater Encountered		2	ft. 3.	
4		IC WATER LEVEL . 1421				
NW	Pui	mp test data: Well water was	ft.	after	hours pur	ping gpm
		gpm: Well water was				
Ä W		meterin. to		and	in.	to
2	j		olic water supply	8 Air conditioning	11 lr	jection well
SW	1 Domesti		field water supply			ther (Specify below)
	2 Irrigation					
4 L		al/bacteriological sample submitt				no/day/yr sample was sub-
	mitted			ater Well Disinfected		No No
TYPE OF BLANK C		· ·	3 Concrete tile		ITS: Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement 9	Other (specify belo	w)	Welded	1
2PVC	4-ABS	•				ed
	\(\alpha\) in. to					
	and surface			/ft. Wall thickness or	gauge No.	
	R PERFORATION MATERIAL:		(7,PVC		stos-cemen	į
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other	r (specify) .	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None	used (oper	n hole)
	RATION OPENINGS ARE:	5 Gauzed wra	pped	8 Saw cut	•	11 None (open hole)
1 Continuous slo	t (3 Mill slot	6 Wire wrappe		9 Drilled holes		
2 Louvered shutte	er 4 Key punched	7 Torch cut o		10 Other (specify)		
SCREEN-PERFORATE	D INTERVALS: From					
001122111 2111 0111112						
	From ,	ft. to	ft., Fro	om	ft. to.	
	From ,		ft., Fro	om	ft. to.	
GRAVEL PAG	From CK INTERVALS: From From	ft. to	ft., Fro ft., Fro ft., Fro ft., Fro	om	ft. to. ft. to. ft. to	ft. ft. ft.
GRAVEL PAGE	From CK INTERVALS: From From 1 Neat cement	ft. to	ft., Fro ft., Fro ft., Fro ft., Fro 3 Bentonite 4	om	ft. to ft. to. ft. to	ft.
GRAVEL PAGE GROUT MATERIAL Grout Intervals:	From CK INTERVALS: From From Neat cement	ft. to	ft., Fro ft., Fro ft., Fro ft., Fro 3 Bentonite 4	om	ft. to ft. to. ft. to	ft.
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so	From CK INTERVALS: From From 1 Neat cement 1 ft. to Urce of possible contamination:	ft. to	ft., Fro	om	ft. to. ft. to. ft. to	ft.
GRAVEL PAGE GROUT MATERIAL Grout Intervals:	From CK INTERVALS: From From Neat cement	ft. to	ft., Fro	omom Otherft., Fromstock pens	ft. to. ft. to ft. to	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines	From CK INTERVALS: From From 1 Neat cement 1 to 1 Lateral lines 5 Cess pool	ft. to ft. to ft. to cement grout ft., From	ft., Fro	omom Otherft., Fromstock pens	ft. to. ft. to. ft. to	ft. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer	From CK INTERVALS: From From 1 Neat cement 1 5 ft. to 5 Urce of possible contamination: 4 Lateral lines	ft. to ft. to ft. to ft. to ©ement grout ft., From 7 Pit privy	ft., Fro	om Other ft., From stock pens storage	ft. to. ft. to. ft. to	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro	Other	ft. to. ft. to. ft. to.	ft. ft. ft. ft. ft. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer	From CK INTERVALS: From From 1 Neat cement 1 to 1 Lateral lines 5 Cess pool	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., Fro. ft., Fro. ft., Fro. ft., Fro. ft., Fro. ft. to. 10 Lives 11 Fuel 12 Fertii 13 Insec. How ma	Other	ft. to. ft. to. ft. to	ft. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft. ft. ft. ft. ft. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	Other	ft. to. ft. to. ft. to.	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft. ft. ft. ft. ft. ft. ft. ft. f
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft. ft. ft. ft. ft. ft. ft. ft. f
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft. ft. ft. ft. ft. ft. ft. ft. f
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro. ft., F	om	ft. to. ft. to. ft. to.	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Neat cement It. to Lurce of possible contamination: 4 Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro ft., Fro ft., Fro ft., Fro graph of the ft. ft. ft. to	om Other Other ft., From stock pens storage lizer storage cticide storage any feet? PLU Comunt	ft. to. ft. to. ft. to.	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed	From CK INTERVALS: From From Neat cement In Lateral lines 5 Cess pool er lines 6 Seepage pit	ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., Fro ft., Fro ft., Fro ft., Fro graph of the ft. ft. ft. to	om	ft. to. ft. to. ft. to.	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO	From CK INTERVALS: From From Neat cement In Lateral lines 5 Cess pool er lines 6 Seepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy 8 Sewage lagoon 9 Feedyard CLOG FF	ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro graph of the from the ft. ft. to. 10 Lives 11 Fuel 12 Fertii 13 Insect How ma ROM TO	Other Other Other Stock pens Storage Storage Sticide storage Story feet? PLU OMINT	ft. to. ft. to. ft. to ft. to ft. to ft. to	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO	From CK INTERVALS: From From Neat cement In Lateral lines 5 Cess pool er lines 6 Seepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy 8 Sewage lagoon 9 Feedyard CLOG FF	ft., From the ft	Other Other off, From Stock pens storage lizer storage chicide storage ony feet? PLU OMINT BUNDITE	ft. to. ft. to	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed Direction from well? FROM TO CONTRACTOR'S O completed on (mo/day/y)	From CK INTERVALS: From From I Neat cement In I Neat cement In It to 4 Lateral lines 5 Cess pool I LITHOLOGIC R LANDOWNER'S CERTIFICAT Trear)	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft. to ft. ft. from 7 Pit privy 8 Sewage lagoon 9 Feedyard CLOG FF	ft., From tt., F	Other Other Other Stock pens storage sticide storage my feet? PLU PROTITE PLU OMANT Buntonite Onstructed, or (3) plus rd is true to the best	ft. to. ft. to	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewed Direction from well? FROM TO CONTRACTOR'S O completed on (mo/day/y) Vater Well Contractor's	From CK INTERVALS: From From I Neat cement In I Neat cement In It to Urce of possible contamination: 4 Lateral lines 5 Cess pool In ITHOLOGIC LITHOLOGIC R LANDOWNER'S CERTIFICAT I rear)	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy 8 Sewage lagoon 9 Feedyard CLOG FF	tt., From tt., F	Other	ft. to. ft. to	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO FROM TO CONTRACTOR'S Of completed on (mo/day/sy) Vater Well Contractor's conder the business name	From CK INTERVALS: From From I Neat cement II. So the to so the contamination: 4 Lateral lines 5 Cess pool Ber lines 6 Seepage pit LITHOLOGIC R LANDOWNER'S CERTIFICAT Tear) License No	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft. from 7 Pit privy 8 Sewage lagoon 9 Feedyard CLOG FF	tt., From tt., F	Other Other Other Stock pens Storage Storage Sticide storage S	gged under	ft
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO CONTRACTOR'S Of Dompleted on (mo/day/y) Vater Well Contractor's onder the business name instructions: Use type	From CK INTERVALS: From From I Neat cement In I Neat cement In It to Urce of possible contamination: 4 Lateral lines 5 Cess pool In ITHOLOGIC LITHOLOGIC R LANDOWNER'S CERTIFICAT I rear)	ft. to ft. ft. to 7 Pit privy 8 Sewage lagoon 9 Feedyard CLOG Freedyard FION: This water well was (1) of This Water Well Rec	tt., From tt., F	Other	gged under of my know	ft