WATE	R WEI	LL RECORD	Form WV	VC-5	Division of Water	r Resources App. No	o.	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range N	
	ty: Roc		SE ¼ SE ¼ SE			T 9 S		□E ☑ W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:			
non nearest town or intersection. If at owner 5 address, check here					Longitude: (in decimal degrees)			
					Elevation:			
2 WATER WELL OWNER: Plainville Livestock Auction					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Plainville Livestock Auction RR#, Street Address, Box #: 907 NW 3rd St					Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Plainville, Ks 67663					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
2 100				Est. Accuracy:				
3 LOC	ATE WE H AN "X	"IN 4 DEPTH OF O	COMPLETED WELL	80	ft.			
	ION BOX: Depth(s) Groundwater Encountered (1).28							ft.
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
	Pump test data: Well water was 25 ft. after 2 hours pumping 30 gpm							
	WNW NE EST. YIELD. 30gpm. Well water was							
"	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	I Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 5 in. to 80 ft. Diameter in. to ft. Diameter in. to ft.								
Casing height above land surface36								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From80 ft. to20 ft., From ft. to ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other Grout Intervals: From .20								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
	Sewer lin		Sewage lagoon					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well								
FROM	TO	LITHOLOG		FROM		OG (cont.) or PLU	GGING I	NTERVALS
0	2	Top Soil						
2	17	Gumbo clay						
17	28 38	Sandy clay						
28 38	46	Sand Sand, rock						
46	60	Sand, clay						
60	70	Clay						
70	74	Limestone						,
74	80	Brown shale						
T CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This was all to the second of the second								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigcirc \) constructed, \(\propto \) reconstructed, or \(\propto \) plugged under my jurisdiction and was completed on (mo/day/year) .05/29/14 and this record is true to the best of my knowledge and belief.								
Kansas	Water W	'ell Contractor's License N	o0199 This W	ater Well Re	ecord was completed	en (mo/dav/vear)	06/13/1	4 /
under the	e busine	ss name of Karst Water	Well Drilling & Service	e, Inc	by (signature)			<i>[</i>]
INSTRUC	CTIONS:	Use typewriter or ball point penepartment of Health and Environment	. PLEASE PRESS FIRMLY a	and PRINT cle	arly. Please fill in blanks	and check the correct a	answ SC	nd one copy to
		epartment of Health and Environn 5-5524. Send one copy to WATE						

http://www.kdheks.gov/waterwell/index.html