FT			WELL RECORD	Form W	NC-5 KS	SA 82a-	1212			
LOCATION OF P		Fraction	SW 1/2 S	7.7	Section No		Townsh	ip Number	Range Number	
County.		SW 1/4	74	74	26	,	T	9 S	R 18 EW	
704 West	tion from nearest town of Mill, Plainvill	or city street ac	dress of well if locat	ed within d	city?				· ·	
2 WATER WELL		ill Oil Co								
RR#, St. Address.		st Mill	mpuny				-			
City, State, ZIP Co	BOX " .	ille, Ks.	67663					concession and	Division of Water Resources	
				22				ation Number:		
AN "X" IN SECT	TION BOX:	DEPTH OF CO	MPLETED WELL.	<i>34</i>	ft. E	LEVAT	ION:			
-	N De Wi	ptn(s) Groundw	AATED LEVEL	120		ft. 2.		ft. 3		
		ELLS STATIC	WATER LEVEL		It. below la	nd surfa	ice measure	d on mo/day/yr		
NW -	NE	Pump	test data: Well wat	er was		. ft. afte	er	hours pu	mping gpm	
1 1	l Es	t. Yield	gpm: Well wat	er was		. ft. afte	er	hours pu	mping gpm	
M 1	E Bo	re Hole Diamet	er J5/.8in. to						toft.	
-			BE USED AS:		water suppl		Air conditio	•	Injection well	
SW -	SE	1 Domestic	3 Feedlot		water supp				Other (Specify below)	
. !	!	2 Irrigation	4 Industrial							
<u> </u>	S mit		icteriological sample	suomittea	to Departme				mo/day/yr sample was sub-	
5 TYPE OF BLAN	K CASING USED:		5 Manualta isas	0.0		Wate	r Well Disinf		No V	
1 Steel			5 Wrought iron		oncrete tile	. hale t			I Clamped	
2)PVC	3 RMP (SR) 4 ABS		6 Asbestos-Cement		her (specify				ed	
			7 Fiberglass	• • • •				Threa	n. to ft.	
Casing beight about	a land aufoce	0	π., Dia		ι. το		ft., Dia	ا	n. to ft.	
	e land surface OR PERFORATION M		n., weight		PVC	. Ibs./ft.				
1 Steel	3 Stainless ste	SOURCE CITATION CONTENTS	F Ciberalese	_	f			Asbestos-ceme		
2 Brass	4 Galvanized s		5 Fiberglass		RMP (SR)					
	ORATION OPENINGS		6 Concrete tile		ABS			None used (ope	pour neverteur.	
1 Continuous				ed wrappe			8 Saw cut		11 None (open hole)	
2 Louvered sh	•			wrapped			9 Drilled hol	5.70		
	ATED INTERVALS:	unched Erom 2	7 Torch		32 "	- 1	0 Other (spe	ecify)		
OUNCEIVE ENI ON	TED INTERVALS.	From	et to		π	., From		ft. to)	
GRAVEL I	PACK INTERVALS:	From 2	1 # to			., From		π. to)	
GIVIVEE !		From	ft. to						- 1	
GROUT MATERI			Cement grout	(3)P	entonite	., FIOIII	bor	ft. to	п.	
		20	the From 20	906	t to	21	# From	* * * * * * * * * * * * * * * * * * * *	. ft. to	
What is the nearest	source of possible cont	amination:							or reservable asserts the reserve Marrie work	
1 Septic tank	4 Lateral lin		7 Pit privy			10 Livestock pens 14 Abandoned water well (11) Fuel storage 15 Oil well/Gas well				
2 Sewer lines	5 Cess poo		8 Sewage lagoon			22-01-20-01-20-01-20-01-20-01-20-01-20-01-20-01-20-01-20-01-20-01-0				
	ewer lines 6 Seepage						tilizer storage 16 Other (specify below)			
Direction from well?	west	pit	3 i eedyald			v many		20		
FROM TO		ITHOLOGIC LO)G	FROM		villally	ieet?	PLUGGING IN	TERVALS	
0 1	RD GRVL									
1 4	CLY, DK BRN, SI	SLIY	1			F	lush mou	nt cover	1	
4 11	CLY, MOD BRN, S						A2			
11 18	CLY, DK BRN, SI									
18 21	CLY, MOD BRN, S	Salaran Salaran Salaran	Y							
21 32	SND, LT BRN, F							792		
								10		
				1						
			2017							
						+				
	1			1		_		4		
CONTRACTORIO	OR LANDOWNERS C	EDTIEIOATION	l. This water		- L					
ompleted on (mo/d-	OU TAINDOMNERS C	05-28-93	i inis water well wa	is (1) cons	tructed, (2)	reconst	ructed, or (3) plugged unde	r my jurisdiction and was vledge and belief. Kansas	
Vator Wall Controlts	y/year)	527	TFL:_ 144		. and this	record is	s true to the	best of my knov		
	one of GeoCore	Services	Inis Water We	ell Hecord				06-07	-93	
inder the business n				ar and a second		ignature		, Kay		
INSTRUCTIONS: Use of Health and Environ	typewriter or ball point pen. Penment, Bureau of Water, Topek	LEASE PRESS FIRM (a. Kansas 66620-00	ILY and <u>PRINT</u> clearly. Ple 001. Telephone: 913-296-5	ase fill in blan 545. Send one	ks, underline of to WATER Will	r circle the	correct answer	s. Send top three co	opies to Kansas Department	