		ATER WELL RECORD F	orm WWC-5	KSA 82a-	1212	
LOCATION OF WA	TER WELL: Fraction SE	CTJ CTJ		tion Number	Township Number	Range Number
County: Rooks		74 74	74		т У ѕ	R 19 ₩w
Distance and direction 1 East, 1 N	orth, 3/4 East of	Zurich, Kansas	within city?			
i	WNER: Brian Pywell					
R#, St. Address, Bo					Board of Agriculture,	Division of Water Resources
City, State, ZIP Code					Application Number:	
LOCATE WELL'S L		F COMPLETED WELL?				
AN "X" IN SECTIO	N Depth(s) Gro	oundwater Encountered 1.				
i !		ATIC WATER LEVEL				
	1   NE   F	oump test data: Well water	was 21	ft. af	ter lours pu	ımping10 gpm
1	Est. Yield .	ユO gpm: Well water	was ,	ft. af	ter hours pu	ımping gpm
e	Bore Hole D	iameter9in. to .	35	ft., a	and ir	n. to
ž W I	WELL WATE	ER TO BE USED AS: $1-5$	Public water	er supply	8 Air conditioning 11	Injection well
- sw	1 Dome	stic 3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)
3W	2 Irrigat	ion 4 Industrial 7	Lawn and g	garden only 1	0 Observation well	
l zi	Was a chem	ical/bacteriological sample su	bmitted to D	epartment? Ye	s; If yes	, mo/day/yr sample was sub-
10	S mitted			Wat	er Well Disinfected? Yes	X No
TYPE OF BLANK	CASING USED: 2	5 Wrought iron	8 Concre	ete tile	CASING JOINTS: Glue	d . 🗶 Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other	(specify below	y) Weld	led
2 PVC	4 ABS	7 Fiberglass				aded
3lank casing diameter	· 5 in. to 25	રે ft., Dia	in. to		ft., Dia	in. to ft.
Casing height above I	and surface21.	in., weight200.		lbs./f	t. Wall thickness or gauge N	lo•.27
TYPE OF SCREEN O	R PERFORATION MATERIAL	: Y	7 PV	C_	10 Asbestos-cem	ent
1 Steel	3 Stainless steel	5 Fiberglass	8 RM	1P (SR)	11 Other (specify	)
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB	S	12 None used (or	oen hole)
SCREEN OR PERFO	RATION OPENINGS ARE: 8	5 Gauzeo	d wrapped	<b>t</b> edan	8 Saw cut	11 None (open hole)
1 Continuous slo	ot 3 Mill slot	6 Wire w	rapped		9 Drilled holes	
2. Louvered shut	ter 4 Key punched	7 Torch o			10 Other (specify)	
3CREEN-PERFORAT					י	
	From	ft. to				
GRAVEL PA	CK INTERVALS: From	.45 ft. to	35	ft., From	1 ft. ·	toft.
<b>†</b>	From	ft. to		ft., From	<u>ft.</u>	to ft.
GROUT MATERIAL	The state of the s	2 Cement grout	3 Bento		Other	
Grout Intervals: Fro	mQft. to LC	) ft., From	ft.	to	ft., From	ft. toft.
	ource of possible contamination			10 Liveste	ock pens 14 A	bandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuel s	•	Dil well/Gas well
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)		Other (specify below)
•	ver lines 6 Seepage pit	9 Feedyard			icide storage	
Direction from well?	LITUOLO	20.100	50011	How man		NO 1 00
FROM TO	LITHOLOG	aic Log	FROM	ТО	LITHOLOG	ilC LOG
	topsoil					
1 14	Brown clay					
1½ 18 28	Sand					
	Sandy white clay					
28 35	White clay			-		
						<u> </u>
			1			
CONTRACTOR'S	OR LANDOWNER'S CERTIFIC	CATION: This water well was				
ompleted on (mo/day	/year) . November 28,	TA QT		and this record	d is true to the best of my kn	owledge and belief. Kansas
Vater Well Contractor	's License No	This Water We	Il Record wa			y . 6., 1982
inder the business na	<sub>me of</sub> Karst Water We	LL Service		by (signatu	ire) ///) /cecs	
NSTRUCTIONS: Use	typewriter or ball point pen, PLI	EASE PRESS FIRMLY and	PRINT clear	y. Please fill in	blanks, underline or circle th	e correct answers. Send top
hree copies to Kansas DWNER and retain or	Department of Health and Envir ne for your records.	onment, Division of Environm	ie⊓t, Environi	nental Geology	у эеспоп, торека, КS 66620.	Send one to WATER WELL
	·· , - ·· · · · · · · · · · · · ·					