WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
1 LOC	ATION	OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
	ty: Roc			1/4 se 1/4	21	T 9 S	R 20 □E 🗹 W	
		Address of Well Location; i		Global Positioning				
from	nearest 1	town or intersection: If at o	owner's address, chec		Latitude: (in decimal degrees)			
					Longitude: (in decimal degrees)			
					Elevation:			
2 WATER WELL OWNER: Dan Steeples					Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: P.O. Box 99					GPS unit (Make/Model:)			
City, State, ZIP Code : Palco, KS 67657					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:								
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .75								
	SECTION BOX: Depth(s) Groundwater Encountered (1) 58 ft (2) ft (3)							
	SECTION BOX: Depth(s) Groundwater Encountered (1).58 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 51 ft. below land surface measured on mo/day/yr.10/04/13							
Pump test data: Well water was 60 ft. after 1 hours pumping 15 gpm								
NW NE EST. YIELD. 15gpm. Well water was ft. after hours pumping gpm								
W   E   Bore Hole Diameter 10								
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
SWSE   ✓ Domestic								
Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes V No  If yes, mo/day/yr sample was submitted								
Water well disinfected?  Ves  No								
5 TYPE OF CASING USED: Steel V PVC Other								
Casing diameter .5 in. to .75 ft., Diameter ft., Diameter ft.								
Casing height above land surface. 24 in., Weight 2.91 lbs./ft., Wall thickness or gauge No21								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped \ Saw cut \ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From .20. ft. to .0 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
What is the hearest source of possible contamination:  Septic tank  Lateral lines Pit privy  Livestock pens  Insecticide storage  Other (specify below)								
	Sewer lin	nes Cesspool	Sewage lagoon	Fuel storag			or (specify below)	
	Watertig	ht sewer lines	it Feedyard	Fertilizer st	orage	s well	•••••	
		n well			from well			
FROM 0	TO 8	LITHOLOG	IC LOG	FROM	TO LITHO, LO	OG (cont.) or PLU	GGING INTERVALS	
8	12	Gumbo fine Sand		<del>  -</del>				
12	15	fine Sand	***************************************				S	
15	27	clay Sand Rock & gumbo						
27	38	Gumbo clay		<del>- </del>				
38	58	sand						
58	60	fine sand		<del> </del>		VI		
60	67	sand						
67	75	Limestone			······································			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .19/4/13 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 0199 This Water Well Record was completed on 12 this Water Wa								
under the business name ofKarst Water Well Drilling & Service, Inc by (signature)  INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers.								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW, Jackson St., Suite 420. Toneka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html