	RECORD	Form WWC-5	Div	Division of Water Resources App. No.				
1		WATER WELL:			Section Number	Township Number	Range Number	
County: Graham								
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
So of Hill City on 283 to H Road, East 11 miles, south into					Longitude: (in decimal degrees)			
				Elevation:	<u></u>			
2 WATER WELL OWNER: Milford Young					Datum: □ WGS 84, □ NAD 83, □ NAD 27			
RR#, St. Address, Box # : 3895 H Rd					Collection Method:			
City, State, ZIP Code : Palco, Ks 67657					GPS unit (Make/Model:			
						oto, 🚨 Topographic Map,	☐ Land Survey	
					Est. Accuracy: $\square < 0$	3 m, 🛘 3-5 m, 🗖 5-15 m,	□ >15 m	
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 95 ft.								
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.								
) SECTI	()							
	N	WELL SSIAIR	WATER LEVEL III	II.	below land surface	e measured on mo/day/y	r	
	X	Pum	p test data: Well water v	vas	ft. after	hours pump	ing gpm	
NW		EST. YIELD	gpm: Well water w	vas	ft. after	hours pump	ing gpm	
WELL WATER TO BE USED AC. Darklin mater annulus D Continued D Injection and								
W	 	E WELL WATER	Feedlot Oil field water	cupply	□ Dewet	ering D Other	r (Specify below)	
	1	D Instantian D	Industrial Demostials	suppry	den Dewar			
F-sw	SE —		Industrial Domestic-la					
		Was a chemical/b	acteriological sample subm	itted to De	epartment? 🛚 Ye	s 🔀 No		
	S	If yes, mo/d	ay/yr sample was submitted					
1	mile	Water Well Disin	fected? x Yes No					
5 TYPE OF CASING USED: □ Steel □ PVC □ Other CASING JOINTS: □ Glued □ Clamped □ Welded □ Threaded Casing diameter 4.5 in. to 75 ft., Diameter in. to ft. casing height above land surface 18 in., Weight 2.38 lbs./ft. Wall thickness or gauge No. .248								
CASING JOINTS: A Glued								
Casing diameter 4.5 in. to 75 it., Diameter in. to it., Diameter in. to it.								
Casing height above land surface 18 in., Weight 2.38 lbs./tt. Wall thickness or gauge No248 TYPE OF SCREEN OR PERFORATION MATERIAL:								
					(0 10)			
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
□ Continuous Slot □ Mill slot □ Gauze wrapped □ Torch cut □ Drilled holes □ None (open hole) □ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify) SCREEN-PERFORATED INTERVALS: From 75 ft. to 95 ft., From ft. to ft.								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From From ft. to 75 ft. to 95 ft., From ft. to ft. to<								
			From	ft. to	ft., F	rom ft. t	o ft.	
GRAVEL PACK INTERVALS: From 20 ft. to					95 ft., F	rom ft. i	o ft.	
			From	ft. to	ft., F	rom ft. t	o ft.	
6 GROUT	T MATERL	AL:	t Cement grout	⊠ Bento	nite			
6 GROUT MATERIAL: □ Neat cement □ Cement grout ☑ Bentonite □ Other Grout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination:								
	tic tank	☐ Lateral line		Livestock	k pens	ticide storage	ther (specify below)	
	ver lines	☐ Cesspool	☐ Sewage lagoon ☐			doned water well	()	
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well None							ie	
Direction from well Distance from well								
FROM	ТО		OGIC LOG	FROM			CONC INTEDVALE	
			DOIC LOG	FROM	10 LITH	D. LOG (cont.) or PLUC	JOING INTERVALS	
0	12	Surface			-			
2		Colisha & alay w/fine sa	and longer					
12		Class of a links at the	ind ienses		-			
17	28	Clay w/caliche strks						
28		Clay & caliche w/sand lenses			 			
32	43	Fine sand w/clay & caliche strks			<u> </u>			
43		Caliche & clay w/sandy clay strks						
60	78	Fine sand w/clay & caliche lenses Fine to med sand w/clay & caliche lenses			 			
78	90	v						
90 100 Yellow ochre/black shale 7 CONTD A CTOD'S OD I ANDOWNED'S CEDITIFIC ATION. This water well was Magazineted or Preparet and Prep								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗵 constructed, or or plugged								
under my jurisdiction and was completed on mo/day/year) 02-01-10 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 554) or 783. This Water Well Record was completed on (mo/day/year) 2-5-10 under the business name of Woofter Pump & Well Inc. by (signature)								
					, /		·	
INSTRUCTIONS: Please fill in blanks and check the correct answers. Send three copies (white, blue, pigk) to Kansas Department of Health and Environment, Bureau of								
Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785/296-5522. Send one to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
lour for long		.aa. or wand for each t	concentration were right up at litt	P	and work water well			