LOCATION OF WAR										
-	ER WELL:					on Number		ber	Range Number	e 16
	raham	NE 1/4	NE ½			12	т 9	s	R 23	EW
stance and direction f S 1 E % So from		n or city street a	address of well i	f located wit	hin city?					
		recticle								
WATER WELL OWN										
R#, St. Address, Box		•					Board of Agricult	•	n of Water Reso	urces
y, State, ZIP Code	HIII CIT	y, KS 6764	2				Application Numi	ber:		
LOCATE WELL'S LO	CATON WITH	4 DEPTH OF	COMPLETED	A/E1 I	75	A E1 E	VATION:			
		DEPINOR	COMPLETED	VVELL	!.	II. ELC	VATION:		•••••	
N		Depth(s) Groun	ndwater Encoun	tered 1			t. 2 surface measured on	π. 3		π.
	Y 1	WELL'S STATI	IC WATER LEV	EL	9 ft. l	below land	surface measured on	mo/day/yr		
NW	NF	Pur	np test data:	Well water v	ras		ft. after	hours pun	nping	gpm
1 1	:	Est. Yield	gpm:	Well water v	as		ft. after	hours pun	nping	gpm
w L	Ε	Bore Hole Dian	neter 8	in. to	75		ft. and	in. to	0	ft.
		WELL WATER	TO BE USED	AS: 5 Put	lic water su	pply	ft. and 8 Air conditionin 9 Dewatering	ig 11 !	njection well	
sw	SE									
"	<u>.</u>	2 Irrigatio	n 4 Industria	ai 7 Lav	m and gard	en (domest	ic) 10 Monitoring w	ell		
	i	1					Yes No X			
S		submitted					ater Well Disinfected?	-		
TYPE OF BLANK C		1-42-111100	5 Wransh	t Iron	8 Conce	te tile				1
1 Steel		SD/	•							
		SR)	_					vveided		
2 PVC	4 ABS		7 Fibergla	ISS				Thread	ea	
ink casing diameter	4.5	in. to 5	5 ft., Dia		in. to		ft., Dia	in	. to	ft.
ising height above la	nd surface	18	_ in., weight _	2	.38	lbs./ft	Wall thickness or ga 10 Asbest	uge No.	.248	
PE OF SCREEN OF	PERFORATION	N MATERIAL:			7	PVC	10 Asbest	os-cement		
1 2(66)	3 Stainle	ess steel	5 Fibergia	188	8	RMP (SR)	11 Other (12 None u	specify)		
2 Brass		nized steel								
REEN OR PERFOR	ATION OPENIN	IGS ARE:		5 Gauzeo	wrapped		8 Saw cut	11	None (open he	ole)
1 Continuous slo		Mill slot		6 Wire w	apped		9 Drilled holes			
2 Louvered shut	er 4	Key punched		7 Torch o	ut		10 Other (specify)		
REEN-PERFORATE	D INTERVALS:	From	55 f	t. to	75	ft.	From	ft. to		ft.
GRAVEL PACI	(INTERVALS:	From	20 f	to	75	A	From	ft to		A
0.0172217101	THE TOTAL OF	From	'	. 10	· · · · · · · · · · · · · · · · · · ·	^{۱۱} ۰	From			^{11.}
CROUT MATERIAL	. A None			1. 10	100	11.	rion)	11. 10		ft.
GROUT MATERIAL	. 1 Neat o	cement	Z Cement grou	Л	3 Beni	onite	From 4 Other			
out intervals From		ft. to 20	ft. From		It. t	0	ft. From		ft. to	ft.
nat is the nearest sot	irce of possible o	contamination:				10 Live	stock pens	14 Aban	doned water well	i
 Septic tank 		4 Lateral line					storage	15 Oil we	ell/ Gas well	
2 Sewer lines		5 Cess pool	8	Sewage la	goon	12 Fert	lizer storage	16 Other	(specify below)	
3 14/a4-41-1-4		0.0							545 - Is D	
3 Watertight sew		6 Seepage pi	π 9	Feedyard			cticide storage		Stock well	
rection from well?						How man		7		
FROM TO	CODE		DLOGIC LOG		FROM	TO	PLUG	GING INT	ERVALS	
0 3 3 15		rface				<u> </u>				
		ess	- Walta							
15 24	Sa	ndy clay &	canche							
24 31		ne to med s								
31 42		ed sand loo		<u></u>			ļ			
42 56		ndy clay &		nt		 			 	
EC AF		some fine s				ļ		·		
56 65		ed sand & g		У		ļ				
0E 70		nses fairly				ļ				
65 70		ne sand w/c								
70 75		hre & shale	9			ļ				
i			·····							

				A		<u> </u>				
		R'S CERTIFICA	TION: This wat	er well was (1) construct	ed, (2) reco	nstructed, or (3) plugg	ed under m	y jurisdiction and	was
CONTRACTOR'S C	IN ENINDOWING									
mpleted on (mo/day/	yr)	10-	14-05		and thi	s record is	true to the best of my	knowledge	and belief. Kans	888
npleted on (mo/day/	yr)	10-	14-05 554		This W			-		
npleted on (mo/day/ iter Welf Contractor's fer the business nan	yr) License No.	10- Woo	14-05 554 ofter Pump	& Well In	This W	ater Well R	true to the best of my	on (mo/da	y/yr) 10-21	-05