	ON OF WATE	R WELL:	Fraction			1	ion Number	Township	Number	Range Nu	
County: C			NW	* Sた	1/4 /VW/	1/4	2	Т	9 s	R 24	ENV
Distance and	d direction fro	m nearest	town or city street	address of we	Il if located wi	thin city?					
01											
2 WATER	WELL OWNE	R: Diar	na Nickelson								
RR#, St. Add	dress, Box#	: 2170	6 200 th Ave					Board of Ag	riculture, Divi	sion of Water Re	esources
City, State, 2	IP Code	Pen	okee, Ks 67	659				Application	Number:		
3 LOCATE	WELL'S LOC SECTION B	CATON WI	TH 4 DEBTU A	E COMBI ETE	D WELL	20	A ELE	(ATION:			
		ο .	DEPTHO	unduster C	U VVELL	50	II. ELE\	ATION:			
A X I	N									3	
1 ^ I										yr	
	N'W, -	NE								umping	
0	Х	į	Est. Yield	gpm:	Well water v	vas	f	t. after	hours p	umping	gpm
₩ W —		-	E Bore Hole Dia	ameter 8	in. to	38		ft. and	in	i. to 1 Injection well 2 Other (Specif	ft.
			WELL WATE	R TO BE USE	JAS: 5 Pul	blic water su	apply	8 Air condi	tioning 1°	injection well	v helow)
	sw	SE									
1											
У Ц	S		l l	cal/bacteriologi	cai sample su	omitted to D				mo/day/yr sam	
F			submitted							No No	
	BLANK CAS				ght Iron		ete tile			d X Clam	
_1 Ste			MP (SR)	6 Asbes	stos-Cement	9 Other	(specify belo	w)	Weld	ed	
2 PVC		4 AB	_	7 Fiberg					Threa	aded	
Blank casing	diameter	4.5	in. to	18 ft., D	ia	in, te	0	ft., Dia		in. to	ft.
Casing heigh	nt above land	surface	18	in., weight	2	2.38	lbs./ft.	Wall thickness	or gauge No.	.248	3
TYPE OF SC	KEEN OR P	ERFORA	HON MATERIAL:			7	PVC	10 As	bestos-ceme	nt	
1 Stee			inless steel	5 Fiberg 6 Concr	glass	8	RMP (SR) ABS	11 0	her (specify)		
2 Bras			Ivanized steel	6 Concr	ete tile	. 9	ABS	12 No	one used (ope	en hole)	
			NINGS ARE:		5 Gauzeo	wrapped		8 Saw cut		11 None (oper	n hole)
	itinuous slot vered shutter		3 Mill slot4 Key punched		6 Wire w	rapped		9 Drilled hole			
			- Ney punched	12	7 Torch o	,ut 20		o Other (sp		o	
OUREEN-PE	ERFORATED	INTERVA									
					nt. to		ft. F	rom	ft. t	0	ft.
GRA	IVEL PACK I	NTERVAL		8	ft. to	38	ft. F	rom	ft. t	o	ft.
			From		ft. to		ft. F	rom	ft. t	0	ft.
GROUT	MATERIAL:	1 Ne	at coment	2 Coment or	out	3 Bent	tonite	4 Other			
Grout Interva	als From	0	ft. to 1	8 ft. Fror	n	ft. te	0	ft. From		ft. to	ft.
vvnat is the r	nearest sourc	e or possit	de contamination:				10 Livest	ock pens	14 Aba	andoned water v	vell
	tic tank		4 Lateral lin	es	7 Pit privy			torage			
	ver lines		5 Cess pool		8 Sewage la			-		er (specify below	w)
		lines	6 Seepage	pit	9 Feedyard		13 Insect	icide storage		none	
Direction from		0005		101.0010 : 0.5		F56:-	How many			TEDVALE	
FROM 0	70 3	CODE	LITH Surface	OLOGIC LOG	***************************************	FROM	ТО	P	LUGGING IN	HERVALS	
3	16		Surrace Louess				ļ				
16	20		Sandy clay w	visome san	nd		1				
20	38		Med sand &				† †				
38			Flint & ochre		~J 101100						<u></u>
							 				· · · · · · · ·

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										
			NER'S CERTIFICA	ATION: This wa	ater well was (
	n (mo/day/yr)			-18-05					•	ge and belief. K	
Water Well C	Contractor's L	icense No.		554				cord was comp			54
	siness name			ofter Pump			by	(signature)	Jenste	Woother	
INSTRU Jackson	ICTIONS: Ple	ease fill in bl	anks and circle the ones as 66612-1367.	Correct answers.	Send three co	pies to Kansa	as Departmen	t of Health and Ei	nvironment, Bu	reau of Water, 10	00 S W
Jackson	JL., JIE. 420,	· opena, na	1100 IZ-130/.	rechione als	-200-0040. 3 el	IN OHE TO VVE	VIEW AAETT O	ANACK SUG LEGS!	i one for your r	ecolus.	

SEC