		WATER	WELL RECORD	Form WWC-	5 KSA 8	32a-1212		
LOCATION OF WA		Fraction	OLZ NEZ		ection Numb		^	Range Number
county: Gral		SW 1/4			32	T	9 s	R 24 EW
istance and direction	from nearest town	•		•				
WATER WELL ON	VNER: Elmer	., 3 Ml.	w., 1/2 M	lile Sou	th of	Penokee		
	x # : Penoke		-			Doord of	A arrian alta una	Division of Water Descus
		e, KS. U	7039			A	•	Division of Water Resource
ity, State, ZIP Code		DEDTIL OF OOL	ADI ETED WELL	140			on Number:	A CHARLES AND ADDRESS OF THE PARTY OF THE PA
AN "X" IN SECTIO	N BOX:	epth(s) Groundwa	ter Encountered	1	f	t. 2	ft. 3	ft.
NW	NE Es	Pump to	est data: Well wa	ater was	ft	. after	. hours pu	umping gpn umping gpn ı. to
W		ELL WATER TO				8 Air conditionin		Injection well
1		1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12	Other (Specify below)
SW	3E	2 Irrigation	4 Industrial	7 Lawn and	garden only	, 10 Monitoring we	ell,	
	l i l w	as a chemical/bad	teriological sample	e submitted to [	Department?	YesNo	X; If yes	, mo/day/yr sample was su
· · · · · · · · · · · · · · · · · · ·	S mi	itted			\	Water Well Disinfec	ted? Yes	No X
TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Conc	rete tile	CASING J	DINTS: Glue	d . X Clamped
1 Steel	3 RMP (SR)	6	Asbestos-Cemen	t 9 Other	(specify be	elow)	Weld	led
2 PVC	4 ABS	7	Fiberglass				Threa	aded
ank casing diameter	· 4.• 5in.	to 1.1 0.	ft., Dia	in. t	o	ft., Dia		in. to ft
asing height above I	and surface	<b>18</b> in	., weight	2. 3.8	lb	s./ft. Wall thickness	or gauge N	lo • 248
YPE OF SCREEN C	R PERFORATION N	MATERIAL:		7 P'	VC	10 As	sbestos-ceme	ent
1 Steel	3 Stainless st	teel 5	Fiberglass	8 R	MP (SR)	11 O	her (specify)	1
2 Brass	4 Galvanized	steel 6	Concrete tile	9 A	BS	12 No	one used (op	pen hole)
CREEN OR PERFO	RATION OPENINGS	ARE:	5 Gau	uzed wrapped		8 Saw cut		11 None (open hole)
1 Continuous sk	ot 3 Mill s	slot	6 Wire	e wrapped		9 Drilled holes	i	
2 Louvered shut	ter 4 Key	punched		ch cut				
CREEN-PERFORAT	ED INTERVALS:							to
								toft
GRAVEL PA	CK INTERVALS:	From	. <b>2</b> . <b>0</b> ft. to	1.40	ft., F	rom	ft. t	toft
		From	ft. to		ft., F	rom	ft. t	to ft
GROUT MATERIAL			Cement grout					
			ft., From	ft.	to	$\dots  \text{ft.,}  \text{From} \ .$	<b>.</b>	ft. to
hat is the nearest s	ource of possible cor	ntamination:			10 Liv	estock pens	14 <u>A</u>	bandoned water well
<ol> <li>Septic tank</li> </ol>	4 Lateral I	ines	7 Pit privy		11 Fu	el storage	15 C	il well/Gas well
2 Sewer lines	5 Cess po	ool	8 Sewage la	agoon	12 Fertilizer storage		16 C	Other (specify below)
-	ver lines 6 Seepage	e pit	9 Feedyard		13 Ins	ecticide storage		
irection from well?	orth					nany feet? 30 1		
FROM TO		LITHOLOGIC LO	G	FROM	TO		LUGGING I	
0 2	Surface			111	119	Cemented	Sand/F	
2 14	Loess	<b>3</b>			110 5	10-3		Strks.
14 19	Silty San	<u>a</u>		119	119.5	The state of the s		
19 21	Caliche	-h - 0 0	3 041	119.5		Cemented	Sand	
21 41	Clay Cali	cne & San	a Strks.	127	129	Sand		
41 51	Clay			129	131	Rock		
51 54	Caliche			131	136			Strks.
54 61	Tight Fin				138			
61 79	Clay & Sa			138	140			
79 92	Clay & Ca	riche-San	u Strks.					The state of the s
92 96	Caliche							
96 98 98 107	Clay	od Cond	Clar P C-	licha C	h 1	<b>+</b>		CONTRACTOR OF THE STATE OF THE
107 108	Fine to M Caliche	eu. sand/	стау & Са	TICHE S	drks.			
		Cand				<del> </del>		
108   111	Cemented							
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATION	: This water well	was (1) constru	ucted, (2) re	econstructed, or (3)	plugged und	der my jurisdiction and was
								owledge and belief. Kansas
	s License No							k //.
der the business na			mp & Well			nature)		
INSTRUCTIONS: Use ty	pewriter or ball point pen.	PLEASE PRESS FIRM	LY and PRINT clearly. I	Please fill in blanks,	underline or cir	role the correct answers.	Sand top three	copies to Kansas Department