		LL RECORD	Form W	<u>/WC-5</u>	I	Division of Wate	er Resources App. N	o. L	
		Fraction		Sec	tion Number	Township No.	Range Number		
County: Sheridan 4 NE 4 NE 4 SE 4					1/4	2	T 9 S	R 26 □E 🗗 W	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
fron	n nearest	town or intersection: If at o	owner's address, chec	Lati	Latitude: (in decimal degrees)				
41:	412 from E line, 1993 from S line					Longitude: (in decimal degrees)			
							Elevation:		
2 WATER WELL OWNER: Museum Land and Cattle Co.						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
The state of the s						ection Method:			
RR#, Street Address, Box #: Box 583 City, State, ZIP Code : Hovie KS 67740						GPS unit (Make/Model:)			
City	y, State,	ZIP Code : Hoxie, K	(S 67740			Digital Map/Ph	ioto, 🔲 Topographi	c Map. \Band Survey	
Est. Accuracy:									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 65									
1									
SEC	1 2 pm(s) Groundwater Encountered (1)								
l —	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/vr								
	Pump test data: Well water was								
N	EST. YIELDgpm. Well water wasft. afterhours pumpinggpm								
W	W E Bore Hole Diameter 9.5in. to .99ft., andin. to								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
S	SW -SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
was a chemical/bacteriological sample submitted to Department? Yes V No									
1	If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☑ Yes ☐ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 4.5 in to 65 ft Diameter 3.5									
Casing diameter 4.5 in. to .65									
Casing height above land surface18									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
Louvered shutter Key nunched Wire wranged V Saw out Other (crossify)									
SCREEN-PERFORATED INTERVALS: From20									
From tt to 4 From 4 o									
GRAVEL PACK INTERVALS: From 20 ft. to .65 ft., From ft. to								o n.	
			rom	ft to	• • • • • • • • • • • • • • • • • • • •	It., FIOII	π. τ	o tt.	
From									
Grout Ir	itervals:	From 0 ft to	20 & Eron	L Mag Denk	onite [_] Otner		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft., From ft. to ft.									
Sentic tank									
E insecticide stotage Other (specify below)								r (specify below)	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well									
Direc	ction from	n well				ell	s well		
FROM	TO	LITHOLOGI		FROM	TO	LITHOLO	C (at) DI III	CODIO DIFFERNALA C	
0	1	Surface		INOM	_10_	LITTO, LC	o (cont.) or PLU	GGING INTERVALS	
1	55	Fine to med sand		<u> </u>			·		
55	56					ļ —			
56		Flint							
	62	Fine to med sand							
62	68	Yellow ochre							

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was 17									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .8/28/.14									
under the business name of .D&R Pump Service LLC by (signature)									
INSTRUCTIONS. Use typewriter of ball point pen. PLEASE PRESS FIRMLY and PRINT clearly Please fill in blonks and about the									
	Kansas De	parunent of ricain and Environme	nt Bureau of Water Geol	nov Section 1	non sw i	ackeon St. Suite	430 Tamalan Vanasa 4	CCC10 10CM	
Telephor	ne 785-296	-5524. Send one copy to WATER	WELL OWNER and reta	in one for your	records	Include fee of \$5	00 for each constructe	d well Visit us at	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									