USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County		Fraction All			number	Township number	Range number		
1. Location of well:	sheridan	NW	1/4 MW 1/4 NW 1/		4 17		т y s	R 27	E/W	
2. Distance and direction from nearest town or city: 5 M1 . South 3. Owner of							ule Eperle			
4 ml. east of R.R. or						street: 2221 Drum AVE.				
nox1e A8 City, sta						ode: III	ays As. 6/601		5/5/70	
4. Locate with "X" in section below: N							6. Bore hole dia. O in Well depth 190 ft.		07.07.10	
	<u>' </u>						7 Cable tool _XRotary			
NAV NE -							Hollow rod Jetted			
₩ NW NE E							8. Use: Domestic Public supply Industry Irrigation Air conditioning X Stock			
- ;							Lawn Oil field water Other			
1 1 1 1 1 1							9. Casing: Material DLSTHeight: Above or below Threaded Welded Ct. Surface 15 in.			
							Threoded Welded Surface in. RMP PVC Weight lbs./ft.			
	Aile ————						Dia. 5 in. ta 190ft. dep	oth Wall Thickness: i	nches or	
5. Type ond color of	f material				From	То	Dia in. to ft. dep			
					+	-	10. Screen: Manufacturer's			
TOP SOLL					U	40	TypeTIPLE	_ Dia 510 •		
					μυ	ارا	Slot/gauze			
Sand						54				
Sand α Sandy Clay Strips					52	77	Gravel pack? TegSize range of material 1/5			
Sand & Sand Hock Strips					77	96	11. Static water level: 11/4 ft. below land su		o./day/yr.	
					()6	4363	12. Pumping level below lan			
Sand Rock nard					96	99	ft. after	hrs. pumping	g.p.m.	
Sand & Sand Rock Strips					99	127	ft. after Estimated maximum yield			
Sandy Clay & Sand Strips					127	151			g.p.m.	
Sand & Sandkock Strips						4 24		Date		
Dana & D.	aranour but a						14. Well head completion: DOPitless adapter	Inches abov	e grade	
sandy UL	ay ∝ ∪ker				184	190	15. Well grouted? YOS		1	
					1		With: X Neat cement ft. to	Bentonite	_ Concrete	
	D000V	15/	<u> </u>		+		Depth: From ft. to	10_ft.		
18KOCK 185							16. Nearest source of possib ft. NA Direction —			
	•		•				Well disinfected upon compl	etion? X Yes	No 1	
							17. Pump:	X Not installed		
							Manufacturer's name	HP V		
							Model number			
							Type:		•	
							Submersible	Turbi		
	(I lea o e	econd sheet if	needed)				Jet Centrifugal	Recip	procating S	
18, Elevation:	19. Remarks:						20. Water well contractor's	certification:	"	
10. Elevation:	windn	ni⊥⊥ ir	nstalled				This well was drilled under r	my jurisdiction and t	nis report	
							is true to the best of my kno	wledge and belief.	29 \$	
Topography: Hill							Business pame	ung 15	icense No.	
Slope							Address () LMANA	Jansa	<u> </u>	
Upland							Signed Signed	Dartile Do	108/30/78	
Valley							Authorized re	presentative	4	