	WATER WELL RECORD	Form WWC-5	KSA 82	a-1212	
LOCATION OF WATER WELL:	Fraction	1	ion Numbe	· · · · · · · · · · · · · · · · · · ·	Range Number
ounty: Sheridan	SW 4 NW 4 NE		27	T g S	R 29 EW
Distance and direction from nearest town of	or city street address of well if located	d within city?			
WATER MELL OWNER TO THE		T71- 2 to - 0		- D1111	
WATER WELL OWNER: Lawr	rence Manhart	White &	ETTI	Board of Agriculture	Division of Water Resources
RR#, St. Address, Box # : HC 1 Bo		Box 158		•	
City, State, ZIP Code : Grainfi	eld, KS 6//4/	Great B	end, K	3675 3 Application Number:	970146
LOCATE WELL'S LOCATION WITH [4]	DEPTH OF COMPLETED WELL		. ft. ELEV	ATION:	
De	pth(s) Groundwater Encountered 14 ELL'S STATIC WATER LEVEL	12	ft.	2 ft.	3
,	ELL'S STATIC WATER LEVEL 🕇 🖯	ft. be	low land su	urface measured on mo/day/y	
NW X_ NE	Pump test data: Well wate	rwas	ft.	after hours p	umping gpm
Est	t. Yield gpm: Well wate	rwas	ft.	after hours p	umping gpm
Bo	re Hole Diameterin. to .		.ft.,	andii	n. toft.
W I I BO	ELL WATER TO BE USED AS:	5 Public water	supply	8 Air conditioning 11	Injection well
1	Domestic 3 Feedlot	6 pil field wate	er supply	9 Dewatering 12	Other (Specify below)
SW SE				10 Monitoring well	
	as a chemical/bacteriological sample s	_	-		
	tted			ater Well Disinfected? Yes	• •
TYPE OF BLANK CASING USED:		8 Concret		CASING JOINTS: Glue	
1 Steel 3 RMP (SR)	6 Asbestos-Cement		specify bek		ded
2 PVC 4 ABS	7 Fiberglass	•		,	paded
Blank casing diameter in.					
Casing height above land surface					1
YPE OF SCREEN OR PERFORATION M		7 PVC		10 Asbestos-cem	
1 Steel 3 Stainless ste		8 RMF)
2 Brass 4 Galvanized		9 ABS	3	12 None used (o	pen hole)
CREEN OR PERFORATION OPENINGS	ARE: 5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill s	lot 6 Wire v	wrapped		9 Drilled holes	
2 Louvered shutter 4 Key p	punched 7 Torch	cut		10 Other (specify)	
SCREEN-PERFORATED INTERVALS:	From ft. to		ft., Fr	om ft.	toft.
	From ft. to		ft., Fr	om ft.	toft.
GRAVEL PACK INTERVALS:	From ft. to		ft., Fr	om ft.	toft.
	From ft. to		ft., Fr	om ft.	to ft.
GROUT MATERIAL: 1 Neat cem	ent 2 Cement grout	3 Bentor	nite 4	1 Other	
Grout Intervals: From6ft.	to 3 ft., From	ft. t	—— 0	ft., From	ft. to ft.
Vhat is the nearest source of possible con	ntamination:		10 Live	stock pens 14 /	Abandoned water well
1 Septic tank 4 Lateral li	ines 7 Pit privy		11 Fue	l storage 15 (Oil well/Gas well
2 Sewer lines 5 Cess por	, ,	oon		•	Other (specify below)
3 Watertight sewer lines 6 Seepage				ecticide storage	
Direction from well?	, pic			any feet?	
	LITHOLOGIC LOG	FROM	TO	PLUGGING	INTERVALS
		205		Washed Sand	
		143	6	Clay	
		6	3	Bentonite	
		3	0	Topsoil	
		 3 		TOPBOIT	
		1			
		_			
					· · · · · · · · · · · · · · · · · · ·
	OPPRISON THE THE PARTY OF THE P		A-d (0) =	ameteriate de la (O) alica de (فحد حدائمالمعادريا بيد بيداد
CONTRACTOR'S OR LANDOWNER'S	CEHTIFICATION: This water well wi 2-97	as (1) construc	100, (2) red	constructed, or (3) plugged un	ider my jurisdiction and was
отприецео on (mo/day/year)	ξ. γ · · · · · · · · · · · · · · · · · ·				nowledge and belief. Kansas 0-297
vater vveil Contractor's License No	25.4 This Water Wer Pump & Well, Inc	ell Record was	-		
nder the business name of WOOLLE	r rump & well, Inc	• •	by (sign	eature) AM 6. WOT	yw
INSTRUCTIONS: Use typewriter or ball point pen. of Heelth and Environment, Bureau of Water, Top	PLEASE PRESS FIRMLY and PRINT clearly. Ple beka, Kansas 66620-0001. Telephone: 913-296-5	ease fill in blanks, u 545. Send one to V	nderline or circ VATER WELL (cle the correct answers. Send top thre OWNER and retain one for your recon	copies to Kansas Department