MANU S

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD

A KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

				iopi	eka, Kansas 00020								
1. Location of well: County SHeriday Fraction Sherman NE 1/4 NE 1/4 SW 1/4		Section number		Township number Range number									
		#5		т 9 ѕ	R 29	E.W							
, 4 miles boden a		er of well	:	Mr. Bill Patmo	n								
8 miles West of Hoxie, Ks. R.R. or			ode.	R.F.D. #2									
4. Locate with "X" in section below: Sketch map:				Hoxie, Kansas 6. Bore hole dia. 28 in. Completion date 7-8-75									
N				Well depth 213 ft.									
			7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored X Reverse rotary										
			8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other 9. Casing: Material Steel Height: Above or below Threaded Welded Surface 12 in.										
E W X 1 E - SW SE I													
						S			*	RMPPVC	Weight <u>188</u> _		
						5. Type and color of material		From	То	Dia. 16 in. to 143ft. dep Diain. toft. dep	oth gage No. #/		
		-		10. Screen: Manufacturer's	name W.A.B	rown							
Clay & sand streaks		0	100	т _{уре _ bridge}									
Clay		100	111	1 10	Length								
	***************************************	111	115	LU' of cook ft.	and 213	ft;							
Medium to coarse sand		111	115	Gravel pack? TES Size ro									
Clay		115	121	11. Static water level: 108 ft. below land su	rface Date 7-7-	./day/yr. -75							
Fine to medium sand & clay streaks 121			126	12. Pumping level below land surfaces: 200 ft. after 2 hrs. pumping 900 g.p.m.									
Clay		126	129	ft. after	hrs. pumping	_ g.p.m.							
Medium to coarse sand & gravel		129	142	Estitution form									
and a special control of the control				13. Water sample submitted: Yes X No	Date	./aay/yr.							
Clay & streaks of sand	***************************************	142	149	14. Well head completion:	12								
Fine to coarse sand & gravel & clay streak	coarse sand & gravel & clay streaks 149 1			Pitless adapter									
Coarse sand & gravel			179	With: Neat cement X Bentonite Concrete Depth: From 6 ft. to 6 ft.									
Medium to coarse sand & clay streaks			186	16. Negrest source of possible contamination:									
Medium to coarse sand & clay streaks			196	ft. 4000 Direction <u>East</u> Type <u>Farm</u> Well disinfected upon completion? <u>Yes X No</u>									
Clay & streaks of sand	Alexidarin validari (4-2 dana	196	204	17. Pump: Manufacturer's name	X Not installed								
		†	212	Model number	HP Vo								
Medium to coarse sand	44	204		Length of drop pipe Type:	ft. capacity	-g.p.m.							
Ochre & Shale		212	213	Submersible Jet	Turbind	e ocating							
(Use a second sheet if needed)		<u></u>		Centrifugal	Other								
18. Elevation: 19. Remarks:				20. Water well contractor's This well was drilled under n		s report							
- 1 del 5-00				is true to the best of my know	wledge and belief.								
Topography:Hill Zold (TUPO)			•	Western Well & Pump, Inc. 245 Business name P.O. Box 852, Colby, Ks									
Slope				Address P.O. Box	852, Colby	, Ks /							
Valley				Signed Authorized re	presentative Date	0-2-1							
Forward the white, blue and pink copies to the Department of Health and Environment	***************************************		2112-44-01T04-017-4-0-017-017-017-017-017-017-017-017-017-0		Form WV	VC-5							
ormana mo mino, proc ana princoopres to the Department of Health and Environment					1 Olin YYY	, 🛶 💌							