

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

Job #208-77-A-30-9-29

ACB

1. Location of well:	County Sheridan	Fraction NW 1/4 SW 1/4 NE 1/4	Section number 30	Township number T 9 S	Range number R 29	X <u>W</u>
2. Distance and direction from nearest town or city: Street address of well location if in city:			3. Owner of well: Ron Lager R.R. or street: City, state, zip code: Grinnell, KS 67738			
4. Locate with "X" in section below: N W E S 1 Mile			Sketch map: 			
5. Type and color of material			From	To	6. Bore hole dia. 30 in. Completion date 3-24-78 Well depth 202 ft.	
Sandy Clay			0	43	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
Gravel			43	50	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Sandy Clay, Sandstone			50	87	9. Casing: Material Steel Height: Above or Below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 188 lbs./ft. Dia 16 in. to 132 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gage No. #7	
Gravel			87	133	10. Screen: Manufacturer's name Brown Type Regular Dia. 16" Slot/gauze 10% Length 60' Set between 132 ft. and 192 ft. 10' Johnson ft. and 202 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material X5/8	
Sandstone, Clay			133	183	11. Static water level: <input type="checkbox"/> mo./day/yr. 118 ft. below land surface Date 3-28-78	
Gravel, Coarse and Loose			183	202	12. Pumping level below land surfaces: <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. 190 ft. after 2 hrs. pumping 672 g.p.m. Estimated maximum yield 672 g.p.m.	
Ochre			202	210	13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date	
Shale			210	220	14. Well head completion: <input type="checkbox"/> Pitless adapter 12 Inches above grade	
BROCK 202					15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
					16. Nearest source of possible contamination: ft. 3,000 Direction S Type Farmstead Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
(Use a second sheet if needed)					17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Floway Model number 85452 HP 100 Volts Length of drop pipe 190 ft. capacity <input type="checkbox"/> g.p.m. Type: 10 Stage 10 DOH <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
					18. Elevation:	
19. Remarks:					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Business name License No. Address Box 852 Colby, KS 67701 Signed Lucy McVerning Date 6/29/78 Authorized representative	

T
R
Sec
1/4
1/4
NW
SW
NE

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5