					orm WWC-5	KSA 8	2a-1212	
		TER WELL:	Fraction	NE 1 NE		tion Numb	1 '71	Range Number
	nd direction			ddress of well if located	within city?	<u>ব</u>	<u>јт</u> 9 s	R 30 E(1)
Distance a	na ancodon	nom nearest ter	or only officer a	adioss of work is located	With the Coldy			
2 WATER	WELL OW	NER: Gary	Baalman					
RR#. St. A	Address, Bo	x# : HC l	Box 62				Board of Agricult	ure, Division of Water Resources
City. State.	ZIP Code	: Menlo	o, KS 67	753			Application Numb	per: 9416
3 LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLETED WELL 21	5	ft FLF\	/ATION:	
AN "X"	IN SECTIO	N BOX:						ft. 3
- C		ו אי	WELL'S STATIC	WATER LEVEL	05 ft h	elow land s	surface measured on mo/da	ıy/yr
1 1	i							s pumping gpm
-	- NW	NE						s pumping gpm
!	!	!!!	Boro Holo Diam	otor 25 in to	"" 215	,	and	in. toft.
* w  -	<del></del>	E	1	O BE USED AS: 5				11 Injection well
<b>-</b>	i		1 Domestic					
<b> </b>  -	- SW	SE						12 Other (Specify below)
	!	!	2 Irrigation		-	•		yes, mo/day/yr sample was sub-
ł L				bacteriological sample su	iomitted to Di	-		s No X
-I		240110 11055	mitted	£ 14/	8 Concre		Vater Well Disinfected? Ye	S No X Glued Clamped
_		CASING USED:	<b>D</b> )	5 Wrought iron				
1 Ste		3 RMP (SI	H)	6 Asbestos-Cement		(specify be	•	Welded
2 PV	<del></del>	4 ABS		7 Fiberglass				Threaded
Blank casir	ng diameter		.in. tc	T., Dia	in. to		ft., Dia	ge No. 500 T.
_	-			.in., weight				I
		R PERFORATIO			7 PV	_	10 Asbestos-	
1 Ste		3 Stainless		5 Fiberglass		IP (SR)		ecify)
2 Bra		4 Galvaniz		6 Concrete tile	9 AB	S	12 None used	' ' ' '
		RATION OPENIN			wrapped		8 Saw cut	11 None (open hole)
	ntinuous sid	-	lill slot		rapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From. 135 ft. to .215 ft., From ft. to								
								ft. toft.
G	RAVEL PA	CK INTERVALS:						ft. toft.
			From					ft. to ft.
6 GROUT				2 Cement grout				
				ft., From	ft.			ft. to ft.
		ource of possible						14 Abandoned water well
	ptic tank	4 Later					tuel storage 15 Oil well/Gas well	
	wer lines		-	8 Sewage lagor	on	12 Fer	tilizer storage	16 Other (specify below)
3 Wa	atertight sew	er lines 6 Seep	age pit	9 Feedyard		13 Ins	ecticide storage	
Direction fr					I		nany feet?	IO INTERVAL
FROM	ТО	gurface	LITHOLOGIC	LOG	FROM	TO		NG INTERVALS // cemented stks
<u> </u>	2	surface			151	154	· · · · · · · · · · · · · · · · · · ·	
2	20	loess	aaliak-		154	160	1	lay & cemented st
20	43	clay &		1/ -1	160	165	sandy clay	
43	51			el w/ clay	165	168	med_sand	
51	55		lay & cal		168	170	sandy clay	
55	59			w/ caliche	170	174	cemented sar	
59	61			.che w/ sand	st 174	180		cemented sand w/
61	64		& gravel				few sand stk	s
64	71	sandy cl	ay & cali	iche w/ few sandy :	tk 180	197	caliche & cen	nented sand w/ cla
71	75	med.sa	na	_	L K		& few sand	stks
75	96	sandy cl	ay & cali	che w/ few	197	211	med sand w/ o	clay lyrs. &
96	128	med sand	w/ clay	sandy stks			cemented st	S
128	144		lay & cal	liche	211	215	ochre & shale	
	147	med sand						
147		cemented						
				ON: This water well was	s (1) constru	cted (2) re	constructed or (3) plugged	under my jurisdiction and was
						_		ly knowledge and belief. Kansas
Water Well	Contractor	/year)	554				d on (mo/day/yr)	1_97
Water Wei	Contractor	S LICENSE NO		& Well, Inc.		s complete by (sign		7 · · · - · · · · · · · · · · · · · · ·
								three copies to Kansas Department
of Health	n and Environm	pewriter or ball point   nent, Bureau of Water,	Topeka, Kansas 6662	0-0001. Telephone: 913-296-554	55. Send one to	WATER WELL	OWNER and retain one for your re	ecords.