

MENLO SW

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY  
WRITING CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and  
Environment—Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

CBA CB3

1. Location of well: <b>Sheridan</b>	Fraction <b>NW</b> <b>NE 1/4 NW 1/4 SW 1/4</b>	Section number <b>#10</b>	Township number <b>T 9 S R 30</b>	Range number <b>30</b>	<b>XB/W</b>
--------------------------------------	---	------------------------------	--------------------------------------	---------------------------	-------------

2. Distance and direction from nearest town or city: <b>3 1/2 miles South &amp; 3 3/4 miles West</b> Street address of well location if in city:	3. Owner of well: <b>W. P. Ladenburger</b> R.R. or street: City, state, zip code: <b>Menlo, Kansas</b>
--	--

4. Locate with "X" in section below: Sketch map:

N

1 Mile	W	<table border="1"> <tr> <td>NW</td> <td>NE</td> </tr> <tr> <td>X</td> <td></td> </tr> <tr> <td>SW</td> <td>SE</td> </tr> </table>	NW	NE	X		SW	SE	E
NW	NE								
X									
SW	SE								
		1 Mile							

S

6. Bore hole dia. **30** in. Completion date **11-12-75**  
Well depth **201** ft.

7.  Cable tool  Rotary  Driven  Dug  
 Hollow rod  Jetted  Bored  Reverse rotary

8. Use:  Domestic  Public supply  Industry  
 Irrigation  Air conditioning  Stock  
 Lawn  Oil field water  Other

9. Casing: Material **steel** Height: **Above** or below  
Threaded  Welded  Surface **12** in.  
RMP  PVC  Weight **188** lbs./ft.  
Dia. **16** in. to **131** ft. depth Wall Thickness **10** inches or  
Dia.  in. to  ft. depth gage No. **#7 gauge**

5. Type and color of material	From	To
Clay	0	50
Coarse sand & gravel	50	64
Clay & sandy clay	64	76
Medium to coarse sand & sand stone streaks	76	83
Clay	83	105
Medium sand	105	112
Medium to coarse sand & layers of clay	112	124
Clay	124	127
Medium to coarse sand & gravel	127	134
Clay	134	148
Coarse sand & gravel	148	166
Medium to coarse sand & gravel & sand stone	166	173
Sandy clay	173	176
Coarse sand & gravel	176	188
Sand stone	188	190
Ochre	190	195
Coarse sand	195	197
Ochre & Shale	197	201

10. Screen: Manufacturer's name **W. A. Brown**  
Type **regular** Dia. **16"**  
Slot/gauge **10%** Length **60'**  
Set between **131'** ft. and **191'** ft.  
**10** of cook ft. and **201'** ft.  
Gravel pack? **yes** Size range of material **3/4 x 5/8**

11. Static water level: **111'** ft. below land surface Date **11-13-75** mo./day/yr.

12. Pumping level below land surfaces:  
**158'** ft. after **2** hrs. pumping **935** g.p.m.  
ft. after  hrs. pumping  g.p.m.  
Estimated maximum yield **1000** g.p.m.

13. Water sample submitted:  Yes  No Date

14. Well head completion:  
 Pitless adapter  **12** inches above grade

15. Well grouted? **yes**  
With:  Neat cement  Bentonite &  Concrete  
Depth: From **0** ft. to **10** ft.

16. Nearest source of possible contamination:  
ft. **6000'** Direction **West** Type **Farm**  
Well disinfected upon completion?  Yes  No

17. Pump:  Not installed  
Manufacturer's name **Floway**  
Model number **12 DOH** HP **80** Volts  
Length of drop pipe **195'** ft. capacity **800** g.p.m.  
Type:  
 Submersible  Turbine  
 Jet  Reciprocating  
 Centrifugal  Other

18. Elevation: Topography:  Hill  Slope  Upland  Valley

19. Remarks: **2917 (TOPO)**  
**BROCK 197'**  
(Use a second sheet if needed)

20. Water well contractor's certification:  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
**Western Well & Pump, Inc. 245**  
Business name **P.O. Box 852, Colby, KS.** License No.  
Address **Ray F. Lewis, Jr.** Date **Jan**  
Signed **Ray F. Lewis, Jr.** Authorized representative

1-9 300m 10 NE NW SW 1/4 1/4 1/4