LOCATION OF WA	TER WELL:	Fraction		1	KSA 828 tion Number	Township Num		Range Number
ounty: Thomas		SE		SE 1/4	19	<u> </u>	S	R 31 W E/W
		-	address of well if located	a within city?				
N/A -	LOCATION C	ONFIRMED F	3Y_GMD_#4				;	
WATER WELL OV	WER: Herbe	rt E. Maie	er.			Board of Agr	icultura D	ivision of Water Resource
R#, St. Address, Bo			* a 2's			A	l	
ity, State, ZIP Code	Oakle	$V_{\rm L}$ KS -677	748 COMPLETED WELL.UN	IV CAVE	D 12	Application	iuiiibei.	
AN "X" IN SECTIO	DOMINON WITH							
	N		ndwater Encountered 1.					
		1	_					
NW	NE		mp test data: Well wate				•	
!)	gpm: Well wate				-	·
W International Internation	E		meterin. to		•			
		1		5 Public wate		8 Air conditioning		njection well Ybor (Specify below)
SW	SE ^X	M Domest		6 Oil field wat		9 Dewatering		Other (Specify below)
1		2 Irrigation		-	_			
			al/bacteriological sample s	submitted to De				
	240110 11050	mitted	P 141	0.00	CONTRACTOR OF THE PROPERTY OF	ater Well Disinfected?		No
TYPE OF BLANK		A P'A \	5 Wrought iron	8 Concre				Clamped
X Steel ■ Steel	3 RMP (S	SR)	6 Asbestos-Cement		(specify belo			d
2 PVC	4 ABS		7 Fiberglass					ded
			ft., Dia					
			in., weight					
YPE OF SCREEN C			we apply	7 PV	_	10 Asbes		
1 Steel	3 Stainles		5 Fiberglass		IP (SR)			, , , , , , , , , , , , , , , , , , ,
2 Brass	4 Galvani		6 Concrete tile	9 AB	5	12 None	٠.	•
CREEN OR PERFO				ed wrapped		8 Saw cut		11 None (open hole)
1 Continuous sl		Vill slot	6 Wire	wrapped		9 Drilled holes		
2 Lauvarad chu						40 045 (
2 Louvered shu		Key punched	7 Torch		64 F**	., .,		
CREEN-PERFORAT		: From	ft. to		•	om	ft. to	
CREEN-PERFORAT	red intervals	: From	ft. to		ft., Fro	om	ft. to)
CREEN-PERFORAT		From From	ft. to ft. to ft. to ft. to		ft., Fro	om	ft. to)fi)fi
GRAVEL PA	TED INTERVALS	From From From From			ft., Fro ft., Fro ft., Fro	om	ft. to ft. to ft. to ft. to)
GRAVEL PA	TED INTERVALS ACK INTERVALS L: (1 Reat	From From From From		3 Bento	ft., Fro ft., Fro ft., Fro	om	ft. to)
GRAVEL PA GROUT MATERIA irout Intervals: Fro	ACK INTERVALS AL: 1 Neat	From From From From cement ft. to	ft. to	3 Bento	ft., Fro	om om om Other ft., From	ft. to)
GRAVEL PAGE GROUT MATERIA irout Intervals: Fro	ACK INTERVALS L: 1 Neat om. 4 source of possible	From From From From Cement ft. to From Contamination:	ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bento	ft., Fro	omomomomomomomomomomomotherot	ft. to ft. to ft. to)
GRAVEL PAGE GROUT MATERIA GROUT Intervals: From the nearest some support of the page of th	ACK INTERVALS ACK INTERVALS L: 1 Neat cource of possible 4 Late	From From From cement ft. to e contamination:	ft. to	3 Bento ft.	ft., Fro	om	ft. to ft. to ft. to ft. to	o
GRAVEL PAGE GROUT MATERIA GROUT Intervals: From the state of the state	ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces	From From From cement ft. to e contamination: eral lines is pool	ft. to ft.	3 Bento ft.	ft., Fro	om Other tt., From stock pens storage	ft. to ft. to ft. to ft. to	6
GRAVEL PAGE GROUT MATERIA Frout Intervals: From Intervals: From Intervals of the Heart Standard Septic tank Septic	ACK INTERVALS L: 1 Neat cource of possible 4 Late 5 Ces wer lines 6 See	From From From cement ft. to e contamination: eral lines is pool	ft. to	3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om Other ft., From stock pens storage lizer storage cticide storage	ft. to ft. to ft. to ft. to	o
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser- irrection from well?	ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces	From From From cement ft. to e contamination: eral lines ss pool spage pit	ft. to ft.	3 Bento ft.	ft., Fro ft., Fro nite 4 to	om Otherft., From stock pens storage lizer storage cticide storage any feet?	ft. to	o
GRAVEL PAGE GROUT MATERIA GROUT Intervals: From the state of the state	ACK INTERVALS L: 1 Neat cource of possible 4 Late 5 Ces wer lines 6 See	From From From cement ft. to e contamination: eral lines is pool	ft. to ft.	3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens storage lizer storage cticide storage any feet?	ft. to	ft. to
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser /irection from well? FROM TO	ACK INTERVALS L: 1 Neat cource of possible 4 Late 5 Ces wer lines 6 See	From From From cement ft. to e contamination: eral lines ss pool spage pit	ft. to ft.	3 Bento ft.	ft., From the ft	om	14 Al 15 Oi	ft. to ff if well/Gas well ther (specify below)
GRAVEL PAGE GROUT MATERIA Frout Intervals: From the standard of the second of the seco	ACK INTERVALS L: 1 Neat cource of possible 4 Late 5 Ces wer lines 6 See	From From From cement ft. to e contamination: eral lines ss pool spage pit	ft. to ft.	3 Bento ft.	ft., From the ft	om Otherft., From stock pens storage lizer storage cticide storage any feet?	14 Al 15 Oi	ft. to
GRAVEL PA GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO	ACK INTERVALS L: 1 Neat cource of possible 4 Late 5 Ces wer lines 6 See	From From From cement ft. to e contamination: eral lines ss pool spage pit	ft. to ft.	3 Bento ft.	to	om Other Other It., From stock pens storage lizer storage cticide storage any feet? PLU	14 Ak 15 Oi 16 Oi	ft. to ff if well/Gas well ther (specify below)
GRAVEL PA GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO	ACK INTERVALS ACK IN	From From From cement ft. to e contamination: eral lines ss pool spage pit	ft. to ft.	3 Bento ft.	tt., Fronte 4 to	om Other Other Other Stock pens storage lizer storage cticide storage any feet? AND SURFACE	14 At 15 O	ft. to ft. to foundance water well well/Gas well ther (specify below)
GRAVEL PA GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser pirection from well? FROM TO	ACK INTERVALS L: 1 Neat cource of possible 4 Late 5 Ces wer lines 6 See	From From From cement ft. to e contamination: eral lines ss pool spage pit	ft. to ft.	3 Bento ft.	tt., Fronte 4 to	om Other Other Other Stock pens storage lizer storage cticide storage any feet? AND SURFACE	14 At 15 O	ft. to ft. to foundance water well well/Gas well ther (specify below)
GRAVEL PA GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO	ACK INTERVALS ACK IN	From From From cement ft. to e contamination: eral lines ss pool spage pit	ft. to ft.	3 Bento ft.	tt., Fronte 4 to	om Other Other Other Stock pens storage lizer storage cticide storage any feet? AND SURFACE	14 Ak 15 Oi 16 Oi	ft. to ff for the first of the
GRAVEL PA GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser pirection from well? FROM TO	ACK INTERVALS ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces Wer lines 6 See	From From From cement ft. to e contamination: eral lines is pool epage pit LITHOLOGI	ft. to ft. ft. ft. ft. ft. ft., From ft	3 Bento ft.	tt., Fronte 4 to	om Other Other Other Stock pens storage lizer storage cticide storage any feet? AND SURFACE	14 At 15 O	ft. to ft
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser /irection from well? FROM TO	ACK INTERVALS ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces Wer lines 6 See	From From From cement ft. to e contamination: eral lines ss pool spage pit	ft. to ft. ft. ft. ft. ft. ft., From ft	3 Bento ft.	tt., Fronte 4 to	om Other Other Other Stock pens storage lizer storage cticide storage any feet? AND SURFACE AND SURFACE	14 Al 15 O	ft. to ft
GRAVEL PA GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser pirection from well? FROM TO	ACK INTERVALS ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces Wer lines 6 See	From From From cement ft. to e contamination: eral lines is pool epage pit LITHOLOGI	ft. to ft. ft. ft. ft. ft. ft., From ft	3 Bento ft.	tt., Fronte 4 to	om Other Other Other Stock pens storage lizer storage cticide storage any feet? AND SURFACE AND SURFACE	14 At 15 O	ft. to ft
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser /irection from well? FROM TO	ACK INTERVALS ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces Wer lines 6 See	From From From cement ft. to e contamination: eral lines is pool epage pit LITHOLOGI	ft. to ft. ft. ft. ft. ft. ft., From ft	3 Bento ft.	tt., Fronte 4 to	Other Other Other Stock pens Storage Storage Cticide storage Cany feet? CHAND SURFACE AND SURF	14 At 15 O	ft. to ff. for five selection of five selection
GRAVEL PA GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser pirection from well? FROM TO	ACK INTERVALS ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces Wer lines 6 See	From From From From Cement ft. to From Examination: Exami	ft. to ft. ft. ft. ft. ft. ft., From ft	3 Bento ft.	tt., Fronte 4 to	Other Other Other Stock pens Storage Storage Cticide storage Cany feet? CHAND SURFACE AND SURF	14 At 15 O	ft. to ft
GRAVEL PA GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO	ACK INTERVALS ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces Wer lines 6 See	From From From From Cement ft. to From Examination: Exami	ft. to ft. ft. ft. ft. ft. ft., From ft	3 Bento ft.	tt., Fronte 4 to	Other	14 At 15 O	ft. to ft
GRAVEL PA GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO	ACK INTERVALS ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces Wer lines 6 See	From From From From Cement ft. to From Examination: Exami	ft. to ft.	3 Bento ft.	tt., Fronte 4 to	Other	14 At 15 O	ft. to ft
GRAVEL PA GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO	ACK INTERVALS ACK INTERVALS L: 1 Neat Dm. 4 Late 5 Ces Wer lines 6 See	From From From From Cement ft. to From Examination: Exami	ft. to ft. ft. ft. ft. ft. ft., From ft	3 Bento ft.	tt., Fronte 4 to	Other	14 At 15 O	ft. to ft
GRAVEL PA GROUT MATERIA Frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO ENTER	ACK INTERVALS ACK INTERVALS ACK INTERVALS ACK INTERVALS ACK INTERVALS ACK INTERVALS 4 Late 5 Ces Wer lines 6 See ACK INTERVALS 4 Late 5 Ces Wer lines 6 See ACK INTERVALS 1 Neat	From From From Cement ft. to e contamination: eral lines es pool epage pit LITHOLOGI NFORMATION	ft. to ft.	3 Bento ft.	to	Other Other Other Other Stock pens Storage Citicide storage Cany feet? CHAND SURFACE AND SURFACE DI	ft. to ft	ft. to ff. to ff
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO ENTER	ACK INTERVALS ACK INTERVALS ACK INTERVALS ACK INTERVALS ACK INTERVALS ACK INTERVALS 4 Late 5 Ces Wer lines 6 See ACK INTERVALS 4 Late 5 Ces Wer lines 6 See ACK INTERVALS 4 Late 5 Ces Wer lines 6 See ACK INTERVALS 4 Late 5 Ces Wer lines 6 See ACK INTERVALS 4 Late 5 Ces Wer lines 6 See ACK INTERVALS 4 Late 5 Ces Wer lines 6 See ACK INTERVALS 4 Late 5 Ces Wer lines 6 See ACK INTERVALS	From From From Cement ft. to From General lines is pool in page pit FORMATION AT	ft. to ft.	3 Bentoft. oon FROM Portiol 4 vas (1) constru	to	om	IAY 8 VISIO Ugged uncouggies	ft. to ff. ft. to ff. ft. to ff. pandoned water well well/Gas well ther (specify below) TERVALS PLAT 1989 DN OF NMENT
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irection from well? FROM TO ENTER CONTRACTOR'S completed on (mo/da	ACK INTERVALS ACK INTERVALS L: 1 Neat om	From From From From Cement ft. to From Cement ft. to From Cement ft. to From From From From From From From Fro	ft. to ft.	3 Bentoft. coon FROM Postfol 4	to	Other	IAY 8 VISIC VIRO ugged uncluded by frage with the second secon	ft. to ft