

LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>THOMAS</u>	<u>SW 1/4 NE 1/4 SW 1/4</u>	<u>31</u>	T <u>9</u> S	R <u>31</u> E/W

Distance and direction from nearest town or city street address of well if located within city?

Legal confirmed by GMD 4

WATER WELL OWNER:	RR#, St. Address, Box #	City, State, ZIP Code	Board of Agriculture, Division of Water Resources
<u>K.W. ENGELHARDT</u>	<u>RT. 2</u>	<u>OAKLEY, KS 67748</u>	Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL. <u>~120</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>DRY</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft. WELL WATER TO BE USED AS: ① Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No

TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
① Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	7 Fiberglass		Threaded
Blank casing diameter <u>5</u> in. to ft., Dia. in. to ft., Dia. in. to ft.			
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	8 RMP (SR)	11 Other (specify)	
2 Brass	9 ABS	12 None used (open hole)	
3 Stainless steel			
4 Galvanized steel			
6 Concrete tile			
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	
4 Key punched			
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.			

GROUT MATERIAL:	① Neat cement	2 Cement grout	③ Bentonite	4 Other
Grout Intervals: From <u>3</u> ft. to <u>0</u> ft., From <u>6</u> ft. to <u>3</u> ft., From ft. to ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
Direction from well?				How many feet? <u>NONE W/IN 1/2 MI</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>TD</u>	<u>6</u>	<u>CLAY</u>
			<u>6</u>	<u>3</u>	<u>HOLE PLUG</u>
			<u>3</u>	<u>0</u>	<u>CEMENT</u>
<u>SEP 06 1991</u>					
<u>DIVISION OF ENVIRONMENT</u>					

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or ③ plugged under my jurisdiction and was completed on (mo/day/year) <u>07.18.91</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) <u>2-18-91</u> under the business name of	by (signature) <u>Keller Engelhardt</u>
--	---