-			WATER	R WELL RECORD F	orm WWC-5	KSA 82	e-1212		
LOCATION			Fraction			tion Numbe		1	Range Number
County:		omas	NE 1/4		1/4	26	т 9	s L	R 31 EW
Distance and	I direction	from nearest town 7 Miles No	or city street ad orth, 6 n	dress of well if located niles East,	within city? 1 Mile	North	of Oakley		
WATER V	WELL OW	NER:	Michael	Stephens					
RR#, St. Ad	dress, Box		Rt. 1	-			Board of Agric	ulture, Divi	sion of Water Resources
City, State, Z	IP Code	:	Oaklev.						
LOCATE V	WELL'S LO	CATION WITH 4	DEPTH OF CO	OMPLETED WELL	1.45	. ft. ELEV	ATION:		
J AN "X" IN	SECTION						2		
, <u> </u>	1	1 X 1	VELL'S STATIC	WATER LEVEL9	0 ft. b	elow land si	urface measured on mo	/day/yr	
1			Pump	test data: Well water	was	ft.	after ho	ours pumpi	ng gpm
	NW	NE	•						ng gpm
	i						and		
<u>₹</u> w	1		VELL WATER TO	O BE USED AS: 5	Public water	er supply	8 Air conditioning	11 Inje	ection well
-	'	1	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering	12 Oth	er (Specify below)
	SW	SE	2 Irrigation	— 4 Industrial 7	Lawn and	garden only	10 Monitoring well	.,	
]	-	i I v	Vas a chemical/b	acteriological sample su	bmitted to D	epartment?	YesNo. X	; If yes, mo	o/day/yr sample was sub-
<u> </u>	<u> </u>		nitted			W	ater Well Disinfected?	Yes	No X
TYPE OF	BLANK C	ASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINTS	S: Glued	No X XClamped
رے 1 Steel		3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify belo	ow)	Welded	
2 PVC		4 ABS		7 Fiberglass				Threade	d
Blank casing	diameter	in	1. to 125 .	ft., Dia	in. to		ft., Dia	in.	to ft.
Casing heigh	nt above la	nd surface	18	in., weight2.	765	Ibs	./ft. Wall thickness or g	auge No.	.258
		R PERFORATION		•	7 PV		10 Asbesto		
1 Steel		3 Stainless s	steel	5 Fiberglass	8 RM	IP (SR)	11 Other (:	specify)	
2 Brass		4 Galvanized		6 Concrete tile	9 AB		12 None u	sed (open	hole)
SCREEN OF	R PERFOR	ATION OPENING	S ARE:	5 Gauzeo	wrapped		8 Saw cut	1.	None (open hole)
-	inuous slo			6 Wire w			9 Drilled holes		
	ered shutt		punched	7 Torch o	cut		10 Other (specify) .		
		D INTERVALS:		125 ft. to	1.45	ft., Fr	om	ft. to	
			From	ft. to		ft., Fr	om	ft. to	
GR	AVEL PAG	CK INTERVALS:							
			From	ft. to		ft., Fr	om	ft. to	ft.
GROUT N				2 Cement grout	3 Bento	onite 4	4 Other		
Grout Interva	als: From	n 0 ft	to 2.0	ft., From	 ft .	to	ft., From		ft. to
What is the	nearest so	urce of possible co	ontamination:			10 Live	estock pens	14 Abar	doned water well
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewe	er lines	5 Cess p	ool	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Wate	ertight sew	er lines 6 Seepag	ge pit	9 Feedyard		13 Inse	ecticide storage		
Direction from	m well?					How m	any feet?		
FROM	то		LITHOLOGIC L	_OG	FROM	то		GING INT	ERVALS
0	2	Surface	and the second s		131	135	Cemented Sa		
2	20	Loess					a Few Sand		S
20	22	Clay			135	137	Cemented Sa		A. A. C. TANIS A. S.
22	26			Sand & Clay	137	143	Med. Sand w	/Clay	
26	40	Fine to			1				Strks.
40	64	Med. San	d & Grav	<u>el</u>	143	145	Shale		
64	69	Sandy Cl	ay w/San	d Strks.	<u> </u>	<u> </u>			
69	79			d StrksFew					
79	32	Med. San	d & Gra	vel w/ a few					
				Clay Str					
82	88			iche w/some	Sand	_			The state of the second state of the second state of the state of the second state of
38	118	Med.Sand			L				
118	122	Med. San			<u> </u>				
122	T I	Sticky C	_				No. of Control of the Control of Control of Control of the Control of Control		
125				Med. Sand St	rks.		L		
						cted. (2) red	constructed, or (3) plug	ed under	my jurisdiction and was
completed or	n (mo/dav/	_{year)} 8-	25-94						edge and belief. Kansas
Water Well (Contractor's	License No	554	This Water We					9-94
under the bu		1.7 a a £.		& Well, Inc		by (sign		7 6 6	TO.
						······	cle the correct answers. Send	14 1 44	es to Kansas Department
							OWNER and retain one for you		