	WATER WELL RECORD Form	WWC-5	KSA 82a-1	212 ID No	····
1 LOCATION OF WATER WELL:	Fraction	- 1	ion Number	'	
		1/4	10-	T 9 S	R 32 E/W
Distance and direction from nearest town	or city street address of well if located with	in city?			9
2 WATER WELL OWNER: Lonnie Wilson					
RR#, St. Address, Box # : Rt. 2				Board of Agriculture, D	ivision of Water Resources
City, State, ZIP Code : Colby,	Ks 67701			Application Number:	200,50349
2 LOCATE WELL'S LOCATON WITH	4			Y - I - I - I - I - I - I - I - I - I -	·
AN "X" IN SECTION BOX:   DEPTH OF COMPLETED WELL 130 ft, ELEVATION:					
N	Depth(s) Groundwater Encountered 1		f	t. 2ft.	3 ft. on the say/yr
	WELL'S STATIC WATER LEVEL 16				ay/yr Ö
NWNE	Pump test data: Well water wa	as	1	ft. after hour	s pumping gpm
	Est. Yield gpm: Well water wa	as		ft. after hour	s pumping gpm   m
<sup>2</sup> ⁄⁄⁄⁄⁄⁄ WE	Bore Hole Diameter 8 in. to WELL WATER TO BE USED AS: 1 Domestic 3 Feed lot 6 oil fi	13	5	ft. and	in. to ft. 2
7 1 1 1 1 1	WELL WATER TO BE USED AS: Publ	lic water su	ipply	8 Air conditioning	11 Injection well
swse	1 Domestic 3 Feed lot 6 Oil fi	ield water s	supply	9 Dewatering	12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawr	n and gard	en (domesti	c) 10 Monitoring well	
* <b>L</b>	Was a chemical/bacteriological sample sub	mitted to D	Department?	Yes No X If y	es, mo/day/yr sample was
S	submitted			ater Well Disinfected? Yes	
5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clamped					
	SR) 6 Asbestos-Cement				elded
2 PVC 4 ABS	7 Fibernies			Th	readed
		in to	^	ff Dia	in to
Blank casing diameter 4.5 in. to 90 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 18 in., weight 2.38 lbs./ft. Wall thickness or gauge No248  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement					
1 Steel 3 Stainles	ss steel 5 Fiberglass		DMD (SD)	10 Asbestos-cel	ment
	nized steel 6 Concrete tile	0	ABS	13 None used (	(y)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 90 ft. to 130 ft. From ft. to ft.					
	From ft to				
GRAVEL PACK INTERVALS:	From ft. to	130	······································		
ON WEET NOW HATELWARD.	From 20 ft. to	130	<sup>11,</sup>	rrom	ft. toft.
6 CROUT MATERIAL	From ft. to	<del></del>	π.	From 1	t. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals From 0 ft to 20 ft From ft to 5 ft From 6 ft to 6 ft To 6 ft From 6 ft To 6					
it. Fight					
vynat is the hearest source of possible co	contamination:		10 Lives	stock pens 14 /	Abandoned water well
	4 Lateral lines 7 Pit privy				Oil well/ Gas well
	5 Cess pool 8 Sewage lag	goon	12 Ferti	izer storage 16 (	Other (specify below)
	6 Seepage pit 9 Feedyard		13 Insec	cticide storage	none
Direction from well?			How many		
FROM TO CODE Sur	LITHOLOGIC LOG	FROM	TO		INTERVALS
	rface	75	77	Clay w/sand strks	density of the second
2 15 Loc		77	90	Fine & med sand v	v/gravel & caliche
	ess e & med sand w/clay strks	90	105	Strks	ulolay etrka 9
27 30 Cla		<del>3</del> 0	105	Fine & med sand w Caliche strks	viciay strks &
30 35 Cla	Y.	105	117	Clay caliche w/san	d etrke
	e & med sand w/some gravel	117		Fine & med sand (	0000)
	lay strks	120	124	Fine & med sand (	0060)
43 45 Cla		124		Yellow ochre	00961
45 50 Cla		130	135	Black shale	
	y w/sand strks	130	133	שומול אומול	
	y w/sand strk		-		
	e & med sand w/caliche strk		-		
	y w/sand strks		<del> </del>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was					
completed on (mo/day/yr) and this record is true to the best of my knowledge and belief. Kansas  Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr)					
under the business name of	Woofter Pump & Well Inc	HIIS VV			
under the business name of Woofter Pump & Well Inc. by (signature)  INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water 1000 S W					
Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					