WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

		Janes Janes Janes							
1	County	Fraction			number	Township number	Range number		
1. Location of well:	Thomas	SW 1/4 SW 1/4 SW	1/4	30)	т 9 ѕ	R 32	3 €/W	
3 South; 1½ East; 1/8 North Street address of well location if in city:					vner of well: Ivan Steinle				
					R. or street: y, state, zip code: Colby, KS				
					6. Bore hole dia. 36 in. Completion date 12-10-				
4. Locale Willi X 1		экетси тар:				Well depth 246 ft.	. Completion dute a		•
W NE NE NE NE						7 Cable tool Rotary Driven Dug			
						Hollow rod Jetted BoredXReverse rotary			
						8. Use: Domestic Public supply Industry XX Irrigation Air conditioning Stock			
						LawnOil field waterOther			
SW	SE vo no					9. Casing: Material Stee		***	
t <u>Lx I l</u>	manana na n					Threaded Welded X RMP PVC	iSurface1 <u>Z</u> Weight	in.	
_	ile managements-I					Dia. 16in. to 156 ft. dep	th Wall Thickness; in		
5. Type and color of material					То	Diain. toft. dep	th gage No		
						10. Screen: Manufacturer's r <u>Brown</u>	name		
Clay, Coarse Sand					120		_ Dia16		
Coa. Sand, Clay, Sandstone Streaks				120	160	Slot/gauze 10% Set between 156 10 John 236 ft.	Length 80'	f+	
					200	10 John 236 ft.	and 246	## ft.	E /
Fine to Coa. Sand, Clay, SandstoneStreaks				160	200	Gravel pack? X Size ra			4x5/
Coa. Sand, Med. Gravel, Clay Streaks				200	240	11. Static water level: 140 ft. below land sur	face Date 12-1	./day/yr. 2-76	
Coa. Sand, Med. Gravel				240	245				
					246	12. Pumping level below land 246 ft. after ft. after	hrs. pumping 6/2	_ g.p.m.	
Ochre, Sha	Te	war y l	AN AMARI SECRETARIA SECURIO	243	2661	Estimated maximum yield —	770	g.p.m.	
ONTO THE CONTROL OF T	<u> </u>	KK 245	NA SPONSON NA SPONSON			13. Water sample submitted:		./day/yr.	
	,	V					Date		
DECORPORAÇÃO ANA DECIMINA DE TRANSPORTO E DO PROCEDE MADORITO DE ALCORO DE CONTRA DE ALCORO DE ALCORDO DE	AND COMMENT OF THE PROPERTY OF				·	14. Well head completion: Pitless adapter	12 Inches above	grade	
			O-ED-MONTH ENVIRONMENT			15 Well grouted? X		C1037	1
Α						With: Neat cement X Bentonite X CANNER Depth: From 0 ft. to 10 ft.			- -
									No. of Street, or other Persons
METERS Advanced to the control of th		THE PROPERTY OF THE PROPERTY O	NAMES OF THE OWNER OF THE OWNER,	 	-	16. Nearest source of possible ft. 1 M Direction 1		rm	
PPACE National Control		THE PARTY OF THE CONTROL OF THE CONT				Well disinfected upon comple		<u>X</u> No	80 M
						17. Pump: Manufacturer's name <u>F10</u>	Not installed	×	
	A PERSONNEL MANUEL A RAIL SE MANUEL AND				1	Model number <u>85038</u>	нр <u>80</u> vo		
MATERIA (1984) STANDA (1984) STANDA AND AND AND AND AND AND AND AND AND			***************************************	 		Length of drop pipe 230 Type:	ft. capacity	g.p.m.	€ "
						Submersible	X Turbin		lø.
	(Use a second	sheet if needed)				Jet Centrifugal	Recipro	ocating &	, [~
18. Elevation:	19. Remarks:				.L	20. Water well contractor's		ň	0
						This well was drilled under m	ny jurisdiction and this	s report	•
Topography:						is true to the best of my know		45	: [4
—— Hill						Western Well & Business name	Lio	cense No.	Carro
Slope						Address Box 852	Colby, KS	<u> </u>	3 2
A Upland Valley						Signed Authorized rep	Date presentative	1121	