USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.



WATER WELL RECORD KSA 82a-1201-1215

BDB

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County Fraction			Section number		Township number	Range number						
1. Location of well:	Thomas	SE 1/4 SE 1/4 NW	1/4	#	36	T 9 s	R 32 E/W						
, D mitted Motell I				ner of well:		Mr. Wayne Englehardt							
1 3/4 mile East of I-70 & Highway 183 R.R. or st Street address of well location if in city: City, stat					code:	MINGO, Kansas							
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia. 28 in Completion date $7-1-75$								
N T		e e e e e e e e e e e e e e e e e e e				Well depth <u>197</u> ft. 7 Cable tool Rotary							
					Hollow rod Jetted Bored Reverse rotary								
					8. Use:DomesticPublic supply Industry X								
E E S S S S S S S S													
							1 Mile						
							5. Type and color of material				From	То	Dia in. to ft. dept 10. Screen: Manufacturer's n
Top Soil				0			4	Type bridge Dia. 16!! Slot/gauze 1/8 Length					
Clay with sand streaks				4	103	Set between 10.7ft. andftftft.							
Fine to coarse sand & gravel				103	106	Gravel pack? y.e.s. Size ra	nge of material $\frac{1}{4} \times \frac{5}{8}$						
Fine to coarse sand & gravel & clay				106	115	11.1Stayic water level:ft. below land sur	mo./day/yr. face Date <u>7-3-75</u>						
Fine to coarse sand & gravel				115	127	12. Pumping level below land							
Sandy clay & fine to coarse sand & gravel				127	132	ft. after hrs. pumping g.p.m. Estimated maximum yield 578 g.p.m.							
Fine to coarse sand & gravel				132	152	13. Water sample submitted: mo./day/yr.							
Sandy clay				152	161	Yes X No 14. Well head completion:	Date						
Sandy clay & fine to coarse sand & gravel				161	166	Pitless adapter	12 Inches above grade						
Fine to coarse sand & gravel				166	177	15. Well grouted? <u>Yes</u> With: Neat cement <u>X</u> Bentonite Concrete							
Sandy clay & fine sand				177	188	Depth: FromO ft. to							
Sandy Clay & Tille Sand				11//	100	16. Nearest source of possible fr. 2600 Direction E	ast Type Farm						
Shale				188	197	Well disinfected upon comple							
[3Rock 188"						17. Pump: Manufacturer's name	1401 Inisiatrea						
						Model number	HP Volts _ ft. capacity g.p.m. (
					 	Type:							
				-		Submersible Jet	Turbine Reciprocating						
(Use a second sheet if needed)				<u> </u>		Centrifugal	Other o						
18. Elevation: 19. Remarks: Topography: Hill					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump, Inc. 245 Business name Address P.O. Box 852, Colby, Ks. Signed Authorized representative								
							Slope						
							Upland Valley						