Thomas	Section Number   Township Number   Range Number
WATER WELL OWNER: Clinton Jackson   Rs. St. Address, Box #   725 Cherokee Dr   St. Address, Box #   725 Cherokee Dr   Application Number:   Application	VW 1 NW 1 29 T 9 S R 3.3 EMD
St. Address, Box #: 725 Cherokee Dr y, State, ZIP Code Colby, Ks 67701 Application Number:	
AS S. Address, Box # : 725 Cherokee Dr	
System ZIP Code   Colby, K& 67701   Application Number:	
COATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:   Depth(s) Groundwater Encountered   1	Board of Agriculture, Division of Water Resources
N Depths (Groundwater Encountered 1	Application Number:
Depth(s) Groundwater Encountered 1	PLETED WELL 265 it. ELEVATION:
WELL'S STATIC WATER LEVEL 18. ft. below land surface measured on mo/daylyr which was the supplied on moldaylyr which was which was ft. after hours pumpling g gore Hote Diameter 8 in. to 280 ft. after hours pumpling g government 1 steel 3 Feed lot 6 Oil field water supply 8 Air conditioning 11 Injection welf 11 Injection welf 12 Injection welf 13 Feed lot 6 Oil field water supply 12 Other (Specify below 13 Feed lot 14 Injection welf 14 Injection welf 14 Injection welf 15 Injection welf	er Encountered 1 ft. 2 ft. 3 ft. TER LEVEL <b>na</b> ft. below land surface measured on mo/day/yr
Pump test datas: Well water was ft. after hours pumping g g Bore hote Diameter 8 in. to 280 ft. and in. to in. to WELL WATER TO BE USEO AS: S Public water supply 9 Dewatering 12 Other (Specify beld Was a chemical/bacterlological sample submitted to Department? Yes No X if yes, mo/daylyr sample w Water Well Disinfected? Yes X No TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glaud X. Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify beldw) Welded 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 1 Steel 3 Stainless steel 5 Fiberglass Threaded In. to ft. Dia in. Dia	TER LEVEL na ft. below land surface measured on mo/day/yr
Est. Yield gpm: Well water was ft. after hours pumping g Bore Hole Diameter 8 in. to 280 ft. and in. to	t data: Well water was ft. after hours pumping gpm
Bore Hole Diameter S in. to 280 ft. and will include the water Supply 8 Air conditioning 11 Injection well will water Supply 9 Dewatering 12 Other (Specify below) 12 Urrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well was a chemical/bacteriological sample submitted to Department? Yes No X if yes, mo/day/yr sample we submitted water Well Disinfected? Yes X No TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 1 Steel 3 Stainless steel 5 fiberglass Threaded in. to ft., Dia in. to sing height above land surface 18 in., weight 2.38 Ibs./ft. Well thickness or gauge No. 248 PEC OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 11 Other (specify) 12 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) REEN-PERFORATED INTERVALS: From 225 ft. to 265 ft. From ft. to From ft. to From ft. to From ft. to ft. From ft. to From ft. to ft. From ft. To COD	onm: Well water was fit after hours number dom
WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 Other (Specify beld 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well 2 User (Specify beld 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample well busineticed? Yes X No TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete title CASING JOINTS: Glued X Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	8 in. to 280 ft. and in. to ft.
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample w  water Well Disinfected? Yes X No  TYPE OF BLANK CASING USED: 5 Wought fron 8 Concrete tile CASING JOINTS: Glued X Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  1 Steel 3 RMP (SR) 1 In. to 225 ft., Dia in. to ft., Dia in. to  1 Steel 3 Stainless steel 15 Fiberglass 8 RMP (SR) 10 Asbestos-cement  1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  2 Brass 4 Galvanizad steel 6 Concrete tile 9 ABS 12 None used (open hole)  REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 9 Drilled holes  2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  REEN-PERFORATED INTERVALS: From 225 ft. to 265 ft. From ft. to  GRAVEL PACK INTERVALS: From 20 ft. to 265 ft. From ft. to  GROUT MATERIAL: 1 Neat cement 2 Cement grout 1 Septic tank 4 Lateral lines 7 Pit privy 11 Feat storage 15 Oil well/ Gas well  2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)  3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 insacticide storage 10 Other (specify below)  3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 insacticide storage 10 Other (specify below)  3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 insacticide storage 10 Other (specify below)  4 Lateral lines 7 Pit privy 11 Feet storage 16 Other (specify below)  5 FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS  20 Louves 168 178 Calliche & Clay w/some cemented 8  20 Surface 3 Other (specify below)  20 Surface 178 Calliche & Clay w/some cemented 8  21 Surface 178 Calliche & Clay w/some cemented 8  22 Surface 178 Calliche & Clay w/some cemented 8	- Court in the cou
Was a chemical/bacteriological sample submitted to Department? Yes   No X   If yes, mo/daylyr sample we submitted   Secondaria   Steel   Secondaria   Steel   Secondaria   S	,,,,
Submitted   Subm	
TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 6 Abbestos-Cement 9 Other (specify below)  2 PVC 4 ABS 7 Fiberglass Threaded  1 Steel 3 RMP (SR) 6 Abbestos-Cement 9 Other (specify below)  1 Steel 3 RMP (SR) 7 Fiberglass Threaded  1 Steel 3 Steinless steel 18 In., weight 2.38 Ibs./ft. Wall thickness or gauge No. 248 Ibs./ft.	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Threaded    2   PVC	
2   PVC	
Ink casing diameter 4.5 in. to 225 ft., Día in. to ft., Día in. to sing height above land surface 18 in., weight 2.38 ibs./ft. Wall thickness or gauge No	Aspestos-Cement 9 Other (specify below) Weided
PE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) REEN-PERFORATED INTERVALS: From 225 ft. to 265 ft. From ft. to From ft. to 5 ft. From ft. to GRAVEL PACK INTERVALS: From 20 ft. to 265 ft. From ft. to From ft. to 7 From ft. to 7 From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other out Intervals From 0 ft. to 20 ft. From ft. to 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 10 Other (specify below) 4 Unitervals From 7 CODE 1 LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 Surface 165 168 Sticky clay 20 30 Fine sand w/clay 168 178 Caliche & Clay w/some cemented 5	Finesques in to A Die in to A
PE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) REEN-PERFORATED INTERVALS: From 225 ft. to 265 ft. From ft. to From ft. to 5 ft. From ft. to 6 From ft. to 7 From ft.	11. Did 11. 10 11. Did 11. 10
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) REEN-PERFORATED INTERVALS: From 225 ft. to 265 ft. From ft. to From ft. to 265 ft. From ft. to GRAVEL PACK INTERVALS: From 20 ft. to 265 ft. From ft. to From ft. to ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other out Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to sat is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify) 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none ection from well?  How many feet?  FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS  3 20 Louess 165 168 Sticky Clay  10 Other (specify) 12 None used (open hole) 8 Sauzed 9 Drilled holes 12 None used (open hole) 8 Sauzet 10 Other (specify) 11 Fuel storage 15 Oil well/ Gas well 12 Sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none	7 PVC 10 Ashestos-cement
2 Brass 4 Galvanized steet 6 Concrete tille 9 ABS 12 None used (open hole)  REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  REEN-PERFORATED INTERVALS: From 225 ft. to 265 ft. From ft. to  From ft. to ft. From ft. to  GRAVEL PACK INTERVALS: From 20 ft. to 265 ft. From ft. to  From ft. to ft. From ft. to  GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  out Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to  at is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well  1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well  2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)  3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 10016  Water tight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 10016  Water tight sewer lines 6 Seepage pit 9 Feedyard 15 Oil well/ Gas well  1 Continuous slot 20 ft. From ft. to ft.	Fiberglass 8 RMP (SR) 11 Other (specify)
1 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  REEN-PERFORATED INTERVALS: From 225 ft. to 265 ft. From ft. to  From ft. to ft. From ft. to  From ft. to 265 ft. From ft. to  GRAVEL PACK INTERVALS: From 20 ft. to 265 ft. From ft. to  From ft. to ft. From ft. to  From ft. to ft. From ft. to  GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite out Intervals From 0 ft. to 20 ft. From ft. to  It is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/ Gas well 2 Sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none  Section from well? How many feet?  FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS  0 3 Surface Source of possible cement of the contamination	Concrete tile 9 ABS 12 None used (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  REEN-PERFORATED INTERVALS: From 225 ft. to 265 ft. From ft. to  From ft. to ft. From ft. to  GRAVEL PACK INTERVALS: From 20 ft. to 265 ft. From ft. to  From ft. to ft. From ft. to  GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Out Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to  at is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none  EXCOM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 Surface Some sand 3 20 Louess 165 168 Sticky clay 20 30 Fine sand w/clay 168 178 Caliche & clay w/some cemented s	5 Gauzed wrapped 8 Saw cut 11 None (open hole)
REEN-PERFORATED INTERVALS:   From   225   ft. to   265   ft. From   ft. to	6 Wire wrapped 9 Drilled holes
From ft. to ft. From ft. to ft. From ft. to From ft. to ft. From ft. T	7 Torch cut 10 Other (specify)
GRAVEL PACK INTERVALS: From 20 ft. to 265 ft. From ft. to  From ft. to ft. From ft. to  GROUT MATERIAL: 1 Neat cement 2 Cement grout out Intervals From 0 ft. to 20 ft. From ft. to  The pout Intervals From 1 ft. to 1 ft. From ft. to ft. From ft. to  The pout Intervals From 1 ft. to ft. From ft. to ft. From ft. to  The pout Intervals From 1 ft. to ft. From ft. to  The pout Intervals From 1 ft. to ft. From ft. to  The pout Intervals From 2 ft. to ft. From ft. to  The pout Intervals From 2 ft. to ft. From ft. to  The pout Intervals From 2 ft. to ft. From ft. to  The pout Intervals From 2 ft. to ft. From ft. to  The pout Intervals From 2 ft. to ft. From ft. to  The pout Intervals From 5 ft. From ft. to  The pout Intervals From 5 ft. From ft. to  The pout Intervals From 5 ft. From ft. to  The pout Intervals From 5 ft. From ft. to  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. To  The pout Intervals From 5 ft. To  The pout Intervals From 5 ft. From ft. To  The pout Intervals From 5 ft. To  The pout Intervals F	
From fl. to fl. From fl. to fl. From fl. to fl. From fl. to GROUT MATERIAL:  1 Neat cement 2 Cement grout 3 Bentonite out Intervals From 0 fl. to 20 fl. From fl. to fl. From	π. το π το
GROUT MATERIAL:  1 Neat cement 2 Cement grout 3 Bentonite 4 Other  out Intervals From 0 ft. to 20 ft. From ft. to ft. to ft. From 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) 17 How many feet?  FROM 10 CODE 11THOLOGIC LOG 10 FROM 10 PLUGGING INTERVALS 11 From 12 FROM 13 Surface 14 Abandoned water well 15 Oil well/ Gas well 16 Other (specify below) 17 Insecticide storage 18 FROM 19 PLUGGING INTERVALS 19 Some sand 20 Louess 165 168 Sticky clay 20 30 Fine sand w/clay 20 168 178 Caliche & clay w/some cemented services	π. το 403 π. From π. το π.
out Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to sat is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 100ne ection from well?  FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 Surface Some sand 3 20 Louess 165 168 Sticky clay 20 30 Fine sand w/clay 168 178 Caliche & clay w/some cemented s	
nat is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) 17 How many feet?  18 FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 19 Some sand 20 Louess 20 Louess 20 Some sand 20 Fine sand w/clay 20 Sewer lines 21 Fine sand w/clay 21 Fertilizer storage 22 Sewer lines 23 Louess 24 FROM TO PLUGGING INTERVALS 25 Some sand 26 Caliche & clay w/some cemented sewer lines 26 Seepage pit 27 FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 28 Sewage lagoon 29 FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 3 Caliche & clay w/some cemented sewer lines	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) 13 Insecticide storage 17 Insecticide storage 18 Insecticide storage 19 PLUGGING INTERVALS 19 PLUGGING INTE	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 10 Other (specify below) 4 How many feet?  FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 5 O 3 Surface Some sand 5 20 Louess 165 168 Sticky clay 5 Caliche & clay w/some cemented s	, and a second s
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none ection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 Surface Some sand 3 20 Louess 165 168 Sticky clay 20 30 Fine sand w/clay 168 178 Caliche & clay w/some cemented s	,
How many feet?   How many feet?	
0         3         Surface         Some sand           3         20         Louess         165         168         Sticky clay           20         30         Fine sand w/clay         168         178         Caliche & clay w/some cemented s	
3 20 Louess 165 168 Sticky clay 20 30 Fine sand w/clay 168 178 Caliche & clay w/some cemented s	
20 30 Fine sand w/clay 168 178 Caliche & clay w/some cemented s	
	165 168 Sticky clay
30 35 Soft sandy clay & caliche 178 180 Fine to med sand w/lots of clay	
30 35 Soft sandy clay & caliche 178 180 Fine to med sand w/lots of clay 35 42 Med sand & gravel 180 199.5 Med sand w/fine cemented lenses	
42 68 Sandy clay & caliche 199.5 206 Clay	
68 101 Med sand & gravel, loose 206 210 Semi tight fine to med sd w/clay,di	el, loose 206 210 Semi tight fine to med sd w/clay,dirty
101 110 Sandy clay 210 220 Fine sand w/clay, dirty	210 220 Fine sand w/clay, dirty
110 115 Hard cemented gravel w/clay 220 224 Med sand, fairly loose	
115 123 Sandy clay & caliche 224 250 Fine sand w/clay	
123 127 Med sand 250 263 Med sand & gravel, fairly loose	
127 130 Clay 263 280 Ochre & shale 130 150 Med sand & gravel, loosé	
130 150 Med sand & gravel, loosé 150 165 Cemented sdy clay caliche &	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w	: This water well was (1) constructed. (2) reconstructed, or (3) plugged under my jurisdiction and was
	5 and this record is true to the best of my knowledge and belief. Kansas
ater Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 9-2=0	This Water Well Record was completed on (mo/day/yr) 9-2=05
der the business name of Woofter Pump & Well Inc. by (signature)	