

LOCATION OF WATER WELL		Fraction	Section Number		Township Number		Range Number	
County:	Thomas	SE 1/4 NE 1/4 SE 1/4	26		T 9 S		R 33 E/W	
Distance and direction from nearest town or city? From Mingo 2 3/4 mi. south			Street address of well if located within city? N/A					
WATER WELL OWNER:		Henry Siebert		Board of Agriculture, Division of Water Resources				
R#, St. Address, Box # :		Rt. 2, Box 83-A		Application Number: 19891				
City, State, ZIP Code :		Colby, Kansas						
DEPTH OF COMPLETED WELL: 282 ft. Bore Hole Diameter: 28 in. to 280 ft. and in. to ft.								
Well Water to be used as:								
1 Domestic		3 Feedlot		5 Public water supply		8 Air conditioning		
2 Irrigation		4 Industrial		6 Oil field water supply		9 Dewatering		
		7 Lawn and garden only		10 Observation well		11 Injection well		
						12 Other (Specify below)		
Well's static water level: 176 ft. below land surface measured on 12 month 23 day 81 year								
Pump Test Data		Well water was: 272 ft. after 4 hours pumping: 380 gpm						
Test Yield 400 gpm:		Well water was ft. after hours pumping						
TYPE OF BLANK CASING USED:								
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		
				7 Fiberglass		Casing Joints: Glued Clamped Welded Threaded		
Blank casing dia 16 in. to 190 ft. Dia in. to ft. Dia in. to ft.								
Casing height above land surface: 12 in. weight lbs./ft. Wall thickness or gauge No. 188								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		
						10 Asbestos-cement		
						11 Other (specify)		
						12 None used (open hole)		
Screen or Perforation Openings Are:								
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes		
				7 Torch cut		10 Other (specify)		
						11 None (open hole)		
Screen-Perforation Dia: 16 in. to ft. Dia in. to ft. Dia in. to ft.								
Screen-Perforated Intervals: From W.A. Brown 190 ft. to 270 ft. From ft. to ft.								
From Cook 270 ft. to 280 ft. From ft. to ft.								
Gravel Pack Intervals: From 10 ft. to 282 ft. From ft. to ft.								
From ft. to ft. From ft. to ft.								
GROUT MATERIAL:								
1 Neat cement		2 Cement grout		3 Bentonite		4 Other Cement		
Grouted Intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination:								
1 Septic tank		4 Cess pool		7 Sewage lagoon		10 Fuel storage		
2 Sewer lines		5 Seepage pit		8 Feed yard		11 Fertilizer storage		
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage		
						13 Watertight sewer lines		
						14 Abandoned water well		
						15 Oil well/Gas well		
						16 Other (specify below)		
Direction from well: North How many feet 3,000 Water Well Disinfected? Yes No X								
Has a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample								
as submitted month day year Pump Installed? Yes X No								
Yes: Pump Manufacturer's name: Floway Model No. 8st. 10DOL HP 43 Volts								
Depth of Pump Intake: 278 ft. Pumps Capacity rated at gal./min.								
Type of pump:								
1 Submersible		2 Turbine		3 Jet		4 Centrifugal		
						5 Reciprocating		
						6 Other		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was								
Completed on 12 month 24 day 81 year								
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 245								
His Water Well Record was completed on Jan. 22 month 82 day year under the business								
Name of Western Well and Pump, Inc. by (signature) Roy E. Senior Jr.								
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM TO		LITHOLOGIC LOG		FROM TO		
						LITHOLOGIC LOG		
		0 25		Sand and sandy clay		163 177		
		25 37		Clay and sandy clay		177 183		
		37 39		Sandstone and clay		183 185		
		39 78		Coarse sand to coarse gr.		185 187		
		78 92		Clay and sandy clay W/SS Str.		187 201		
		92 100		Sand and sandy clay		201 208		
		100 106		Coarse sand and sandy cl.		208 220		
		106 128		Coarse sand to coarse Gr.		220 230		
		128 140		Gravel & clay mix		230 248		
		140 144		Fine Gravel		248 254		
		144 163		Coarse sand to coarse gr.		254 262		
						262 277		
						Coarse sand to coarse Gr		
						W/Clay S		
						Ochre		
ELEVATION:								
Depth(s) Groundwater Encountered		1. 176 ft. 2. ft. 3. ft. 4. ft.						
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.								