			WATER	R WELL RECORD F	orm WWC-5	KSA 82a	<del>,</del>		
		TER WELL:	Fraction	C*1.1		tion Number	Township Nun		Range Number
County:	Thom	AS	10W 1/4			27	т 9	S	R 33 EW
Distance a	and direction	from nearest town	or city street ac	ddress of well if located	within city?		12 -		
2 Mil	ies u	vest + -	2/2 WIL	es South	0+ N	lingo	Ks.		
2 WATE	R WELL OV	NER: HAROLD	Herbel	Kei	Tiger	Delg.	Ce,		Division of Water Resources
RR#, St.	Address, Bo	x# : Route	a A	1720K A	NS AS S	tate BAR	Board of Ag	riculture,	Division of Water Resources
City, State	, ZIP Code	: Colby	K ANSAS	67701/Wich	ITA K	5, 6720	2 Application	lumber:	185-580
3 LOCATI	e well's l	OCATION WITH 4	DEPTH OF C	OMPLETED WELL. 3	J. 7	. ft. ELEVA	TION:	ج.	
AN X	IN SECTIO	N {L	epth(s) Ground	water Encountered 1		ft. 2	l	ft. 3	3
ī	!	l v	VELL'S STATIC	WATER LEVEL 1	5 ft. b	elow land sur	face measured on n	no/day/yr	6-21-85
	NW		Pump	test data: Well water	was	ft. at	ter	hours pu	ımping gpm
1 1	X	'\'   E	st. Yield	gpm: Well water	was	ft. at	ter	hours pu	ımping gpm
ا ا	i		ore Hole Diame	terin. to			and	in	. to
* w		ı lv	VELL WATER T	O BE USED AS: 5	Public wate	r supply	8 Air conditioning	11	Injection well
7	1		1 Domestic	3 Feedlot 6	Oil field was	ter supply	9 Dewatering	12	Other (Specify below)
	SW	55	2 Irrigation	4 Industrial 7	Lawn and g	arden only 1			
1 1	1	l i l v	Vas a chemical/b	acteriological sample su	omitted to De	epartment? Ye	esNoX	; If yes	, mo/day/yr sample was sub-
1 -		n	nitted			Wat	ter Well Disinfected	Yes	X No
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOIN	TS: Glue	d Clamped
1_St	eel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify below	<i>(</i> )	Weld	ed
(2 P)	79	4 ABS		7 Fiberglass				Threa	aded
Blank casi	ing diameter	<b>5.</b> ir	n. to 1. 9	7 ft., Dia	in. to		ft., Dia	<i></i> .	in. to ft.
Casing he	ight above I	and surface. 3 (	بىبەي.	برز., weight	<u></u> .	Ibs./	ft. Wall thickness or	gauge N	lo
_	-	R PERFORATION		, , ,	(7 PV	_	10 Asbes		
1 Ste	eel	3 Stainless	steel	5 Fiberglass		P (SR)	11 Other	(specify)	
2 Br	ass	4 Galvanized	d steel	6 Concrete tile	9 AB		12 None		
SCREEN	OR PERFO	RATION OPENING	S ARE:	5 Gauzed	wrapped		8 Saw cut	` '	11 None (open hole)
1 Co	ontinuous slo	ot 3 Mill	slot	6 Wire w	• •		9 Drilled holes		., ,
	uvered shut		punched	7 Torch o	• •		10 Other (specify)		
		ED INTERVALS:	From J						toft.
									toft.
(	GRAVEL PA	CK INTERVALS:							toft.
			From			ft., Fror			to ft.
6 GROUT	T MATERIAI	.: 1 Neat ce	ment	2 Cement grout					
			. to	ft., From			ft., From		ft. to ft.
		ource of possible co					tock pens		bandoned water well
	eptic tank	•		7 Pit privy			storage	15 C	Dil well/Gas well
•								Other (specify below)	
		ver lines 6 Seepag		9 Feedyard			ticide storage .		
	from well?		, p	• • • • • • • • • • • • • • • • • • • •		How man	•		
FROM	TO		LITHOLOGIC	LOG	FROM	то		THOLOG	SIC LOG
217	25	SAND	+ GRAVE						
,			- Henry					-	
25	5	Canpage	ten ina	RAANIC CLAYS					
		COMP	71.70	regume comps					
5	2	Cemen +	G 00.1	<b>+</b>					
		CCIVICIU	OIROC						
		CASING (	it aff	3/ Below					
		GROUND	Level	* Removed					
		STICOUTY D	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~						
		Plusas	4)011	COURDED ALLER					
		41 +1 6	o Page	Silts + Clays					
		From 3'	to Sui	eface					
		rkom >	10 301	LTHCE					
	1			ON THE	(4)	-11(2)			dan mara kamba disaktara ana di
									der my jurisdiction and was
completed	on (mo/day	/year) 7. /. 2/	201						owledge and belief. Kansas
				This Water We	Record wa	•		1.7.7.	ن <sup>ه</sup> ري
under the	business na	me of Rep Ti	ger DRI	a. Co.	200.2	by (signat	ture) Suce	the	cher
									e correct answers. Send top . Send one to WATER WELL
		ne for your records.		iont, Division of Environm	on, Environ	mornal Geolog	,, Jeouloii, Topeka, r		. SSIN SIN IO TANTER WELL
CAMINEL									